

Makita[®]

FACILITIES MANAGEMENT

2026 / 27

PRODUCT RANGE



CONTENTS

Batteries, Chargers, and Adapters	2
Backpack Vacuum Cleaners	4
Upright Vacuum Cleaners	8
Tub Vacuum Cleaners	10
Vacuum Sweeper	12
Scrubber Polisher	13
Stick Vacuum Cleaners	14
Robotic Vacuum Cleaners	20
Portable Vacuum Cleaners	22
Blowers	24
Dust Blowers	28
Portable Power Supplies	29
Split Shafts	30
Power Washers	34



WARRANTY

STANDARD WARRANTY

1 OR 2 YEARS

Every Makita tool is thoroughly inspected and tested before leaving the factory, and is guaranteed to be free of defects from workmanship and materials for the period of **ONE YEAR** from the date of purchase. This period is extended to **TWO YEARS** for Li-ion batteries and chargers.

Should any trouble develop during this period, return the complete tool freight prepaid, to either an authorised Makita Service Agent or to Makita (UK) Ltd. If inspection shows the trouble is caused by defective workmanship or material, Makita will repair without charge.

THIS GUARANTEE DOES NOT APPLY WHERE:

- Repairs have been made or attempted by others
- Repairs are required because of normal wear and tear
- The tool has been abused, misused or poorly maintained
- Alterations have been made to the tool
- This guarantee does not affect your statutory rights



EXTENDED WARRANTY

3 YEARS

You can claim an extra 2 years of warranty for your Makita tools, under the following conditions:

1. Your product registration must be completed within 30 days of purchase.
2. Your Makita tool is both CE and UKCA marked excluding; batteries & chargers, accessories, petrol tools, gas nailers, pneumatic tools, clothes and worklight products without a serial number purchased after 1st April 2025.

[Register online via our extended warranty form.](#)

THIS GUARANTEE DOES NOT APPLY WHERE:

- Repairs have been made or attempted by others
- Repairs are required because of normal wear and tear
- The tool has been abused, misused or poorly maintained
- Alterations have been made to the tool
- This guarantee does not affect your statutory rights



SYMBOL KEY

XGT	
XGT 40V Max	
LXT	
LXT 18V	
LXT 36V (18V x2)	
Brushless Motor	
HEPA Filter	
Auto-Start Wireless System	
Active Feedback-sensing Technology	
Connect X	


BOOK A CORDLESS CLEANING EXPERIENCE

We would like to invite you to get to grips with our cordless cleaning tools via an appointment with one of our experienced team members.



To book your demonstration, fill out the application form by scanning the QR code, or visit:

makitauk.com/booking



		LXT						XGT				
		BL1830B	BL1840B	BL1850B	BL1860B	BL1890	BL18120	BL4025	BL4040	BL4040F	BL4050	BL4080F
LXT	DC18RC	22 minutes	36 minutes	45 minutes	55 minutes	85 minutes	120 minutes	-	-	-	-	-
	DC18RD	22 minutes	36 minutes	45 minutes	55 minutes	85 minutes	120 minutes	-	-	-	-	-
	DC18SE	60 minutes	90 minutes	110 minutes	130 minutes	200 minutes	265 minutes	-	-	-	-	-
XGT	DC40RA	22 minutes (with ADP10)	29 minutes (with ADP10)	35 minutes (with ADP10)	40 minutes (with ADP10)	59 minutes (with ADP10)	70 minutes (with ADP10)	28 minutes	45 minutes	45 minutes	50 minutes	76 minutes
	DC40RB	22 minutes (with ADP10)	29 minutes (with ADP10)	35 minutes (with ADP10)	40 minutes (with ADP10)	59 minutes (with ADP10)	70 minutes (with ADP10)	28 minutes	45 minutes	45 minutes	50 minutes	76 minutes
	BCC01	90 160 minutes 4 ports 8 ports (with ADP10)	110 160 minutes 4 ports 8 ports (with ADP10)	135 270 minutes 4 ports 8 ports (with ADP10)	160 320 minutes 4 ports 8 ports (with ADP10)	240 480 minutes 4 ports 8 ports (with ADP10)	320 640 minutes 4 ports 8 ports (with ADP10)	90 180 minutes 4 ports 8 ports	145 290 minutes 4 ports 8 ports	145 290 minutes 4 ports 8 ports	175 350 minutes 4 ports 8 ports	280 560 minutes 4 ports 8 ports

POWER SOURCE KITS

Technology	Part No.	Batteries	Charger	Makpac
XGT	1910B1-4	BL4080F x4	DC40RB	Type 3
XGT	1910A2-5	BL4080F x2	DC40RB	Type 3
XGT	191U48-0	BL4050 x4	DC40RB	Type 3
XGT	191U20-2	BL4050 x2	DC40RB	Type 3
XGT	191V42-8	BL4050 x2	DC40RA	Type 2
XGT	191K01-6	BL4040 x2	DC40RA	Type 1
XGT	191J85-8	BL4025 x2	DC40RA	Type 1
LXT	198095-6	BL1860B x4	DC18RD	Type 3
LXT	198119-8	BL1860B x2	DC40RC	Type 1
LXT	197627-6	BL1850B x4	DC18RD	Type 3
LXT	98C430	BL1850B x2	DC18RD	Type 3
LXT	197803-2	BL1850B x2	DC18RC	Type 1

BCC01 XGT 40V Max 8 Port Battery Charging Case

EFFICIENTLY CHARGES MULTIPLE BATTERIES



8 Charging Ports

Padlock Hole

Removable Lid

Rotatable Handles

Makpac Compatible

<p>BL1830B ● 3.0 Ah Battery LXT 18V <i>LXT</i></p>	<p>BL1840B ● 4.0 Ah Battery LXT 18V <i>LXT</i></p>	<p>BL1850B ● 5.0 Ah Battery LXT 18V <i>LXT</i></p>	<p>BL1860B ● 6.0 Ah Battery LXT 18V <i>LXT</i></p>	<p>BL1890 ● 9.0 Ah Battery LXT 18V <i>LXT</i></p>	<p>BL18120 ● 12.0 Ah Battery LXT 18V <i>LXT</i></p>	<p>DC18RC ● Fast Charger Single Port <i>LXT</i></p>	<p>DC18RD ● Fast Charger Twin Port <i>LXT</i></p>	<p>DC18SE ● Standard Charger Single Port <i>LXT</i></p>	<p>DC40RA ● Fast Charger Single Port <i>XGT</i></p>	<p>DC40RB ● Fast Charger Twin Port <i>XGT</i></p>	<p>BCC01 ● Charging Case 8 Ports <i>XGT</i></p>
<p>BL4025 ● 2.5 Ah Battery XGT 40V Max <i>XGT</i></p>	<p>BL4040 ● 4.0 Ah Battery XGT 40V Max <i>XGT</i></p>	<p>BL4040F ● 4.0 Ah Battery XGT 40V Max <i>XGT</i></p>	<p>BL4050 ● 5.0 Ah Battery XGT 40V Max <i>XGT</i></p>	<p>BL4080F ● 8.0 Ah Battery XGT 40V Max <i>XGT</i></p>	<p>191C10-7 ● ADP10 Adapter XGT to LXT <i>XGT LXT</i></p>	<p>ADP001G ● USB Adapter XGT 40V Max <i>XGT</i></p>	<p>ADP05 ● USB Adapter LXT 18V <i>LXT</i></p>	<p>ADP10 Battery Adapter The ADP10 battery adapter allows you to charge LXT 18V batteries using XGT 40V Max chargers.</p>			

VC011G XGT 40V Max Backpack Vacuum Cleaner

A



Specifications		XGT
Weight	6.4 - 9.5 kg	
Max. Sealed Suction	20 kPa	
Max. Air Volume	2.4 m³/min	
Capacity	Paper: 6 L Cloth: 5.5 L	
Run Time: 5.0Ah (x2)	40 - 260 mins	
Run Time: 8.0Ah (x2)	64 - 416 mins	



Standard Equipment

- 191G86-8 Nozzle Assembly
- 140G19-0 Telescopic Pipe
- 140G26-3 Bent Pipe
- 166116-2 Hose Band
- 191C26-2 Fleece Dust Bag
- 191C30-1 Reusable Fabric Dust Bag
- 198919-6 Long Sash Nozzle
- 458203-4 Long Sash Nozzle

Auto Switching Battery System

VC011G ONLY



VC008G XGT 40V Max Backpack Vacuum Cleaner

B



Specifications		XGT
Weight	4.1 - 5.3 kg	
Max. Sealed Suction	18 kPa	
Max. Air Volume	2.4 m³/min	
Capacity	Paper: 2 L Cloth: 1.5 L	
Run Time: 5.0Ah (x2)	14 - 110 mins	
Run Time: 8.0Ah (x2)	23 - 176 mins	



Standard Equipment

- 191G86-8 Nozzle Assembly
- 140G19-0 Telescopic Pipe
- 140G26-3 Bent Pipe
- 166116-2 Hose Band
- 191C26-2 Filter Bag
- 191C30-1 Vacuum Hose 28 mm x 1 m



LOW NOISE

	VC011G	VC008G
Mode 1	55 dB(A)	60 dB(A)
Mode 2	59 dB(A)	63 dB(A)
Mode 3	64 dB(A)	66 dB(A)
Mode 4	68 dB(A)	72 dB(A)



HEPA Filter

HEPA Filter is used as the main filter to capture very fine particles effectively.

Able to capture 99.97% of particles as small as 0.3 - 1 µm

VC011G, VC008G, DVC660, DVC261



Comfortable Harness

Mesh material on the back surfaces reduces stiffness on the shoulders, back and waist. The waist belt helps distribute the weight of the machine evenly.

VC011G, VC008G, DVC660, DVC261



Automatic Filter Cleaning

Springs beneath the dust bag vibrate during walking movement to remove dust from the bag, reducing filter clogging and maintaining suction performance.

VC011G, DVC660 ONLY



4-Speed Power Mode

Suction power can be manually adjusted with 4 modes. The cleaner can memorise the previous mode selected when last used for added convenience.

VC011G, VC008G ONLY

Built-in Stopper

When the filter bag / dust bag is not installed in the machine, the front cover will not close completely to minimise dust ingress.

VC011G, VC008G, DVC660 ONLY



Carry Handle

VC011G, VC008G, DVC660, DVC261



Belt Loop

VC011G, VC008G, DVC660, DVC261



LED Light

VC011G, VC008G, DVC660, DVC261



DVC660 LXT Twin 18V (36V) Backpack Vacuum Cleaner **C**



Specifications

Weight	6.1 - 6.7 kg
Max. Sealed Suction	11 kPa
Max. Air Volume	2.2 m³/min
Capacity	Paper: 6 L Cloth: 5.5 L
Run Time: 5.0Ah (x2)	33 - 110 mins
Run Time: 6.0Ah (x2)	40 - 140 mins

Standard Equipment

127082-8	Nozzle Assembly
140G19-0	Telescopic Pipe
140G26-3	Bent Pipe
140F62-3	Flexible Hose
162701-9	Filter Bag
166116-2	Hose Band

3 YEAR WARRANTY

DVC261 LXT Twin 18V (36V) Backpack Vacuum Cleaner **D**



Specifications

Weight	3.8 - 4.5 kg
Max. Sealed Suction	11 kPa
Max. Air Volume	2.3 m³/min
Capacity	Paper: 2 L Cloth: 1.5 L
Run Time: 5.0Ah (x2)	33 - 110 mins
Run Time: 6.0Ah (x2)	40 - 140 mins

Standard Equipment

127082-8	Nozzle Assembly
140G19-0	Telescopic Pipe
143787-2	Vacuum Hose 28 mm x 1 m
161471-7	Filter Bag
166116-2	Hose Band

3 YEAR WARRANTY


3-Speed Power Mode

Suction power can be manually adjusted with 3 modes: High / Medium / Low.

The controller is also equipped with an LED job light for working in dark spaces.

DVC660, DVC261 ONLY




 143787-2 ● Vacuum Hose 28mm x 1m A B	 199493-7 ● Vacuum Hose 32mm x 1.7m A B C D	 140G19-0 ○ Telescopic Pipe Aluminium A B C D	 123584-2 ○ Telescopic Pipe Plastic A B C D	 166116-2 ● Hose Band A B C D	 1911W4-1 ● Protection Cover VC008G Only B
 198873-4 ○ Shelf Brush 28mm x 180mm A B C D	 198538-8 ● Shelf Brush 28mm x 180mm A B C D	 140G26-3 ● Bent Pipe Without Sleeve A B C D	 127093-3 ● Bent Pipe Without Sleeve A B C D	 126756-8 ● Bent Pipe With Sleeve A B C D	 191496-7 ○ Flexible Hose 28mm x 0.45m A B C D
 199844-4 ○ Straight Pipe m - m A B C D	 199843-6 ○ Straight Pipe m - f A B C D	 127828-2 ● Floor Nozzle 220mm x 28mm A B C D	 127825-8 ○ Floor Nozzle 220mm x 28mm A B C D	 127827-4 ● Floor Nozzle 220mm x 28mm A B C D	 127082-8 ● Floor Nozzle 280mm A B C D
 199038-1 ○ Seat Nozzle 175mm x 28mm A B C D	 199041-2 ● Seat Nozzle 175mm x 28mm A B C D	 198878-4 ○ Round Brush 28mm A B C D	 198549-3 ● Round Brush 28mm A B C D	 191C26-2 ○ Dust Bag Fleece, 5L A C	 191C30-1 ○ Dust Bag Reusable, 5L A C
 198919-6 ○ Long Sash Nozzle 330mm x 28mm A B C D	 198990-0 ● Long Sash Nozzle 330mm x 28mm A B C D	 199439-3 ○ Long Sash Nozzle 415mm x 28mm A B C D	 410306-2 ○ Long Sash Nozzle 330mm x 38mm A B C D	 1911J6-6 ○ Carpet Nozzle 260mm x 28mm A B C D	 1911J4-0 ○ Carpet Nozzle 260mm x 28mm A B C D
 197901-2 ○ Flexible Nozzle Rubber A B C D	 197899-3 ○ Dust Bag Set 2L B D	 191D12-9 ○ Filter HEPA Filter A C	 127725-2 ○ Main Filter H Set HEPA Filter B D	 197903-8 ○ Filter Dust Bag 10 Pack B D	 191G86-8 ○ Floor Nozzle 320mm x 28mm A B C D

A: VC010G B: DVC560



VC010G XGT 40V Max Upright Vacuum Cleaner

A



Specifications	XGT
Weight	8.0 - 9.2 kg
Max. Sealed Suction	15 kPa
Max. Air Volume	1.8 m ³ /min
Capacity	5 L
Run Time: 5.0Ah	25 - 100 mins
Run Time: 8.0Ah	40 - 160 mins



Standard Equipment

- 191D65-8 Long Sash Nozzle
- 191D67-4 Round Brush
- 191T96-3 Filter Bag (10 pc)



DVC560 LXT Twin 18V (36V) Upright Vacuum Cleaner

B



Specifications	LXT
Weight	8.3 - 9.0 kg
Max. Sealed Suction	12 kPa
Max. Air Volume	1.9 m ³ /min
Capacity	5 L
Run Time: 6.0Ah (x2)	30 - 120 mins



TOOL IS NOT COMPATIBLE WITH THE FOLLOWING BATTERIES: BL1890 or BL18120



Standard Equipment

- 191D65-8 Long Sash Nozzle
- 191D67-4 Round Brush

Requires x2 LXT 18V Batteries

DVC560 ONLY



90° Tilt

Main body can tilt up to 90° making it easier to access tight spaces.

VC010G, DVC560



3-Speed Power Mode

Suction power can be manually adjusted with 3 modes:

High / Medium / Low (Quiet).

The cleaner can memorise the previous mode selected when last used for added convenience.

VC010G, DVC560



Adjustable Brush Height

Brushroll height is manually adjustable to match the carpet pile length.

VC010G: 5 Settings
DVC560: 4 Settings

VC010G, DVC560



Tool-less Brush Replacement

VC010G, DVC560



Side Brushes

VC010G, DVC560



LED Light

VC010G, DVC560



191D65-8 ○
Long Sash Nozzle
330mm x 28mm
A | B



191D67-4 ○
Round Brush
28mm
A | B



191T96-3 ○
Filter Bag
5L, 10 Pack
A | B



191E39-5 ○
Filter
HEPA Filter
A | B



191Y86-6 ○
Dust Bag
5L, Reusable
A | B



1912B1-6 ●
Cyclone Set
A | B



1914B1-8 ●
Brush Roller
VC010G Only
A



1910T8-6 ●
Brush Roller
DVC560 Only
B

VC001GL XGT 40V Max Tub Vacuum Cleaner **A**



Standard Equipment

- 127603-6 Floor Nozzle
- 140G19-0 Telescopic Pipe
- 140G26-3 Bent Pipe
- 140G84-9 Vacuum Hose 32 mm x 1.7 m
- 195432-5 Poly Bag Set
- 413B37-4 Multi Hook
- 451350-0 Stopper
- 458203-4 Long Sash Nozzle
- 144625-1 Cloth Filter Set



8L | Wet & Dry



Specifications **XGT**

Weight	8.1 - 11.2 kg
Max. Sealed Suction	23 kPa
Max. Air Volume	3.2 m³/min
Capacity	Wet: 6 L Dry: 8 L
Run Time: 5.0Ah (x2)	28 - 220 mins
Run Time: 8.0Ah (x2)	45 - 352 mins



VC003GL XGT 40V Max Tub Vacuum Cleaner **B**



Standard Equipment

- 127603-6 Floor Nozzle
- 140G19-0 Telescopic Pipe
- 140G26-3 Bent Pipe
- 140G84-9 Vacuum Hose 32 mm x 1.7 m
- 195432-5 Poly Bag Set
- 413B37-4 Multi Hook
- 451350-0 Stopper
- 458203-4 Long Sash Nozzle
- 144625-1 Cloth Filter Set



15L | Wet & Dry



Specifications **XGT**

Weight	8.4 - 11.5 kg
Max. Sealed Suction	23 kPa
Max. Air Volume	3.2 m³/min
Capacity	Wet: 12 L Dry: 15 L
Run Time: 5.0Ah (x2)	28 - 220 mins
Run Time: 8.0Ah (x2)	45 - 352 mins



VC005GL XGT 40V Max Tub Vacuum Cleaner **C**



Standard Equipment

- 127603-6 Floor Nozzle
- 140G19-0 Telescopic Pipe
- 140G26-3 Bent Pipe
- 140G84-9 Vacuum Hose 32 mm x 1.7 m
- 195432-5 Poly Bag Set
- 413B37-4 Multi Hook
- 451350-0 Stopper
- 458203-4 Long Sash Nozzle
- 191V71-1 Cloth Filter Set



8L | Dry ONLY



Specifications **XGT**

Weight	7.9 - 11.0 kg
Max. Sealed Suction	23 kPa
Max. Air Volume	2.8 m³/min
Capacity	Dry: 8 L
Run Time: 5.0Ah (x2)	28 - 220 mins
Run Time: 8.0Ah (x2)	45 - 352 mins



Auto Switching Battery System
Automatically switches to the second XGT 40V Max battery when the first one runs out.

L-Class

L-Class is suitable for mica, china clay, and gypsum. Removes 99% of dust with a limit value for occupational exposure > 1.0 mg/m³




Improved Stability

Rear wheels have been enlarged to reduce the risk of the machine tipping over and to improve straight-line stability.



VC005GL ONLY





VS001G XGT 40V Max Vacuum Sweeper



Specifications	XGT
Weight	29.9 - 33.1 kg
Working Width	650 mm
Capacity	24 L
Run Time: 5.0Ah	120 - 290 mins
Run Time: 8.0Ah	200 - 480 mins



Standard Equipment

- 162C89-5 Pre Filter
- 191D12-9 Main Filter
- 137059-5 Dust Bag Set 24 L
- 1830S6-7 Side Brush
- 1830S5-9 Main Brush

Foldable Handle

Handle can be folded to stand the machine upright for compact storage.



191D12-9 ○
Main Filter
HEPA Filter
VS001G ONLY



162C89-5 ○ ●
Pre Filter
VS001G ONLY



137059-5 ●
Dust Bag Set
24 L
VS001G ONLY



1913F7-8 ●
Dust Bag Set
47 L
VS001G ONLY

Dual Suction Modes

Standard Mode: for cleaning large amounts of dust and waste.

Quiet Mode: ideal for cleaning indoors and in smaller areas.

Adjustable Brush Height

Brush height can be adjusted from the dials on the side of the machine body and handle.



1913F5-2 ●
Multi Adapter Set
VS001G ONLY



1830S6-7 ●
Side Brush
VS001G ONLY



1830S5-9 ●
Main Brush
VS001G ONLY

PS001G XGT 40V Max Scrubber Polisher



Specifications	XGT
Weight	4.4 - 5.6 kg
Pad Diameter	190 - 200 mm
Telescopic Pole Length	1,080 - 1,435 mm
Run Time: 4.0Ah	40 - 160 mins



Standard Equipment

- 1914T1-4 Medium Brush
- 1914S5-9 Floor Pad (white)
- 1914S6-7 Floor Pad (red)
- 1914S7-5 Floor Pad (blue)
- 1914S4-1 Pad Holder
- 1915D1-8 Accessory Bag

Versatile

A range of colour coded attachments are available for cleaning tile, decks, resin wax, and concrete.



1914T2-2 ●
Hard Brush
190mm
PS001G ONLY



1914T3-0 ●
Abrasive Brush
190mm
PS001G ONLY



1914T1-4 ●
Medium Brush
190mm
PS001G ONLY



1914T0-6 ○
Soft Brush
190mm
PS001G ONLY



1914S5-9 ○
Floor Pad
200mm
PS001G ONLY



1914S6-7 ●
Floor Pad
200mm
PS001G ONLY



1914S7-5 ●
Floor Pad
200mm
PS001G ONLY



1914S8-3 ●
Floor Pad
200mm
PS001G ONLY



1914S9-1 ●
Floor Pad
200mm
PS001G ONLY



1914S4-1 ○
Pad Holder
175mm
PS001G ONLY



1915D1-8 ● ●
Accessory Bag
Waterproof
PS001G ONLY



ADVANCED FLOOR NOZZLE

Easy Operation

The electric rotary brush provides drive assistance, allowing the cleaner to be pushed with ease.

Efficient

Equipped with a motor suitable for professional cleaning applications. A highly durable brush with three types of bristles ensures efficient debris removal.

Easy Maintenance

The electric rotary brush can be attached and detached without tools.

Floor Detection Function

The electric rotary brush automatically stops when the nozzle is not in contact with the floor and activates when the nozzle touches the floor.



Hook



4-Mode Suction Power



LED Light




Ergonomic Handle Design

Designed for easy pushing, offering smooth operation and minimising fatigue.

Quiet Operation

Sound absorbing sponges are placed along the exhaust route to reduce noise during use.



CL004G XGT 40V Max Stick Vacuum Cleaner

A



Specifications

Weight	1.6 - 2.2 kg
Max. Sealed Suction	20 kPa
Max. Air Volume	1.0 m ³ /min
Capacity	0.25 L
Run Time: 2.5Ah	14 - 60 mins



Standard Equipment

- 1915P4-6 Pipe Assembly
- 1915P8-8 Floor Nozzle
- 4132G4-8 Sash Nozzle
- 4132G5-6 Nozzle Holder

Dust Box (cyclone type)

The dust box can be removed for emptying while keeping the cyclone unit attached to the body of the machine.



1915P0-4 ○
Filter Set
High Performance
CL004G ONLY



1915P2-0 ○
Filter H Set
HEPA Filter
CL004G ONLY



4132G4-8 ○
Sash Nozzle
CL004G ONLY



4132G5-6 ○
Nozzle Holder
CL004G ONLY



1915P6-2 ● ●
Power Brush
Complete Set
CL004G Only



1915P8-8 ○
Floor Nozzle
Includes Brush
CL004G ONLY



1915P4-6 ○
Pipe Assembly
545mm
CL004G ONLY



CL001G XGT 40V Max Stick Vacuum Cleaner

B



Specifications XGT	
Weight	1.7 - 2.3 kg
Max. Sealed Suction	21 kPa
Max. Air Volume	1.2 m ³ /min
Capacity	0.73 L
Run Time: 2.5Ah	16 - 80 mins
Run Time: 4.0Ah	25 - 128 mins



Standard Equipment

- 127828-2 Floor Nozzle
- 413809-5 Sash Nozzle
- 458942-6 Suction Tube
- 459038-6 Nozzle Holder

Capsule Type

CL001G



DCL284F LXT 18V Stick Vacuum Cleaner

E



Specifications LXT	
Weight	1.3 - 1.6 kg
Max. Sealed Suction	18 kPa
Max. Air Volume	1.2 m ³ /min
Capacity	0.73 L
Run Time: 6.0Ah	16 - 76 mins



Standard Equipment

- 127828-2 Floor Nozzle
- 413809-5 Sash Nozzle
- 458942-6 Suction Tube
- 459038-6 Nozzle Holder

Capsule Type

DCL284F



CL002G XGT 40V Max Stick Vacuum Cleaner

C



Specifications XGT	
Weight	1.8 - 3.0 kg
Max. Sealed Suction	21 kPa
Max. Air Volume	1.2 m ³ /min
Capacity	0.5 L
Run Time: 2.5Ah	16 - 80 mins
Run Time: 4.0Ah	25 - 128 mins



Standard Equipment

- 127828-2 Floor Nozzle
- 413809-5 Sash Nozzle
- 458942-6 Suction Tube
- 459038-6 Nozzle Holder
- 194566-1 Paper Filter (anti-bacterial)

Paper Dust Bag Type

CL002G



DCL282F LXT 18V Stick Vacuum Cleaner

F



Specifications LXT	
Weight	1.3 - 1.6 kg
Max. Sealed Suction	8.2 kPa
Max. Air Volume	1.5 m ³ /min
Capacity	0.5 L
Run Time: 6.0Ah	30 - 100 mins



Standard Equipment

- 123488-8 Floor Nozzle
- 194566-1 Paper Filter (anti-bacterial)
- 413859-0 Sash Nozzle
- 459355-4 Nozzle Holder
- 459356-2 Suction Tube

Paper Dust Bag Type

DCL282F



CL003G XGT 40V Max Stick Vacuum Cleaner

D



Specifications XGT	
Weight	1.9 - 2.5 kg
Max. Sealed Suction	20 kPa
Max. Air Volume	1.0 m ³ /min
Capacity	0.25 L
Run Time: 2.5Ah	16 - 80 mins



Standard Equipment

- 127828-2 Floor Nozzle
- 413809-5 Sash Nozzle
- 458942-6 Suction Tube
- 459038-6 Nozzle Holder

Cyclone Type

CL003G



DCL286F LXT 18V Stick Vacuum Cleaner

G



Specifications LXT	
Weight	1.6 - 1.9 kg
Max. Sealed Suction	18 kPa
Max. Air Volume	1.0 m ³ /min
Capacity	0.25 L
Run Time: 6.0Ah	16 - 76 mins




Standard Equipment

- 127828-2 Floor Nozzle
- 413809-5 Sash Nozzle
- 458942-6 Suction Tube
- 459038-6 Nozzle Holder

Cyclone Type

DCL286F



 413809-5 ● Sash Nozzle 150mm A B C D E F G	 413859-0 ● Sash Nozzle 150mm A B C D E F G	 140G19-0 ○ Telescopic Pipe Aluminium A B C D E F G	 123584-2 ○ Telescopic Pipe Plastic A B C D E F G	 458942-6 ● Suction Tube Pipe Lock A B C D E F G	 459356-2 ● Suction Tube Pipe Lock A B C D E F G	 459353-8 ○ Suction Tube Pipe Lock A B C D E F G	 459038-6 ● Nozzle Holder Plastic A B C D E F G	 459355-4 ● Nozzle Holder Plastic A B C D E F G	 459354-6 ○ Nozzle Holder Plastic A B C D E F G	 456585-8 ○ Nozzle Holder Plastic A B C D E F G	 451245-7 ○ Nozzle Holder Plastic A B C D E F G
 198873-4 ○ Shelf Brush 28mm x 180mm A B C D E F G	 198538-8 ● Shelf Brush 28mm x 180mm A B C D E F G	 140G26-3 ● Bent Pipe A B C D E F G	 127605-2 ○ Telescopic Pipe Plastic A B C D E F G	 191D80-2 ● Straight Pipe 320mm A B C D E F G	 191D79-7 ○ Straight Pipe 320mm A B C D E F G	 451242-3 ○ Nozzle Holder Plastic A B C D E F G	 1911L1-0 ○ Floor Stand A B C D E F G	 123486-2 ○ Floor Nozzle 225mm A B C D E F G	 140H95-0 ● Seat Nozzle A B C D E F G	 194566-1 ○ Paper Filter 5 Pack C F	 123539-7 ● Floor Nozzle 225mm A B C D E F G
 191M30-1 ● Brush Nozzle A B C D E F G	 198547-7 ● Flexible Hose A B C D E F G	 127828-2 ● Floor Nozzle 220mm x 28mm A B C D E F G	 127825-8 ○ Floor Nozzle 220mm x 28mm A B C D E F G	 127827-4 ● Floor Nozzle 220mm x 28mm A B C D E F G	 1910Y3-1 ○ Telescopic Pipe Plastic A B C D E F G	 1910D5-0 ● Cyclone Unit 250ml B D E G	 1910D3-4 ○ Cyclone Unit 250ml B D E G	 1910D4-2 ● Cyclone Unit 250ml B D E G	 191D73-9 ● Cyclone Unit 400ml B C D E F	 191D71-3 ○ Cyclone Unit 400ml B C D E F	 199971-7 ○ Wall Attachment A B C D E F G
 199038-1 ○ Seat Nozzle 175mm x 28mm A B C D E F G	 199041-2 ● Seat Nozzle 175mm x 28mm A B C D E F G	 198878-4 ○ Round Brush 28mm A B C D E F G	 198549-3 ● Round Brush 28mm A B C D E F G	 140H94-2 ● Soft Brush 360 32mm x 355mm A B C D E F G	 191D65-8 ○ Long Sash Nozzle 330mm x 28mm A B C D E F G	 199901-8 ● Tool Bag A B C D E F G	 199989-8 ○ HEPA Filter B E	 198915-4 ○ Filter Set 10 Pack B E	 191E30-3 ● Flexible Hose A B C D E F G	 191D77-1 ● Straight Pipe 340mm A B C D E F G	 198878-4 ○ Round Brush A B C D E F G
 123488-8 ● Floor Nozzle 225mm A B C D E F G	 191D67-4 ○ Round Brush 28mm A B C D E F G	 191M77-5 ● Straight Pipe Joint 32mm A B C D E F G	 198745-3 ○ Paper Filter Set 5 Pack C F	 198747-9 ○ Dust Bag C F	 191G86-8 ○ Floor Nozzle 320mm x 28mm A B C D E F G	 198919-6 ○ Long Sash Nozzle 330mm x 28mm A B C D E F G	 198990-0 ● Long Sash Nozzle 330mm x 28mm A B C D E F G	 199439-3 ○ Long Sash Nozzle 415mm x 28mm A B C D E F G	 198532-0 ○ Floor Nozzle 320mm x 28mm A B C D E F G	 1911J6-6 ○ Carpet Nozzle 260mm x 28mm A B C D E F G	 1911J4-0 ○ Hard Floor Nozzle 260mm x 28mm A B C D E F G
 Floor Nozzle 127828-2	 Cyclone Unit 191D71-3	 Soft Brush 360 140H94-2	 Brush Nozzle 191M30-1	 HEPA Filter 199989-8	 Floor Stand 1911L1-0	 Telescopic Pipe 140G19-0	 Seat Nozzle 140H95-0	 Round Brush 198878-4	 Wall Attachment 199971-7	 Carpet Nozzle 1911J6-6	 Hard Floor Nozzle 1911J4-0

DRC300 LXT 18V Robotic Vacuum Cleaner **A**



Standard Equipment

- 191P28-6 Brush Assembly Set
- 620H54-5 Remote Control



TOOL IS NOT COMPATIBLE WITH THE FOLLOWING BATTERIES: BL1890 or BL18120

Specifications	LXT
Weight	9.6 - 10.6 kg
Running Speed	0.3 m/s
Max. Cleaning Area	600 m ²
Capacity	3 L
Run Time: 6.0Ah (x2)	240 mins

NOT COMPATIBLE WITH BL1890 or BL18120

DRC200 LXT 18V Robotic Vacuum Cleaner **B**



Standard Equipment

- SH00000065 Side Brush Assembly
- SH00000219 Remote Control
- SH00000231 Sensor Wall Tape



TOOL IS NOT COMPATIBLE WITH THE FOLLOWING BATTERIES: BL1890 or BL18120

Specifications	LXT
Weight	7.3 - 7.8 kg
Running Speed	0.3 m/s
Max. Cleaning Area	500 m ²
Capacity	2.5 L
Run Time: 3.0Ah (x2)	120 mins
Run Time: 5.0Ah (x2)	200 mins

NOT COMPATIBLE WITH BL1890 or BL18120

Productivity

Three stage cleaning system utilises side brushes, main brush and vacuum suction.

DRC300, DRC200



Performance

Cleans approximately 600 m²* / 500 m²** using two LXT 5.0Ah batteries

* = DRC300 ** = DRC200

DRC300, DRC200



LiDAR Sensor

LiDAR sensor and front camera sensor help to map and save up to 5 rooms over 9,000 m²

DRC300 ONLY



Smartphone App

Compatible with an app for smart cleaning

Makita Robotic Cleaner DRC300

DRC300 ONLY



A: DRC300 B: DRC200



191P22-8 ●
Main Brush Complete Set

A



191P28-6 ●
Side Brushes 2 Pack

A



191X35-7 ○
Sponge Sheet Set

A



191P20-2 ●
Main Brush Complete Set

A



620H54-5 ●
Remote Control DRC300 Only

A



191P18-9 ●
Magnet Tape Set 5m

A



191P24-4 ●
Bottom Plate Assembly Set

A



191P31-7 ○
HEPA Filter Complete Set

A



SH00000231 ○
Sensor Wall Tape 15m

B



SH00000219 ●
Remote Control DRC200 Only

B



SH00000065 ●
Side Brushes 2 Pack

B



SH00000321 ●
Soft Side Brushes 2 Pack

B



SH00000213 ●
Filter DRC200 Only

B



SH00000064 ●
Main Brush Cover DRC200 Only

B



SH00000320 ●
Soft Power Brush DRC200 Only

B



SH00000313 ●
Power Brush DRC200 Only

B

VC013GL XGT 40V Max Vacuum Cleaner A



Specifications **XGT**

Weight	5.0 - 6.2 kg
Max. Sealed Suction	15 kPa
Max. Air Volume	2.0 m³/min
Capacity	Wet: 4.5 L Dry: 7.5 L
Run Time: 5.0Ah	22 - 120 mins

Standard Equipment

- 140G04-3 Vacuum Hose 28 mm x 2 m
- 1915T4-4 Wet Filter Set
- 1915W5-3 Paper Dust Bag Set
- 199486-4 Shoulder Belt
- 4132U6-2 Sash Nozzle
- 458891-7 Wide Nozzle

Wet & Dry

3 YEAR WARRANTY

DVC750L LXT 18V Vacuum Cleaner B



Specifications **LXT**

Weight	4.3 - 4.6 kg
Max. Sealed Suction	4.2 - 6.7 kPa
Max. Air Volume	1.3 - 1.6 m³/min
Capacity	Wet: 4.5 L Dry: 7.5 L
Run Time: 5.0Ah	30 - 60 mins

Standard Equipment

- 140G04-3 Vacuum Hose 28 mm x 2 m
- 458891-7 Wide Nozzle
- 4132U6-2 Sash Nozzle

Wet & Dry

3 YEAR WARRANTY
TOOL IS NOT COMPATIBLE WITH THE FOLLOWING BATTERIES: BL1890 or BL18120

DCL184 LXT 18V Vacuum Cleaner C



Specifications **LXT**


Weight	1.8 - 2.2 kg
Max. Sealed Suction	5.4 kPa
Max. Air Volume	1.4 m³/min
Capacity	0.5 L
Run Time: 3.0Ah	20 - 80 mins

Standard Equipment

- 140H94-2 Soft Brush 360
- 140H95-0 Seat Nozzle
- 140J64-3 Blower Nozzle Set
- 162544-9 Shoulder Belt
- 194566-1 Paper Filter (anti-bacterial)
- 422437-5 Crevice Nozzle
- 459056-4 Floor Mat Nozzle

Dry ONLY

3 YEAR WARRANTY
TOOL IS NOT COMPATIBLE WITH THE FOLLOWING BATTERIES: BL1890 or BL18120

 140G04-3 ● Vacuum Hose 28mm x 2m A B	 1915T4-4 ● Wet Filter A	 1915W5-3 ○ ○ Paper Dust Bag 10 Pack A	 199486-4 ● ● Shoulder Belt A B	 4132U6-2 ● Sash Nozzle 38mm x 180mm A B	 458891-7 ● Wide Nozzle 38mm x 130mm A B
 140H94-2 ● Soft Brush 360 32mm x 355mm C	 140H95-0 ● Seat Nozzle 32mm x 120mm C	 140J64-3 ● ● Blower Nozzle DCL184 Only C	 162544-9 ● ● Shoulder Belt DCL184 Only C	 194566-1 ○ ○ Paper Filter C	 422437-5 ○ Crevice Nozzle 35mm x 330mm C
 459056-4 ● Floor Mat Nozzle 28mm x 120mm C	 1912G5-3 ● Bent Pipe Without Sleeve A B	 198749-5 ○ Dust Bag Set Easy Shake-off C	 166084-9 ○ Dust Bag Set Cloth C	 1915G5-1 ● Caster Set VC013GL Only A	 198900-7 ● Bluetooth Chip AWS A
 418500-0 ● Joint 28mm - 38mm A B	 191M39-3 ● Wet Filter A B	 162518-0 ○ HEPA Filter Dry Filter A B	 162635-6 ○ Pre Filter A B	 458919-1 ● Sash Nozzle 38mm x 180mm A B	 1912G4-5 ○ Telescopic Pipe Aluminium A B
 1915G6-9 ● Vacuum Hose 28mm x 5m A B	 1915T3-6 ○ Filter Bag VC013GL Only A	 191M30-1 ● Brush Nozzle DCL184 Only C	 191M32-7 ● Wiper Nozzle DCL184 Only C	 191D67-4 ● Round Brush DCL184 Only C	
 Wide Nozzle 458891-7	 Shoulder Strap 162544-9	 Caster Set 1915G5-1	 Soft Brush 360 140H94-2	 Blower Nozzle 140J64-3	 Seat Nozzle 140H95-0

UB001G XGT 40V Max Blower **A**



Specifications	XGT
Weight	3.1 - 4.5 kg
Max. Air Velocity	64 m/s
Max. Air Volume	16 m³/min
Blowing Force	17 N
Run Time: 5.0Ah	8 - 15 mins



Standard Equipment	
166094-6	Shoulder Belt
191L96-5	Adapter Pipe
412758-3	End Nozzle
456958-5	Flat Nozzle
456957-7	Extension Nozzle

Boost Mode



DUB362 LXT Twin 18V (36V) Blower **C**



Specifications	LXT
Weight	3.5 - 4.2 kg
Max. Air Velocity	54 m/s
Max. Air Volume	13.4 m³/min
Blowing Force	14.4 N
Run Time: 5.0Ah x2	11 - 75 mins
Run Time: 6.0Ah x2	13.5 - 89 mins



Standard Equipment	
166094-6	Shoulder Belt
191L96-5	Telescoping Blower Nozzle
456958-5	Flat Nozzle

Requires x2 LXT 18V Batteries

DUB362 ONLY



DUB187 LXT 18V Blower and Vacuum **B**



Specifications	LXT
Weight	3.7 - 4.0 kg
Max. Sealed Suction	3.3 kPa
Max. Air Velocity	64 m/s
Max. Air Volume: Blower	13 m³/min
Max. Air Volume: Vacuum	4.2 m³/min
Capacity	25 L
Run Time: 6.0Ah	14 mins



Standard Equipment	
GB00000185	Collector Bag
GB00000198	Shoulder Strap

Wide Nozzle
GB00000165
DUB187 ONLY



DUB184 LXT 18V Blower **D**



Specifications	LXT
Weight	2.5 - 3.0 kg
Max. Air Velocity	52.1 m/s
Max. Air Volume	13.4 m³/min
Blowing Force	10.9 N
Run Time: 6.0Ah	12 mins



Standard Equipment	
166094-6	Shoulder Belt
412833-5	Adapter Pipe 80-72
456957-7	Extension Nozzle
456958-5	Flat Nozzle
783202-0	Hex Wrench

Water Blowing Nozzle
1915C8-7
DUB184 ONLY



Blower / Vacuum Lever
Conveniently toggle between blower and vacuum mode using the lever on side of the tool body.
DUB187 ONLY



Shredder Blade
Metal shredder blade is attached on the fan to chip fallen leaves or twigs for mulching.
DUB187 ONLY

DUB186 LXT 18V Blower **E**



Specifications	LXT
Weight	1.6 - 2.1 kg
Max. Air Velocity	68 m/s
Max. Air Volume	3.2 m³/min
Blowing Force	2.5 N
Run Time: 5.0Ah	21 - 130 mins



Standard Equipment	
191G09-6	Garden Nozzle

Dust Bag
123241-2
DUB186 ONLY



UB004C Connect X 36V Backpack Blower **F**



Specifications	CONNECT X
Weight	16.5 - 18.6 kg
Max. Air Velocity	80.7 m/s
Max. Air Volume	20.9 m³/min
Blowing Force	28 N
Run Time: PDC1500	55 - 200 mins

UB003C Connect X 36V Blower **G**



Specifications	CONNECT X
Weight	11.6 - 13.9 kg
Max. Air Velocity	86 m/s
Max. Air Volume	17.6 m³/min
Blowing Force	24 N
Run Time: PDC1200	60 - 400 mins
Run Time: PDC1500	60 - 530 mins



Direct Connection
Compatible with the Connect X portable power supply backpacks.
(see page 29 for more information).

UB004C, UB003C

 191P97-7 ● End Nozzle 410mm A	 191L96-5 ● Adapter Pipe 72mm - 85mm A	 197889-6 ● Flat Nozzle 260mm A C D	 183P97-1 ● Extension Nozzle A C D	 191C15-7 ● Adapter Pipe Set A C	 166094-6 ● Shoulder Belt A C D
 191B03-8 ● Gutter Set 3.2m A C D	 191J13-3 ● Gutter Adapter D	 191L13-5 ● Gutter Adapter DUB184 Only D	 412758-3 ● End Nozzle UB001G Only A	 455915-0 ● Telescopic Nozzle 410mm C	 456957-7 ● Extension Nozzle 440mm C D
 456958-5 ● Flat Nozzle 280mm A C D	 GB00000185 ● Collector Bag DUB187 Only B	 GB00000198 ● Shoulder Strap DUB187 Only B	 GB00000165 ● Wide Nozzle DUB187 Only B	 412833-5 ● Adapter Pipe 72mm - 80mm A B C D E F G	 783202-0 ● Hex Wrench 4mm A B C D E F G
 1915C8-7 ● Water Nozzle DUB184 Only D	 191G09-6 ● Garden Nozzle DUB186 Only E	 123241-2 ● Dust Bag DUB186 Only E	 122321-1 ● Dust Bag DUB186 Only E	 192236-6 ○ Anchor Pipe DUB186 Only E	 123245-4 ● Nozzle Assembly DUB186 Only E
 196643-5 ○ Vacuum Hose Set DUB186 Only E	 123246-2 ● Nozzle Assembly DUB186 Only E	 191M30-1 ● Brush Nozzle DUB186 Only E	 191M32-7 ● Wiper Nozzle DUB186 Only E	 132025-7 ● Tapered Nozzle DUB186 Only E	 191M34-3 ● Flexible Hose DUB186 Only E
 122F94-2 ● Harness UB003C Only G	 1914H0-2 ● Vacuum Hose Set UB004C Only F	 1914H1-0 ● Vacuum Hose Set UB004C Only F			

AS001G XGT 40V Max Dust Blower



Standard Equipment

- 191X11-1 Narrow Nozzle
- 191X13-7 Filter Nozzle
- 191X15-3 Blower Nozzle
- 191X17-9 Inflator Nozzle
- 191X19-5 Wide Nozzle
- 831304-7 Tool Bag
- 821551-8 Makpac Case (3)



Specifications	XGT
Weight	1.5 - 2.9 kg
Max. Sealed Suction	103 mbar
Max. Air Velocity	200 m/s
Max. Air Volume	1.1 m³/min
Blowing Force	2.8 N
Run Time: 2.5Ah	13 - 50 mins

DAS180 LXT 18V Dust Blower



Standard Equipment

- 191X11-1 Narrow Nozzle
- 191X13-7 Filter Nozzle
- 191X15-3 Blower Nozzle
- 191X17-9 Inflator Nozzle
- 191X19-5 Wide Nozzle
- 831304-7 Tool Bag



Specifications	LXT
Weight	1.2 - 1.7 kg
Max. Sealed Suction	103 mbar
Max. Air Velocity	200 m/s
Max. Air Volume	1.1 m³/min
Blowing Force	2.8 N
Run Time: 6.0Ah	15 - 55 mins

 191X11-1 ● Narrow Nozzle 3mm AS001G DAS180	 191X13-7 ● Filter Nozzle 7mm AS001G DAS180	 191X15-3 ● Blower Nozzle 13mm AS001G DAS180	 191X17-9 ● Inflator Nozzle 7mm AS001G DAS180	 191X19-5 ● Wide Nozzle 6mm x 5 AS001G DAS180	 191X21-8 ● Flexible Nozzle 6mm x 800mm AS001G DAS180
-----------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------

 191X23-4 ● Air Vent Nozzle 13mm x 550mm AS001G DAS180	 191X25-0 ● Blower Nozzle 7mm AS001G DAS180	 191X27-6 ● Suction Nozzle 65mm AS001G DAS180	 191X29-2 ● Additional Filter AS001G DAS180	 191X78-9 ● Long Nozzle Set 8mm AS001G DAS180	 821551-8 ● Makpac Case (3) Type 3 AS001G DAS180
---------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------

 Air Vent Nozzle 191X23-4	 Filter Nozzle 191X13-7	 Flexible Nozzle 191X21-8	 Wide Nozzle 191X19-5	 Long Nozzle Set 191X78-9	 Additional Filter 191X29-2
--------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------

PDC1500 | PDC1200 Portable Power Supply **A**



Specifications

Weight: PDC1500 PDC1200	12.9 kg 10.4 kg
Max. Output Power: PDC1500 PDC1200	1500 Wh 1200 Wh
Charge Time: PDC1500 PDC1200	7.5 hrs 6 hrs

PDC01 Portable Power Supply **B**



Use with x4 LXT 18V Batteries


Specifications

Weight	7 kg
Max. Output Power	432 Wh
Charge Time	22 - 55 mins

Direct Attachment
Power your Connect X tools directly to the portable power supply via a cord for seamless, continuous power.



Corded Adapter
Use a battery adapter to power compatible XGT or LXT tools (mowers, trimmers, blowers, etc) straight from the Connect X system for enhanced run time.

 191J50-7 ● Battery Adapter LXT 18V A B	 191J51-5 ● Battery Adapter LXT Twin 18V A B	 191N62-4 ● Battery Adapter XGT 40V Max A
---------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

 DC4001 ● Charger A B	 BAC01 ● Power Converter DC to AC A B
------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------

UX01G XGT 40V Max Split Shaft **A**



Standard Equipment

- 127759-5 Shoulder Strap
- 783202-0 Hex Wrench
- 831304-7 Accessory Bag



Specifications **XGT**

Weight	5.3 - 12.5 kg
No Load Speed: 1 2 3	0 - 5,700 8,200 9,700 rpm
Max. Output	1000 W

DUX60 LXT Twin 18V (36V) Split Shaft **B**



Standard Equipment

- 125516-5 Shoulder Strap
- 783202-0 Hex Wrench
- 831304-7 Accessory Bag



Specifications **LXT**

Weight	5.1 - 11.7 kg
No Load Speed: 1 2 3	0 - 5,700 8,200 9,700 rpm
Max. Output	600 W

A: UX01G **B: DUX60** **C: DUX18**

DUX18 LXT 18V Split Shaft **C**




Standard Equipment

- 127508-0 Shoulder Strap
- 783202-0 Hex Wrench
- 831304-7 Accessory Bag



Specifications **LXT**

Weight	4.0 - 10.3 kg
No Load Speed: 1 2	0 - 6,800 9,700 rpm
Max. Output	470 W



Versatility

Split Shafts can be paired with various attachments for completing a variety of different tasks including; trimming, pruning, cultivating, brush cutting, blowing and more. (see page 32 for more information).



Easy Change

Lever style lock system allows for quick tool-less installation and replacement of the attachments.




High Power Brushless Motor

Allows for more comfortable operation in heavy-duty situations when using an attachment.

AFT Automatic Feedback Sensing Technology

Electronic torque control turns the motor off if rotation speed suddenly slows down or stops.



3 Speed Settings

Three selectable speeds depending on the application;

- Mode 1: 5,700 rpm
- Mode 2: 8,200 rpm
- Mode 3: 9,700 rpm

UX01G, DUX60 ONLY

Reverse Button

Reverse button for easy removal of grass clippings from the cutting tools.

UX01G, DUX60 ONLY





A: UX01G B: DUX60 C: DUX18

Split Shafts |



191N31-5 ●
Brush Cutter
300mm
A | B | C



198768-1 ●
Brush Cutter
420mm
A | B



198779-6 ●
Linetrimmer
420mm
A | B



191N49-6 ●
Line Trimmer
330mm
A | B | C



196752-0 ●
Edging Tool
203mm
A | B | C



1913P8-6 ●
Weeder
220mm
A | B | C



196256-2 ●
Hedge Trimmer
490mm
A | B | C



1912T8-8 ●
Hedge Trimmer
500mm
A | B | C



1912T0-4 ●
Ground Trimmer
250mm
A | B | C



1913C9-3 ●
Ground Trimmer
330mm
A | B | C



191T38-7 ●
Pole Saw
300mm
A | B | C



191E24-8 ●
Extension Pole
1080mm
A | B | C



SN400MP ●
Snow Blower
300mm
A | B | C



UB403MP ●
Blower
Low Noise
A | B | C



191P72-3 ●
Blower
Low Noise
A | B | C



191F77-3 ●
Blower
A | B | C



191F65-0 ●
Blower
A | B | C



1912R8-4 ●
Blower
A | B | C



Ground Trimmer
1913C9-3



Cultivator
195711-1



Blower
1912R8-4



Snow Blower
SN400MP



Hedge Trimmer
1912T8-8



Weeder
1913P8-6




Power Brush
199318-5



Sweeper
199339-7



Scissors
191M56-3



Pole Saw
191T38-7



Edging Tool
196752-0



Water Pump
DEAPF400MP



191M56-3 ●
Scissors
230mm
A | B | C



195711-1 ●
Cultivator
232mm
A | B | C



199339-7 ●
Sweeper
590mm
A | B | C



199318-5 ●
Power Brush
600mm
A | B | C



DEAPF400MP ●
Water Pump
A | B | C

HW001G XGT 40V Max Power Washer **A**



Specifications	XGT
Weight	10.3 - 13.4 kg
Max. Pressure	115 bar
Regular Pressure	30 - 85 bar
Max. Water Flow	7.0 L/min
Max. Water Temperature	40°C
Run Time: 5.0Ah x2	18 - 60 mins



Standard Equipment

- 122C89-7 Hose Assembly
- 1910R2-4 Strainer Assembly
- 123637-7 Trigger Gun
- 123653-9 Cycle Jet Nozzle
- 126766-5 High Pressure Hose 5m
- 1912X8-6 Variospray Nozzle Set
- 1912Y0-9 Connector Set
- 191U84-6 Extension Set

3 Operation Modes



DHW080 LXT Twin 18V (36V) Power Washer **B**



Specifications	LXT
Weight	7.1 - 7.9 kg
Max. Pressure	80 bar
Regular Pressure	30 - 55 bar
Max. Water Flow	6.3 L/min
Max. Water Temperature	40°C
Run Time: 5.0Ah	15 - 34 mins



Standard Equipment

- 123653-9 Cycle Jet Nozzle
- 126766-5 High Pressure Hose 5m
- 197873-1 Self Suction Hose
- 127104-4 Storage Box
- 197810-5 Connector Set

50 L Tank Capacity



DHW180 LXT 18V Power Washer **C**



Specifications	LXT
Weight	2.3 - 2.7 kg
Max. Pressure	24 bar
Regular Pressure	8 - 24 bar
Max. Water Flow	5.3 L/min
Max. Water Temperature	40°C
Run Time: 5.0Ah	30 - 83 mins



Standard Equipment

- LX00000049 Basic Lance
- LX00000050 5-in-1 Nozzle
- LX00000063 Cleaning Pin

Battery Protector



Auto Switching Battery System

Automatically switches to the second XGT 40V Max battery when the first one runs out.

HW001G ONLY

Accessory Storage

Attachments, hoses, and accessories can be stored on-board the tool for ease of transport.

HW001G, DHW080 ONLY

Water Supply Tank

In addition to a mains water supply, the DHW080 can be ran from the 50L capacity water supply tank.

DHW080 ONLY

Mobility and Storage

Telescopic handle and large wheels allows for good mobility even on bumpy road surfaces. The compact design also makes it easy to store.

HW001G ONLY

5-in-1 Nozzle

Rotate the nozzle head to cycle through 5 different spray settings; 0°, 15°, 25°, 40°, and shower.

DHW180 ONLY



HW1300 240V Mains Power Washer **D**

Standard Equipment

- 123637-7 Trigger Gun
- 123639-3 Foam Nozzle
- 123652-1 Variable Nozzle
- 123653-9 Cycle Jet Nozzle
- 123784-4 High Pressure Hose 10m
- 197935-5 Connector Set



Specifications

Weight	12.7 kg
Max. Pressure	130 bar
Regular Pressure	80 - 110 bar
Max. Water Flow	7.5 L/min
Max. Water Temperature	40°C
Continuous Input Power: 240V	1800 W

HW1200 240V Mains Power Washer **E**

Standard Equipment

- 123637-7 Trigger Gun
- 123639-3 Foam Nozzle
- 123652-1 Variable Nozzle
- 123653-9 Cycle Jet Nozzle
- 123784-4 High Pressure Hose 10m
- 197935-5 Connector Set



Specifications

Weight	11.0 kg
Max. Pressure	120 bar
Regular Pressure	100 bar
Max. Water Flow	7.0 L/min
Max. Water Temperature	40°C
Continuous Input Power: 240V	1800 W

A: HW001G B: DHW080 C: DHW180 D: HW1300 E: HW1200

 1912X9-4 ●● Connector Set A B	 191M52-1 ● Variable Short Gun A B	 1912Y2-5 ○● Foam Nozzle A B	 1912Y4-1 ●● Variospray Nozzle Standard Set A	 1912Y5-9 ●● Variospray Nozzle Extension Lance A	 1912Y6-7 ●● Variospray Nozzle Lance Set A
 197853-7 ● Joint Set A B D E	 123653-9 ● Cycle Jet Nozzle B D E	 126766-5 ● High Pressure Hose 5m A B	 127104-4 ● Storage Box 50L B	 197810-5 ●○ Connector Set B D	 123784-4 ● High Pressure Hose 10m B D E
 197822-8 ● Variable Nozzle B D E	 197824-4 ● Cyclone Nozzle B D E	 197828-6 ● Wash Brush B D E	 197831-7 ● Rotating Brush B D E	 197876-5 ● Spray Lance Set B D E	 197870-7 ●○ Extension Set Pipe Assembly B D E
 197867-6 ● Anti-twist Joint B D E	 197864-2 ● Slim Brush B	 197881-2 ○ Water Filter B D E	 197883-8 ● Hose Connector B D E	 198909-9 ●○ Spray Lance Under Body B D E	 197879-9 ○ Cleaning Pin 410mm A B C D E
 197886-2 ○● Foam Nozzle B D E	 LX00000001 ○● Foam Nozzle DHW180 Only C	 LX00000002 ● Angle Nozzle DHW180 Only C	 LX00000003 ● Wheel Brush DHW180 Only C	 197842-2 ● Spray Handle B D E	 191U88-8 ● Variospray Nozzle Lance Set B D E
 197873-1 ○ Self Suction Hose Self Suction A B D E	 1910R2-4 ○ Strainer Assembly 0.6m A	 197845-6 ● High Pressure Hose 5m D E	 197847-2 ● High Pressure Hose 8m D E	 197850-3 ● High Pressure Hose 10m B D E	 197837-5 ● Pipe Cleaning Hose 10mm B D E



Makita is compliant with all of the relevant legislation, including:

- » UK Waste Electrical and Electronic Equipment (WEEE)
- » Extended Producer Responsibilities (ERP)
- » Waste Batteries and Accumulators
- » Registration, Evaluation, Authorisation, Restriction of Chemicals (REACH)
- » Restriction of Hazardous Substances (RoHS)

WEEE (Waste Electrical and Electronic Equipment) regulations in both the EU and the UK are designed to ensure that electrical and electronic products are collected, recycled, and disposed of responsibly. Makita provide options for end of life on your Makita tools, that mean old or unwanted devices should not be thrown in general waste but instead are either taken to approved recycling points or returned through take-back schemes. Contact your local Makita representative to find out more information on how Makita ensure compliance to reduce the environmental impact on our tools and promote a circular economy.

Battery regulations in both the EU and the UK aim to reduce environmental impact by ensuring safe collection, recycling, and responsible disposal of all types of batteries. Makita provide options for end of life on your Makita batteries. Makita offers the option to return waste batteries to designated collection points rather than disposing of them in household waste. Contact your local Makita representative to find out more on how Makita provide take-back options, helping to ensure batteries are managed safely and kept within a circular, sustainable system.

MAKITAUK.COM

*Accessories shown are not necessarily supplied as standard equipment.
Specification shown may change owing to our policy of constant improvement.
Subject to availability. E&OE.*

