

Makita	9561CVR	Angle Grinder	3/8"	8.5	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9561CVR	Angle Grinder	3/8"	7.5	1.5	Surface-grinding-with-anti-vibration-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9561CVR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Normal side grip
Makita	9561CVR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Anti vib side grip
Makita	9562C	Angle Grinder	3/8"	8.5	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9562CH	Angle Grinder	3/8"	8.5	1.5	Surface-grinding-with-normal-side-grip	62841-2-3	86	-	94	3	Lp:Result converted to 0.7m p	62841-2-3	
Makita	9562CH	Angle Grinder	3/8"	7.5	1.5	Surface-grinding-with-anti-vibration-side-grip	62841-2-3	86	-	94	3	Lp:Result converted to 0.7m p	62841-2-3	
Makita	9562CH	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Normal side grip
Makita	9562CH	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Anti vib side grip
Makita	9562CR	Angle Grinder	3/8"	8.5	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9562CR	Angle Grinder	3/8"	7.5	1.5	Surface-grinding-with-anti-vibration-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9562CR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Normal side grip
Makita	9562CR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Anti vib side grip
Makita	9562CV	Angle Grinder	3/8"	8.5	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9562CVH	Angle Grinder	3/8"	8.5	1.5	Surface-grinding-with-normal-side-grip	62841-2-3	86	-	94	3	Lp:Result converted to 0.7m p	62841-2-3	
Makita	9562CVH	Angle Grinder	3/8"	7.5	1.5	Surface-grinding-with-anti-vibration-side-grip	62841-2-3	86	-	94	3	Lp:Result converted to 0.7m p	62841-2-3	
Makita	9562CVH	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Normal side grip
Makita	9562CVH	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Anti vib side grip
Makita	9562CVR	Angle Grinder	3/8"	8.5	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9562CVR	Angle Grinder	3/8"	7.5	1.5	Surface-grinding-with-anti-vibration-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9562CVR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Normal side grip
Makita	9562CVR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Anti vib side grip
Makita	9563H	Angle Grinder	3/8"	2.5	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		85	96	3	no-load	60745-2-3	
Makita	9564C	Angle Grinder	3/8"	8.0	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9564C	Angle Grinder	3/8"	8.0	1.5	Surface-grinding-with-anti-vibration-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	Anti vib side grip
Makita	9564CR	Angle Grinder	3/8"	8.0	1.5	Surface-grinding-with-normal-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9564CR	Angle Grinder	3/8"	8.0	1.5	Surface-grinding-with-anti-vibration-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	
Makita	9564CVR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Normal side grip
Makita	9564CR	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Anti vib side grip
Makita	9564CV	Angle Grinder	3/8"	8.0	1.5	Surface-grinding-with-anti-vibration-side-grip	60745-2-3		83	94	3	no-load	60745-2-3	Anti vib side grip
Makita	9564CV	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Normal side grip
Makita	9564CV	Angle Grinder	3/8"	2.5	1.5	Disc-sanding	60745-2-3		-	-	-	-	60745-2-3	Anti vib side grip
Makita	9													

	Makita	9565PC	Angle Grinder		10,0	1,5	Surface-grinding-with-anti-vibration-side-grip	62841-2-3	85	-	93	3	Lp:Result converted to 0.7m p	62841-2-3	
	Makita	9565PC	Angle Grinder	10,0	2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Normal side grip
	Makita	9565PC	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Anti vib side grip
	Makita	9565PCV	Angle Grinder	10,0	1,5	1,5	Surface-grinding-with-angle-vibration-side-grip	62841-2-3	85	-	93	3	Lp:Result converted to 0.7m p	62841-2-3	
	Makita	9565PCV	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Normal side grip
	Makita	9565PCV	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Anti vib side grip
	Makita	9566C	Angle Grinder		6,5	1,5	Surface-grinding-with-anti-vibration-side-grip	62841-2-3	89	-	97	3	Lp:Result converted to 0.7m p	62841-2-3	
	Makita	9566C	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Normal side grip
	Makita	9566C	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Anti vib side grip
	Makita	9566CR	Angle Grinder		6,5	1,5	Surface-grinding-with-angle-vibration-side-grip	62841-2-3	89	-	97	3	Lp:Result converted to 0.7m p	62841-2-3	
	Makita	9566CR	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Normal side grip
	Makita	9566CR	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Anti vib side grip
	Makita	9566CV	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Normal side grip
	Makita	9566CV	Angle Grinder		2,5	1,5	Disc-sanding	62841-2-3	-	-	-	-	-	62841-2-3	Anti vib side grip
	Makita	9566CV(9566CR)	Angle Grinder		7,0	1,5	Surface-grinding-with-normal-side-grip	62841-2-3	89	-	97	3	Lp:Result converted to 0.7m p	62841-2-3	
	Makita	9566CVR	Angle Grinder		7,0	1,5	Surface-grinding-with-normal-side-grip	60745-2-3	-	86	97	3	no-load	60745-2-3	
	Makita	9566CVR	Angle Grinder		2,5	1,5	Disc-sanding	60745-2-3	-	-	-	-	-	60745-2-3	Normal side grip
	Makita	9566C													

[illegible]

Makita	DFL062F	Cordless Angle Screwdriver	2,5	1,5	Screwdriving-without-impact	60745-2-2		70	-	3	no-load	60745-2-2	
Makita	DFL063F	Cordless Angle Screwdriver	0,8	1,5	Screwdriving-without-impact	EN62841-2-2		71	-	3	no-load	EN62841-2-2	
Makita	DFL083F	Cordless Angle Screwdriver	0,5	1,5	Screwdriving-without-impact	EN62841-2-2		70	-	3	no-load	EN62841-2-2	
Makita	DFL122F	Angle Screwdriver	0,2	1,5	Screwdriving-without-impact	EN62841-2-2		70	-	3	no-load	EN62841-2-2	
Makita	DFL123F	Angle Screwdriver	0,5	1,5	Screwdriving-without-impact	EN62841-2-2		77	-	3	no-load	EN62841-2-2	
Makita	DFL124F	Cordless Angle Screwdriver	2,5	1,5	Screwdriving-without-impact	60745-2-2		70	-	3	no-load	60745-2-2	
Makita	DFL125F	Cordless Angle Screwdriver	0,5	1,5	Screwdriving-without-impact	EN62841-2-2		72	-	3	no-load	EN62841-2-2	
Makita	DFL126F	Cordless Angle Screwdriver	0,9	1,5	Screwdriving-without-impact	EN62841-2-2		79	-	3	no-load	EN62841-2-2	
Makita	DFL201F	Cordless Screwdriver	0,4	1,5	Screwdriving-without-impact	EN62841-2-2		75	-	3	no-load	EN62841-2-2	
Makita	DFL201R	Cordless Screwdriver	0,4	1,5	Screwdriving-without-impact	EN62841-2-2		75	-	3	no-load	EN62841-2-2	
Makita	DFL202F	Angle Screwdriver	0,3	1,5	Screwdriving-without-impact	EN62841-2-2		70	-	3	no-load	EN62841-2-2	
Makita	DFL203F	Cordless Angle Screwdriver	2,5	1,5	Screwdriving-without-impact	60745-2-2		70	-	3	no-load	60745-2-2	
Makita	DFL204F	Cordless Angle Screwdriver	0,6	1,5	Screwdriving-without-impact	EN62841-2-2		72	-	3	no-load	EN62841-2-2	
Makita	DFL300F	Cordless Screwdriver	0,4	1,5	Screwdriving-without-impact	EN62841-2-2		75	-	3	no-load	EN62841-2-2	
Makita	DFL301F	Cordless Screwdriver	0,5	1,5	Screwdriving-without-impact	EN62841-2-2		77	-	3	no-load	EN62841-2-2	
Makita	DFL301R	Cordless Screwdriver	0,5	1,5	Screwdriving-without-impact	EN62841-2-2		77	-	3	no-load	EN62841-2-2	
Makita	DFL302F	Cordless Angle Screwdriver	0,4	1,5	Screwdriving-without-impact	EN62841-2-2		70	-	3	no-load	EN62841-2-2	
Makita	DFL303F	Cordless Angle Screwdriver	0,6	1,5	Screwdriving-without-impact	EN62841-2-2		75	-	3	no-load	EN62841-2-2	
Makita	DFL400F	Cordless Screwdriver	0,3	1,5	Screwdriving-without-impact	EN62841-2-2		76	-	3	no-load	EN62841-2-2	
Makita	DFL402F	Cordless Screwdriver	0,4	1,5	Screwdriving-without-impact	EN62841-2-2		75	-	3	no-load	EN62841-2-2	
Makita	DFL402K	Cordless Screwdriver	0,4	1,5	Screwdriving-without-impact	EN62841-2-2		75	-	3	no-load	EN62841-2-2	
Makita	DFL403F	Cordless Angle Screwdriver	0,3	1,5	Screwdriving-without-impact	EN62841-2-2		73	-	3	no-load	EN62841-2-2	
Makita	DFL404F	Cordless Angle Screwdriver	0,7	1,5	Screwdriving-without-impact	EN62841-2-2		78	-	3	no-load	EN62841-2-2	
Makita	DFL651F	Cordless Angle Screwdriver	1,2	1,5	Screwdriving-without-impact	EN62841-2-2		75	-	3	no-load	EN62841-2-2	
Makita	DFR350	Cordless Brad Nailer	2,5	1,5	Nailing wood	60745-2-16		81	92	3	Nailing wood	60745-2-16	
Makita	DFR450X	Cordless Screwdriver	0,8	1,5	Screwdriving-without-impact	EN62841-2-2		81	89	3	no-load	EN62841-2-2	
Makita	DFR452	Cordless Screwdriver	1,3	1,5	Screwdriving-without-impact	EN62841-2-2		78	-	3	no-load	EN62841-2-2	
Makita	DFR453	Cordless Screwdriver	1,3	1,5	Screwdriving-without-impact	EN62841-2-2		79	-	3	no-load	EN62841-2-2	
Makita	DFR500	Cordless Screwdriver	0,8	1,5	Screwdriving-without-impact	EN62841-2-2		81	89	3	no-load	EN62841-2-2	
Makita	DFR501	Cordless Screwdriver	0,4	1,5	Screwdriving-without-impact	EN62841-2-2		77	-	3	no-load	EN62841-2-2	
Makita	DFR502	Cordless Screwdriver	0,9	1,5	Screwdriving-without-impact	EN							

	Makita	DUR368A	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	89,2	1,6	Guaranteed -91-dB	2000/14/EC	
	Makita	DUR368A	Cordless Grass Trimmer	≤	2,5	1,5	Plastic blade assy(126642*3)	ISO22867	-	-	-	75,1	86	0,3/0,4 no-load	ISO22868	
	Makita	DUR368A	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	87,5	1,1	Guaranteed -89-dB	2000/14/EC
	Makita	DUR368L	Cordless Grass Trimmer	≤	2,5	1,5	Nyroncord(95-M10L)(126674*0)	ISO22867	-	-	-	76,4	89	1,6/1,0 no-load	ISO22868	
	Makita	DUR368L	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	87,5	2,7	Guaranteed -91-dB	2000/14/EC
	Makita	DUR368L	Cordless Grass Trimmer	≤	2,5	1,5	Metal-4-blade(195150*5)	ISO22867	-	-	-	74,7	89,2	1,0/1,6 no-load	ISO22868	
	Makita	DUR368L	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	89,2	1,6	Guaranteed -91-dB	2000/14/EC
	Makita	DUR368L	Cordless Grass Trimmer	≤	2,5	1,5	Plastic blade assy(126642*3)	ISO22867	-	-	-	75,1	86	0,3/0,4 no-load	ISO22868	
	Makita	DUR368L	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	87,5	1,1	Guaranteed -89-dB	2000/14/EC
	Makita	DUR369A	Cordless Grass Trimmer	≤	2,5	1,5	Metal-2-blade(729089*6)	ISO22867(ISO11806-1)	-	-	-	82,0	93,7	0,9/0,4	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)
	Makita	DUR369A	Cordless Grass Trimmer	≤	2,5	1,5	Nyroncord(95-M10L)(123556*7)	ISO22867(ISO11806-1)	-	-	-	80,5	93,8	2,5/1,8	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91
	Makita	DUR369A	Cordless Grass Trimmer	≤	2,5	1,5	Plastic blade assy(126642*3)	ISO22867(ISO11806-1)	-	-	-	78,7	88,2	0,5/0,4	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91
	Makita	DUR369A	Cordless Grass Trimmer	≤	2,5	1,5	Cutter 225(Chisel)(729134*7)	ISO22867(ISO11806-1)	-	-	-	83,4	97,6	1,8/1,8	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)
	Makita	DUR369L	Cordless Grass Trimmer	≤	2,5	1,5	Metal-2-blade(729089*6)	ISO22867(ISO11806-1)	-	-	-	82,0	93,7	0,9/0,4	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91
	Makita	DUR369L	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	93,7	0,4	Guaranteed -94-dB	2000/14/EC
	Makita	DUR369L	Cordless Grass Trimmer	≤	2,5	1,5	Nyroncord(95-M10L)(123556*7)	ISO22867(ISO11806-1)	-	-	-	80,5	93,8	2,5/1,8	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91
	Makita	DUR369L	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	92,2	1,6	Guaranteed -94-dB	2000/14/EC
	Makita	DUR369L	Cordless Grass Trimmer	≤	2,5	1,5	Plastic blade assy(126642*3)	ISO22867(ISO11806-1)	-	-	-	78,7	88,2	0,5/0,4	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91
	Makita	DUR369L	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	89,3	0,8	Guaranteed -91-dB	2000/14/EC
	Makita	DUR369N	Cordless Grass Trimmer	≤	2,5	1,5	Nyroncord(95-M10L)(123556*7)	ISO22867(ISO11806-1)	-	-	-	80,6	92,2	1,7/1,1	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91
	Makita	DUR369N	Cordless Grass Trimmer	≤	-	-	-	-	-	-	-	-	92	1,5	Guaranteed -94-dB	2000/14/EC
	Makita	DUR640A	Cordless Brushcutter	≤	2,5	1,5	Metal-									

	Makita	DUX18	Pole Hedge Trimmer Attachment EN410MP + LE400MP		-	-	-	-			-	90,0	2,4	Guaranteed:-92-dB	2000/14/EC	
	Makita	DUX18	Ground Trimmer Attachment EN420MP		2,9 3,0	1,5	-	EN62841-4-2		-	82	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX18	Ground Trimmer Attachment EN420MP		-	-	-	-			-	93	1,0	Guaranteed:-94-dB	EN62841-4-2	
	Makita	DUX18	Ground Trimmer Attachment EN420MP		-	-	-	-			-	93,1	1,0	Guaranteed:-94-dB	2000/14/EC	
	Makita	DUX18	Ground Trimmer Attachment EN422MP	IA	2,5 2,7	1,5	no load	EN62841-4-2		-	80	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX18	Ground Trimmer Attachment EN422MP		-	-	-	-			-	90	2,0	Guaranteed:-92-dB	EN62841-4-2	
	Makita	DUX18	Ground Trimmer Attachment EN422MP		-	-	-	-			-	91,1	2,2	Guaranteed:-93-dB	2000/14/EC	
	Makita	DUX18	Ground Trimmer Attachment EN422MP+LE400MP		-	-	-	-			-	92,6	2,5	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX18	Ground Trimmer Attachment EN424MP	IA	2,5	1,5	no load	EN62841-1			75	86	3	Uncertainty: K _{PA} /K _{WA}	EN62841-1	
	Makita	DUX18	Ground Trimmer Attachment (lawnmower) EN424MP		-	-	-	-			-	85,3	1,9	Guaranteed:-88-dB	2000/14/EC	
	Makita	DUX18	Ground Trimmer Attachment EN425MP	IA	2,5	1,5	no load	EN62841-1			75	87	3	Uncertainty: K _{PA} /K _{WA}	EN62841-1	
	Makita	DUX18	Pole Saw Attachment EY401MP	IA	2,5	1,5	guide bar : 255mm / chain : 91VXL	ISO22867(ISO11680-1)			87	102	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	guide bar : 255mm / chain : 91VXL
	Makita	DUX18	Pole Saw Attachment EY401MP + LE400MP	IA	2,5	1,5	guide bar : 255mm / chain : 91VXL	ISO22867(ISO11680-1)			87	102	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	guide bar : 255mm / chain : 91VXL
	Makita	DUX18	Pole Saw Attachment EY402MP	IA	2,7 2,5	1,5	guide bar : 250mm / chain:90PX	ISO22867(ISO11680-1)			93	102	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	DUX18	Pole Saw Attachment EY402MP	IA	2,9 2,5	1,5	guide bar : 250mm / chain:91PX	ISO22867(ISO11680-1)			93	102	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	DUX18	Pole Saw Attachment EY403MP	IA	3,2 2,5	1,5	guide bar : 300mm / chain:90PX	ISO22867(ISO11680-1)			93	104	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	DUX18	Pole Saw Attachment EY403MP	IA	3,7 2,5	1,5	guide bar : 300mm / chain:91PX	ISO22867(ISO11680-1)			94	103	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	DUX18	Pole Saw Attachment EY402MP + LE400MP	IA	2,5	1,5	guide bar : 250mm / chain:90PX	ISO22867(ISO11680-1)			93	102	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX18	Pole Saw Attachment EY402MP + LE400MP	IA	2,5	1,5	guide bar : 250mm / chain:91PX	ISO22867(ISO11680-1)			93	102	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX18	Pole Saw Attachment EY403MP + LE400MP	IA	2,5	1,5	guide bar : 300mm / chain:90PX	ISO22867(ISO11680-1)			93	104	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX18	Pole Saw Attachment EY403MP + LE400MP	IA	2,6 2,5	1,5	guide bar : 300mm / chain:91PX	ISO22867(ISO11680-1)			94	103	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX18	Cultivator Attachment KR400MP	IA	2,5	1,5	-	EN709			73,0	83,4	3,2/2,7	Uncertainty: K _{PA} /K _{WA}	EN709	
	Makita	DUX18	Cultivator Attachment KR401MP	IA	2,5	1,5	-	EN709			73,6	83,2	3,8/2,9	Uncertainty: K _{PA} /K _{WA}	EN709	
	Makita	DUX18	Power Brush Attachment BR400MP	IA	2,5	1,5	-	EN60335-2-72			76,0	86,8	1,3/1,2	Uncertainty: K _{PA} /K _{WA}	EN60335-2-72	Lp at Operators ear
	Makita	DUX18	Power Sweep Attachment SW400MP	IA	2,6 2,5	1,5	-	EN60335-2-72			76,2	85,8	0,2/0,7	Uncertainty: K _{PA} /K _{WA}	EN60335-2-72	Lp at Operators ear
	Makita	DUX18	Pump Attachment PF400MP	IA	2,5	1,5	Load (Suck up water)	ISO22867			70	86	2,5	Uncertainty: K _{PA} /K _{WA}	ISO20361	
	Makita	DUX18	Pump Attachment PF400MP		-	-	-	-			-	86,4	1,7	Guaranteed:-88-dB	2000/14/EC	
	Makita	DUX18	Snow Blower Attachment SN400MP	IA	2,5	1,5	no load(on the ground)	ISO8437-4		-	78	-	3		ISO11201(ISO8437-4)	
	Makita	DUX18	Snow Blower Attachment SN400MP		-	-	-	-			-	90	2,0	Guaranteed:-92-dB	ISO3744(ISO8437-4) 2000/14/EC	
	Makita	DUX18	Blower Attachment UB400MP		4,2 2,8	2,2 1,2	-	EN50636-2-100			85,3	99,5	1,7/1,2	Uncertainty: K _{PA} /K _{WA}	EN50636-2-100	
	Makita	DUX18	Blower Attachment UB400MP		-	-	-	-			-	99,5	-	Guaranteed:-101-dB	2000/14/EC	
	Makita	DUX18	Blower Attachment UB401MP	IA	2,8 2,5	1,6 1,5	-	EN50636-2-100			81,2	90,9	1,1/1,3	Uncertainty: K _{PA} /K _{WA}	EN50636-2-100	
	Makita	DUX18	Blower Attachment UB401MP		-	-	-	-			-	90,9	1,3	Guaranteed:-92-dB	2000/14/EC	
	Makita	DUX18	Blower Attachment UB402MP	IA	2,5	1,5	-	EN50636-2-100			80,4	90,4	1,7/1,8	Uncertainty: K _{PA} /K _{WA}	EN50636-2-100	
	Makita	DUX18	Blower Attachment UB402MP		-	-	-	-			-	90,6	1,6	Guaranteed:-92-dB	2000/14/EC	
	Makita	DUX18	Blower Attachment UB403MP	IA	2,5	1,5	er pipe(412833*5)+flat nozzle(456958*5)	EN IEC 62841-4-6		-	87	-	3	Uncertainty: K _{PA}	EN IEC 62841-4-6	
	Makita	DUX18	Blower Attachment UB403MP		-	-	-	-			-	97	2,1	Guaranteed:-99-dB	EN IEC 62841-4-6	
	Makita	DUX18	Blower Attachment UB403MP		-	-	-	-			-	94,4	2,6	Guaranteed:-97-dB	2000/14/EC+2024/1208/EU	
	Makita	DUX18	Blower Attachment UB403MP	IA	2,5	1,5	utter nozzle+extend pipe 1pc (191B02*0	EN IEC 62841-4-6		-	95	-	3	Uncertainty: K _{PA}	EN IEC 62841-4-6	
	Makita	DUX18	Blower Attachment UB403MP		-	-	-	-			-	97	2,1	Guaranteed:-100-dB	EN IEC 62841-4-6	
	Makita	DUX18	Weeding Attachment WA400MP	IA	2,8 2,5	1,5	cultivator blade 170(725325*8)	ISO22867(ISO11806-1)		-	73	88	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)	weeding blade 220(725323*2) weeding blade 220(725323*2)
	Makita	DUX18	Weeding Attachment WA400MP		-	-	-	-		-	-	87,6	2,5	Guaranteed:-90-dB	2000/14/EC	
	Makita	DUX60	Edger Attachment EE400MP	IA/IA	2,5	1,5	-	ISO11789			74,8	88,2	1,5/2,6	Uncertainty: K _{PA} /K _{WA}	ISO11789	
	Makita	DUX60	Edger Attachment EE400MP		-	-	-	-			-	88,2	-	Guaranteed:-91-dB	2000/14/EC	
	Makita	DUX60	Brushcutter Attachment EM401MP	IA	3,0 2,5	1,5 1,5	-	EN11806			78,5	90,2	1,0/1,5	Uncertainty: K _{PA} /K _{WA}	EN11806	
	Makita	DUX60	Brushcutter Attachment EM401MP		-	-	-	-			-	90,2	-	Guaranteed:-92-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM401MP	IA	5,0 2,5	1,5 1,5	-	EN50636-2-91			84,3	93,3	0,6/1,6	Uncertainty: K _{PA} /K _{WA}	EN50636-2-91	
	Makita	DUX60	String Trimmer Attachment EM401MP		-	-	-	-			-	93,7	1,5	Guaranteed:-96-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM401MP	IA/IA	3,4 2,5	1,5 1,5	immer Head Assembly 96-M10L(122E53	ISO22867(ISO11806-1)			79,8	93,0	1,9/2,0	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)EN50636-2-91	
	Makita	DUX60	String Trimmer Attachment EM401MP	IA	2,5 2,5	1,5 1,5	-	EN50636-2-91			77,0	88,5	1,7/1,8	Uncertainty: K _{PA} /K _{WA}	EN50636-2-91	
	Makita	DUX60	String Trimmer Attachment EM401MP		-	-	-	-			-	92,3	2,0	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX60	Brushcutter Attachment EM404MP	IA	3,0 2,5	1,5 1,5	-	EN11806			82,5	93,3	2,2/2,9	Uncertainty: K _{PA} /K _{WA}	EN11806	

	Makita	DUX60	Brushcutter Attachment EM404MP		-	-	-	-	-	-	93,3	-	Guaranteed:-96-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM404MP	3A	3,0	1,5	-	EN50636-2-91		84,7	92,8	2,3/1,6	Uncertainty: K _{PA} /K _{WA}	EN50636-2-91	
	Makita	DUX60	String Trimmer Attachment EM404MP		-	-	-	-		-	91,6	1,5	Guaranteed:-94-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM404MP	3A	2,5	1,5	-	EN50636-2-91		76,0	87,7	1,8/1,5	Uncertainty: K _{PA} /K _{WA}	EN50636-2-91	
	Makita	DUX60	String Trimmer Attachment EM404MP		-	-	-	-		-	89,0	1,2	Guaranteed:-91-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM406MP	3A	2,5	1,5	-	EN50636-2-91		84,7	93,5	2,5/2,2	Uncertainty: K _{PA} /K _{WA}	EN50636-2-91	
	Makita	DUX60	String Trimmer Attachment EM406MP		-	-	-	-		-	91,8	1,7	Guaranteed:-96-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM406MP	3A	4,0	1,5	-	EN50636-2-91		77,0	85,6	1,9/2,0	Uncertainty: K _{PA} /K _{WA}	EN50636-2-91	
	Makita	DUX60	String Trimmer Attachment EM406MP		-	-	-	-		-	89,1	1,1	Guaranteed:-91-dB	2000/14/EC	
	Makita	DUX60	Brushcutter Attachment EM407MP	3A	2,5	1,5	-	ISO22867(ISO11806-1)		83,2	99,3	3,9/2,5	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)	
	Makita	DUX60	Brushcutter Attachment EM407MP		-	-	-	-		-	99,3	2,5	Guaranteed:-102-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM408MP	3A	2,5	1,5	230mm Blade 4	ISO22867(ISO11806-1)		79,9	94,5	2,6/2,0	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)	230mm Blade 4
	Makita	DUX60	String Trimmer Attachment EM408MP		-	-	-	-		-	94,5	2,0	Guaranteed:-96-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM408MP	3A	2,5	1,5	Timmer head 96-M10L(127541*2)	ISO22867(ISO11806-1)		79,0	91,8	2,6/1,7	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Timmer head 96-M10L(127541*2)
	Makita	DUX60	String Trimmer Attachment EM408MP		-	-	-	-		-	90,9	1,4	Guaranteed:-93-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM408MP	3A	2,5	1,5	Plastic blade assembly(126642*3)	ISO22867(ISO11806-1)		80,1	91,0	0,7/1,6	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Plastic blade assembly(12664
	Makita	DUX60	String Trimmer Attachment EM408MP		-	-	-	-		-	90,9	2,0	Guaranteed:-93-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM409MP	3A	2,5	1,5	Timmer head 96-M10L(127541*2)	ISO22867(ISO11806-1)		79,9	92,7	2,3/0,9	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Timmer head 96-M10L(127541*2)
	Makita	DUX60	String Trimmer Attachment EM409MP		-	-	-	-		-	91,8	1,0	Guaranteed:-93-dB	2000/14/EC	
	Makita	DUX60	String Trimmer Attachment EM409MP	3A	2,5	1,5	Plastic blade assembly(126642*3)	ISO22867(ISO11806-1)		80,3	91,2	0,9/2,2	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Plastic blade assembly(12664
	Makita	DUX60	String Trimmer Attachment EM409MP		-	-	-	-		-	91,3	2,7	Guaranteed:-94-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN401MP		8,7	1,5	-	EN62841-4-2	-	85	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN401MP		4,2	1,5	-	-		-	93	0,7	Guaranteed:-93-dB	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN401MP		-	-	-	-		-	92,6	0,7	Guaranteed:-93-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN401MP + LE400MP		5,9	1,5	-	EN62841-4-2	-	82	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN401MP + LE400MP		4,4	1,5	-	-		-	93	1,1	Guaranteed:-94-dB	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN401MP + LE400MP		-	-	-	-		-	93	1,1	Guaranteed:-94-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN401MP + LE400MP		-	-	-	-		-	92,8	1,1	Guaranteed:-94-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN402MP	3A	2,5	1,5	no load	EN62841-4-2	-	82	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN402MP		2,5	1,5	-	-		-	92	2,5	Guaranteed:-94-dB	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN402MP		-	-	-	-		-	91,9	2,7	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN402MP+LE400MP		4,4	1,5	no load	EN62841-4-2	-	79	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN402MP+LE400MP		2,7	1,5	-	-		-	93	1,9	Guaranteed:-95-dB	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN402MP+LE400MP		-	-	-	-		-	92,9	2,0	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN410MP		5,8	1,5	-	EN62841-4-2	-	81	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN410MP		3,4	1,5	-	-		-	88	2,2	Guaranteed:-90-dB	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN410MP		-	-	-	-		-	88,2	2,2	Guaranteed:-90-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN410MP + LE400MP		4,6	1,5	-	EN62841-4-2	-	79	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN410MP + LE400MP		2,8	1,5	-	-		-	88	2,7	Guaranteed:-91-dB	EN62841-4-2	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN410MP + LE400MP		-	-	-	-		-	88,3	2,7	Guaranteed:-91-dB	2000/14/EC	
	Makita	DUX60	Pole Hedge Trimmer Attachment EN410MP + LE400MP		-	-	-	-		-	88,3	2,7	Guaranteed:-91-dB	2000/14/EC	
	Makita	DUX60	Ground Trimmer Attachment EN420MP		6,7	1,5	-	EN62841-4-2	-	84	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Ground Trimmer Attachment EN420MP		4,2	1,5	-	-		-	94	0,7	Guaranteed:-95-dB	EN62841-4-2	
	Makita	DUX60	Ground Trimmer Attachment EN420MP		-	-	-	-		-	94,0	0,7	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX60	Ground Trimmer Attachment EN421MP		-	-	-	-		-	94,0	-	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX60	Ground Trimmer Attachment EN421MP		6,5	1,5	-	ISO10517		84,0	94,0	0,8/0,7	Uncertainty: K _{PA} /K _{WA}	ISO10517	
	Makita	DUX60	Ground Trimmer Attachment EN421MP		4,0	1,5	-	-		-	94,0	-	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX60	Ground Trimmer Attachment EN422MP	3A	2,5	1,5	no load	EN62841-4-2	-	81	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	DUX60	Ground Trimmer Attachment EN422MP		2,6	1,5	-	-		-	91	1,8	Guaranteed:-93-dB	EN62841-4-2	
	Makita	DUX60	Ground Trimmer Attachment EN422MP		-	-	-	-		-	91,4	1,9	Guaranteed:-93-dB	2000/14/EC	
	Makita	DUX60	Ground Trimmer Attachment EN422MP+LE400MP		-	-	-	-		-	92,7	1,8	Guaranteed:-95-dB	2000/14/EC	
	Makita	DUX60	Ground Trimmer Attachment EN424MP	3A	2,5	1,5	no load	EN62841-1		77	86	3	Uncertainty: K _{PA} /K _{WA}	EN62841-1	
	Makita	DUX60	Ground Trimmer Attachment (lawnmower)		-	-	-	-		-	86,6	1,2	Guaranteed:-88-dB	2000/14/EC	
	Makita	DUX60	Ground Trimmer Attachment EN425MP	3A	2,5	1,5	no load	EN62841-1		78	88	3	Uncertainty: K _{PA} /K _{WA}	EN62841-1	
	Makita	DUX60	Pole Saw Attachment EY401MP	3A	2,5	1,5	-	ISO11680-1		92,5	101,9	1,4/1,4	Uncertainty: K _{PA} /K _{WA}	ISO11680-1	
	Makita	DUX60	Pole Saw Attachment EY401MP + LE400MP	3A	2,5	1,5	-	ISO11680-1		86,6	101,2	1,0/1,0	Uncertainty: K _{PA} /K _{WA}	ISO11680-1	
	Makita	DUX60	Pole Saw Attachment EY402MP	3A	2,5	1,5	guide bar : 250mm / chain:90PX	ISO22867(ISO11680-1)		94	104	3	Uncertainty: K _{PA} /K _{WA}	ISO22868(ISO11680-1)	

	Makita	DUX60	Pole Saw Attachment EY402MP	ⅢA	2,5	1,5	guide bar : 250mm / chain:91PX	ISO22867(ISO11680-1)			97	103	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11680-1)	
	Makita	DUX60	Pole Saw Attachment EY403MP	ⅢA	2,7 2,5	1,5	guide bar : 300mm / chain:90PX	ISO22867(ISO11680-1)			96	105	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11680-1)	
	Makita	DUX60	Pole Saw Attachment EY403MP	ⅢA	3,0 2,5	1,5	guide bar : 300mm / chain:91PX	ISO22867(ISO11680-1)			96	105	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11680-1)	
	Makita	DUX60	Pole Saw Attachment EY402MP + LE400MP	ⅢA	2,5	1,5	guide bar : 250mm / chain:90PX	ISO22867(ISO11680-1)			94	104	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX60	Pole Saw Attachment EY402MP + LE400MP	ⅢA	2,5	1,5	guide bar : 250mm / chain:91PX	ISO22867(ISO11680-1)			97	103	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX60	Pole Saw Attachment EY403MP + LE400MP	ⅢA	3,0 2,5	1,5	guide bar : 300mm / chain:90PX	ISO22867(ISO11680-1)			96	105	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX60	Pole Saw Attachment EY403MP + LE400MP	ⅢA	3,4 2,5	1,5	guide bar : 300mm / chain:91PX	ISO22867(ISO11680-1)			96	105	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	DUX60	Coffee Harvester Attachment EJ400MP		4,0 3,0	1,5 1,5	-	ISO10517			87,4	94,5	1,4/1,3	Uncertainty: K_{PA}/K_{WA}	ISO10517	
	Makita	DUX60	Coffee Harvester Attachment EJ400MP + LE400MP		4,5 3,0	1,5 1,5	-	ISO10517			85,6	95,5	1,0/1,3	Uncertainty: K_{PA}/K_{WA}	ISO10517	
	Makita	DUX60	Cultivator Attachment KR400MP	ⅢA	2,5 2,5	1,5 1,5	-	EN709			76,7	84,2	2,2/1,0	Uncertainty: K_{PA}/K_{WA}	EN709	
	Makita	DUX60	Cultivator Attachment KR401MP	ⅢA	2,5 2,5	1,5 1,5	-	EN709			73,1	84,2	1,4/1,8	Uncertainty: K_{PA}/K_{WA}	EN709	
	Makita	DUX60	Power Brush Attachment BR400MP	ⅢA	2,5 2,5	1,5 1,5	-	EN60335-2-72			79,5	89,0	0,9/0,7	Uncertainty: K_{PA}/K_{WA}	EN60335-2-72	Lp at Operators ear
	Makita	DUX60	Power Sweep Attachment SW400MP		2,6 2,6	1,5 1,5	-	EN60335-2-72			80 1	88,8	1,8/0,7	Uncertainty: K_{PA}/K_{WA}	EN60335-2-72	Lp at Operators ear
	Makita	DUX60	Pump Attachment PF400MP	ⅢA	2,5	1,5	Load (Suck up water)	ISO22867			72	87	3,9	Uncertainty: K_{PA}/K_{WA}	ISO20361	
	Makita	DUX60	Pump Attachment PF400MP		-	-	-	-			-	87,2	3,0	Guaranteed-90-dB	2000/14/EC	
	Makita	DUX60	Snow Blower Attachment SN400MP	ⅢA	2,5	1,5	no load(on the ground)	ISO8437-4	-		77	-	3		ISO11201(ISO8437-4)	
	Makita	DUX60	Snow Blower Attachment SN400MP		-	-	-	-			-	91	2,2	Guaranteed-93-dB	ISO3744(ISO8437-4) 2000/14/EC	
	Makita	DUX60	Blower Attachment UB400MP	ⅢA	4,5 2,5	2,0 1,5	-	EN50636-2-100			89,8	100,4	0,4/0,8	Uncertainty: K_{PA}/K_{WA}	EN50636-2-100	
	Makita	DUX60	Blower Attachment UB400MP		-	-	-	-			-	100,4	-	Guaranteed-101-dB	2000/14/EC	
	Makita	DUX60	Blower Attachment UB400MP		-	-	-	-	-		96,4	105,3	2,4/1,6	Uncertainty: K_{PA}/K_{WA}	EN50636-2-100	
	Makita	DUX60	Blower Attachment UB400MP		-	-	-	-			-	104,0	1,7	Guaranteed-106-dB	2000/14/EC	
	Makita	DUX60	Blower Attachment UB401MP	ⅢA	3,6 2,5	1,7 1,5	-	EN50636-2-100			83,4	94,1	1,1/0,8	Uncertainty: K_{PA}/K_{WA}	EN50636-2-100	
	Makita	DUX60	Blower Attachment UB401MP		-	-	-	-			-	94,1	0,8	Guaranteed-95-dB	2000/14/EC	
	Makita	DUX60	Blower Attachment UB401MP		-	-	-	-	-		85,1	97,0	2,1/1,7	Uncertainty: K_{PA}/K_{WA}	EN50636-2-100	
	Makita	DUX60	Blower Attachment UB401MP		-	-	-	-			-	95,9	2,1	Guaranteed-98-dB	2000/14/EC	
	Makita	DUX60	Blower Attachment UB402MP	ⅢA	2,5	1,5	-	EN50636-2-100			80,5	90,2	1,6/1,7	Uncertainty: K_{PA}/K_{WA}	EN50636-2-100	
	Makita	DUX60	Blower Attachment UB402MP		-	-	-	-			-	90,5	1,7	Guaranteed-92-dB	2000/14/EC	
	Makita	DUX60	Blower Attachment UB403MP	ⅢA	2,5	1,5	pipe(412833*5)+extend nozzle(456957)	EN IEC 62841-4-6	-		90	-	3	Uncertainty: K_{PA}	EN IEC 62841-4-6	
	Makita	DUX60	Blower Attachment UB403MP		-	-	-	-			-	100	2,0	Guaranteed-102-dB	EN IEC 62841-4-6	
	Makita	DUX60	Blower Attachment UB403MP		-	-	-	-			-	97,3	2,4	Guaranteed-100-dB	2000/14/EC+2024/1208/EU	
	Makita	DUX60	Blower Attachment UB403MP		2,8 2,8	1,5	utter nozzle+extend pipe 1pc (191802*0	EN IEC 62841-4-6	-		100	-	3	Uncertainty: K_{PA}	EN IEC 62841-4-6	
	Makita	DUX60	Blower Attachment UB403MP		-	-	-	-			-	101	2,0	Guaranteed-103-dB	EN IEC 62841-4-6	
	Makita	DUX60	Weeding Attachment WA400MP		3,0 2,7	1,5	cultivator blade 170(725325*8)	ISO22867(ISO11806-1)	-		74	88	3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)	weeding blade 220(725323*2)
	Makita	DUX60	Weeding Attachment WA400MP		-	-	-	-	-		-	87,7	2,2	Guaranteed-90-dB	2000/14/EC	weeding blade 220(725323*2)
	Makita	DVC150L(DVC151L)	Corded and Cordless Vacuum Cle	ⅢA	2,5	1,5	-	60335-2-69			75	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	DVC152L(DVC153L DVC	Cordless Vacuum Cleaner	ⅢA	2,5	1,5	-	60335-2-69		ⅢA	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	DVC155L(DVC156L DVC	Cordless Vacuum Cleaner	ⅢA	2,5	1,5	-	60335-2-69		ⅢA	70	-	2,5	Vaccum-test-carpet	60335-2-69	vacuum mode.wide nozzle high
	Makita	DVC260	Cordless Backpack Vacuum Clea	ⅢA	2,5	1,5	-	60335-2-69		ⅢA	70	-	2,5	Vaccum-test-carpet	60335-2-69,60704-2-1	
	Makita	DVC261 DVC265	Cordless Backpack Vacuum Clea	ⅢA	2,5	1,5	-	60335-2-69		ⅢA	70	-	2,5	Vaccum-test-carpet	60335-2-69,60704-2-1	
	Makita	DVC350	Cordless Vacuum Cleaner	ⅢA	2,5	1,5	Operation-without-load	60745-1		ⅢA	84	95	3	no-load	60745-1	BLOWER MODE
	Makita	DVC560	Cordless Uplight Cleaner	ⅢA	2,5	1,5	-	60335-2-69		ⅢA	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	DVC660 DVC665	Cordless Backpack Vacuum Clea	ⅢA	2,5	1,5	-	60335-2-69		ⅢA	70	-	2,5	Vaccum-test-carpet	60335-2-69,60704-2-1	Lp at Operators ear position
	Makita	DVC750L	Cordless Portable Vacuum Clean	ⅢA	2,5	1,5	-	60335-2-69			76	-	2,5	Vaccum-test-carpet	60335-2-69	vacuum mode.wide
	Makita	DVC865L(DVC866L DVC	Cordless Vacuun Cleaner	ⅢA	2,5	1,5	-	60335-2-69		ⅢA	70	-	2,5	Vaccum-test-carpet	60335-2-69	vacuum mode.wide
	Makita	DVR350	Cordless Concrete Vibrator		8,0	1,5	load with flexible hose	ENIEC62841-2-12	ⅢA	70	-	-	3	no-load without flexible hose	ENIEC62841-2-12	
	Makita	DVR450	Cordless Concrete Vibrator		3,7	1,5	load with flexible hose	ENIEC62841-2-12	ⅢA	70	-	-	3	no-load without flexible hose	ENIEC62841-2-12	
	Makita	DVR850	Cordless Concrete Vibrator		3,1	1,5	load with flexible hose	ENIEC62841-2-12	ⅢA	70	-	-	3	no-load without flexible hose	ENIEC62841-2-12	
	Makita	DWR180	Cordless Ratchet Wrench		2,5	1,5	without-impact	EN62841-2-2		77	-	-	3	no-load	EN62841-2-2	
	Makita	DWT310	Shear Wrench		0,3	1,5	Screwdriving-without-impact	EN62841-2-2		86	-	94	3	no-load	EN62841-2-2	
	Makita	DX01	Dust Extraction System		13,0	1,5	Hammer-drilling-into-concrete	60745-2-6			91	102	3	hammer-drilling	60745-2-6	
	Makita	DX01	Dust Extraction System		13,0	1,5	Hammer-drilling-into-concrete	60745-2-6			91	102	3	hammer-drilling	60745-2-6	
	Makita	DX02	Dust Extraction System		13,0	1,5	Hammer-drilling-into-concrete	60745-2-6			90	101	3	hammer-drilling	60745-2-6	
	Makita	DX02	Dust Extraction System		13,0	1,5	Hammer-drilling-into-concrete	60745-2-6			90	101	3	hammer-drilling	60745-2-6	
	Makita	EA3201S	Petrol Chain Saw		4,8	2,0	Cutting-Wood	ISO22867			102 6	109 8	2,5/2,5	Uncertainty: K_{PA}/K_{WA}	ISO22868	
	Makita	EA3201S	Petrol Chain Saw		-	-	Cutting-Wood	-			-	111	-	Guaranteed:112-dB	2000/14/EC	
	Makita	EA3500S	Petrol Chain Saw		4,9/5,0	2,0	Cutting-Wood	ISO22867			101 8	111 8	2,5/2,5	Uncertainty: K_{PA}/K_{WA}	ISO22868	EA3500S MKC
	Makita	EA3500S	Petrol Chain Saw		-	-	-	-			-	111 8	-	Guaranteed:113-dB	2000/14/EC	EA3500S MKC

	Makita	EA3501S	Petrol Chain Saw		4,9/5,0	2,0	Cutting-Wood	ISO22867			101 8	111 8	2.5/2.5	Uncertainty: KPA/KWA	ISO22868	EA3500S MKC
	Makita	EA3501S	Petrol Chain Saw		-	-	-	-			-	111 8	-	Guaranteed: 113-dB	2000/14/EC	EA3500S MKC
	Makita	EA3502S	Petrol Chain Saw		4,9/5,0	2,0	Cutting-Wood	ISO22867			101 8	111 8	2.5/2.5	Uncertainty: KPA/KWA	ISO22868	EA3500S MKC
	Makita	EA3502S	Petrol Chain Saw		-	-	-	-			-	111 8	-	Guaranteed: 113-dB	2000/14/EC	EA3500S MKC
	Makita	EA3503S	Petrol Chain Saw		4,9/5,0	2,0	Cutting-Wood	ISO22867			101 8	111 8	2.5/2.5	Uncertainty: KPA/KWA	ISO22868	EA3500S MKC
	Makita	EA3503S	Petrol Chain Saw		-	-	-	-			-	111 8	-	Guaranteed: 113-dB	2000/14/EC	EA3500S MKC
	Makita	EA3600	Petrol Chain Saw		2,7/2,8	2,0	Cutting-Wood	ISO22867			97,1	109,6	2.5/2.5	Uncertainty: KPA/KWA	ISO22868	
	Makita	EA3600	Petrol Chain Saw		-	-	-	-			-	109	1,1	Guaranteed: 111-dB	2000/14/EC	
	Makita	EA3601	Petrol Chain Saw		2,7/2,8	2,0	Cutting-Wood	ISO22867			97,1	109,6	2.5/2.5	Uncertainty: KPA/KWA	ISO22868	
	Makita	EA3601	Petrol Chain Saw		-	-	-	-			-	109	1,1	Guaranteed: 111-dB	2000/14/EC	
	Makita	EA3700T	Petrol Chain Saw		3,5/3,1	2,0	Cutting-Wood	ISO22867			100,2	109,8	2,0/2,0	Uncertainty: KPA/KWA	ISO22868	
	Makita	EA3700T	Petrol Chain Saw		-	-	-	-			-	109,8	-	Guaranteed: 112dB	2000/14/EC	
	Makita	EB2901	Petrol Blower		1,9	0,6	-	EN15503			92,8	103,7	0,8/0,6	Uncertainty: KPA/KWA	EN15503	
	Makita	EB2901	Petrol Blower		-	-	-	-			-	103,7	-	Guaranteed: 104-dB	2000/14/EC	
	Makita	EB2901	Petrol Blower		2,3	0,9	-	EN15503			90,8	103,7	0,6/0,8	Uncertainty: KPA/KWA	EN15503	
	Makita	EB2901	Petrol Blower		-	-	-	-			-	103,7	-	Guaranteed: 104-dB	2000/14/EC	
	Makita	EB2901	Petrol Blower		2,4/2,0	0,5/0,4	-	EN15503			91,2	102,4	1,4/0,7	Uncertainty: KPA/KWA	EN15503	
	Makita	EB2901	Petrol Blower		-	-	-	-			-	102,4	-	Guaranteed: 103-dB	2000/14/EC	
	Makita	EB2902	Petrol Blower		1,9	0,6	-	EN15503			92,8	103,7	0,8/0,6	Uncertainty: KPA/KWA	EN15503	
	Makita	EB2902	Petrol Blower		-	-	-	-			-	103,7	-	Guaranteed: 104-dB	2000/14/EC	
	Makita	EB2902	Petrol Blower		2,3	0,9	-	EN15503			90,8	103,7	0,6/0,8	Uncertainty: KPA/KWA	EN15503	
	Makita	EB2902	Petrol Blower		-	-	-	-			-	103,7	-	Guaranteed: 104-dB	2000/14/EC	
	Makita	EB2902	Petrol Blower		2,4/2,0	0,5/0,4	-	EN15503			91,2	102,4	1,4/0,7	Uncertainty: KPA/KWA	EN15503	
	Makita	EB2902	Petrol Blower		-	-	-	-			-	102,4	-	Guaranteed: 103-dB	2000/14/EC	
	Makita	EB5300TH	Petrol Blower		2,2	0,4	-	EN15503			95,6	102,4	0,8/1,0	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300TH	Petrol Blower		-	-	-	-			-	102,4	-	Guaranteed: 103-dB	2000/14/EC	
	Makita	EB5300TH	Petrol Blower		2,5	0,6	-	EN15503			96,0	102,5	0,4/1,6	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300TH	Petrol Blower		-	-	-	-			-	102,5	-	Guaranteed: 104-dB	2000/14/EC	
	Makita	EB5300TH	Petrol Blower		2,2	0,4	-	EN15503			95,6	101,9	0,5/0,5	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300TH	Petrol Blower		-	-	-	-			-	101,9	-	Guaranteed: 102-dB	2000/14/EC	
	Makita	EB5300TH	Petrol Blower		2,9	0,5	-	EN15503			95,7	101,7	0,9/1,0	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300TH	Petrol Blower		-	-	-	-			-	101,7	-	Guaranteed: 102-dB	2000/14/EC	
	Makita	EB5300WH	Petrol Blower		2,3/0,5	0,8/0,3	-	EN15503			95,6	102,4	0,8/1,0	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300WH	Petrol Blower		-	-	-	-			-	102,4	-	Guaranteed: 103-dB	2000/14/EC	
	Makita	EB5300WH	Petrol Blower		3,6/0,5	1,9/0,3	-	EN15503			96,0	102,5	0,4/1,6	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300WH	Petrol Blower		-	-	-	-			-	102,5	-	Guaranteed: 104-dB	2000/14/EC	
	Makita	EB5300WH	Petrol Blower		2,3/0,5	1,3/0,3	-	EN15503			95,6	101,9	0,5/0,5	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300WH	Petrol Blower		-	-	-	-			-	101,9	-	Guaranteed: 102-dB	2000/14/EC	
	Makita	EB5300WH	Petrol Blower		4,0/0,5	0,8/0,2	-	EN15503			95,7	101,7	0,9/1,0	Uncertainty: KPA/KWA	EN15503	
	Makita	EB5300WH	Petrol Blower		-	-	-	-			-	101,7	-	Guaranteed: 102-dB	2000/14/EC	
	Makita	EB7650TH	Petrol Blower		2,5	1,8	-	EN15503			100	110	0,9/0,8	Uncertainty: KPA/KWA	EN15503	Blow nozzle
	Makita	EB7650TH	Petrol Blower		-	-	-	-			-	110	-	Guaranteed: 111-dB	2000/14/EC	Blow nozzle
	Makita	EB7650TH	Petrol Blower		2,3	1,6	-	EN15503			100	110	0,7/0,8	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7650TH	Petrol Blower		-	-	-	-			-	110	-	Guaranteed: 111-dB	2000/14/EC	
	Makita	EB7650TH	Petrol Blower		4,1	2,2	-	EN15503			100	110	1,2/0,6	Uncertainty: KPA/KWA	EN15503	Flat Nozzle
	Makita	EB7650TH	Petrol Blower		-	-	-	-			-	110	-	Guaranteed: 111-dB	2000/14/EC	Flat Nozzle
	Makita	EB7650WH	Petrol Blower		2,7/0,7	2,1/0,5	-	EN15503			100	110	1,2/0,6	Uncertainty: KPA/KWA	EN15503	Blow nozzle
	Makita	EB7650WH	Petrol Blower		-	-	-	-			-	110	-	Guaranteed: 111-dB	2000/14/EC	Blow nozzle
	Makita	EB7650WH	Petrol Blower		2,3/0,7	2,1/0,4	-	EN15503			100	110	1,3/0,5	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7650WH	Petrol Blower		-	-	-	-			-	110	-	Guaranteed: 111-dB	2000/14/EC	
	Makita	EB7650WH	Petrol Blower		4,8/0,9	3/0,4	-	EN15503			100	110	1,4/0,7	Uncertainty: KPA/KWA	EN15503	Flat Nozzle
	Makita	EB7650WH	Petrol Blower		-	-	-	-			-	110	-	Guaranteed: 111-dB	2000/14/EC	Flat Nozzle
	Makita	EB7660TH	Petrol Blower		2,3	1,2	-	EN15503			102 8	110 6	1,6/0,8	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7660TH	Petrol Blower		-	-	-	-			-	110 6	-	Guaranteed: 111dB	2000/14/EC	
	Makita	EB7660TH	Petrol Blower		3,5	0,8	-	EN15503			102 5	110 7	1,8/0,7	Uncertainty: KPA/KWA	EN15503	

	Makita	EB7660TH	Petrol Blower		-	-	-	-			-	110 7	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EB7660TH	Petrol Blower		2,3	1,0	-	EN15503			102 5	110 4	1,4/0,6	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7660TH	Petrol Blower		-	-	-	-			-	110 4	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EB7660TH	Petrol Blower		3,4	1,1	-	EN15503			102 1	109 7	2,2/0,3	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7660TH	Petrol Blower		-	-	-	-			-	109 7	-	Guaranteed:110-dB	2000/14/EC	
	Makita	EB7660WH	Petrol Blower		3,0/0,7	1,2/0,5	-	EN15503			102 8	110 6	1,6/0,8	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7660WH	Petrol Blower		-	-	-	-			-	110 6	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EB7660WH	Petrol Blower		4,5/0,6	1,7/0,4	-	EN15503			102 5	110 7	1,8/0,7	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7660WH	Petrol Blower		-	-	-	-			-	110 7	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EB7660WH	Petrol Blower		3,0/0,8	1,5/0,7	-	EN15503			102 5	110 4	1,4/0,6	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7660WH	Petrol Blower		-	-	-	-			-	110 4	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EB7660WH	Petrol Blower		4,5/0,6	2,0/0,3	-	EN15503			102 1	109 7	2,2/0,3	Uncertainty: KPA/KWA	EN15503	
	Makita	EB7660WH	Petrol Blower		-	-	-	-			-	109 7	-	Guaranteed:110-dB	2000/14/EC	
	Makita	EBH341L	Petrol Brushcutter		6,1/7,4	2/0,63	-	ISO22867			98 2	106 7	0,82/0,38	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EBH341L	Petrol Brushcutter		-	-	-	-			-	109 7	-	Guaranteed:***-dB	2000/14/EC	
	Makita	EE2650H	Petrol Edger		3,7/8,8	2,2/1,8	-	ISO22867			88,6	98,4	2,3/2,2	Uncertainty: KPA/KWA	ISO22868	
	Makita	EE2650H	Petrol Edger		-	-	-	-			-	98,4	-	Guaranteed:101-dB	2000/14/EC	
	Makita	EH5000W	Petrol Hedge Trimmer		5,9/3,7	1,7/1,7	-	EN ISO 10517/(ISO22867)			93,0	104,5	1,4/1,2	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EH5000W	Petrol Hedge Trimmer		-	-	-	-			-	104,0	-	Guaranteed:-106dB	2000/14/EC	
	Makita	EH6000S	Petrol Hedge Trimmer		5,3/3,1	1,8/0,8	-	EN ISO 10517/(ISO22867)			92,7	104,9	3,2/0,9	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EH6000S	Petrol Hedge Trimmer		4,8/3,0	1,0/0,5	With Chip Receiver	EN ISO 10517/(ISO22867)			-	102,7	-	Guaranteed:-105dB	2000/14/EC	
	Makita	EH6000W	Petrol Hedge Trimmer		5,3/3,4	2,2/1,8	-	EN ISO 10517/(ISO22867)			92,8	104,4	2,2/1,2	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EH6000W	Petrol Hedge Trimmer		-	-	-	-			-	104,2	-	Guaranteed:-106dB	2000/14/EC	
	Makita	EH7500S	Petrol Hedge Trimmer		4,7/2,9	2,4/1,3	-	EN ISO 10517/(ISO22867)			94,3	104,9	3,2/1,4	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EH7500S	Petrol Hedge Trimmer		5,9/3,1	0,4/1,7	With Chip Receiver	EN ISO 10517/(ISO22867)			-	102,7	-	Guaranteed:-105dB	2000/14/EC	
	Makita	EH7500W	Petrol Hedge Trimmer		3,1/3,0	0,5/1,3	-	EN ISO 10517/(ISO22867)			93,9	104,4	1,2/0,8	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EH7500W	Petrol Hedge Trimmer		-	-	-	-			-	104,8	-	Guaranteed:-106dB	2000/14/EC	
	Makita	EK6101	Power Cutter		2,7/3,5	2,0/2,0	-	EN ISO 19432			99,6	108,6	2,5/2,5	Uncertainty: K _{PA} /K _{WA}	EN ISO 19432	
	Makita	EK6101	Power Cutter		-	-	-	-			-	-	-	Guaranteed:--dB	2000/14/EC	
	Makita	EK7650H	Power Cutter		2,7/1,8	2,0/2,0	-	EN ISO 19432			92,7	104,6	2,5/2,5	Uncertainty: K _{PA} /K _{WA}	EN ISO 19432	
	Makita	EK7650H	Power Cutter		-	-	-	-			-	113	-	Guaranteed:-114-dB	2000/14/EC	
	Makita	EK7651H	Power Cutter		2,7/1,8	2,0/2,0	-	EN ISO 19432			92,7	104,6	2,5/2,5	Uncertainty: K _{PA} /K _{WA}	EN ISO 19432	
	Makita	EK7651H	Power Cutter		-	-	-	-			-	113	-	Guaranteed:-114-dB	2000/14/EC	
	Makita	ELM3310	Lawn Mower	≤	2,5	1,5	-	60335-2-77			80	-	2,42		60335-2-77	
	Makita	ELM3310	Lawn Mower		-	-	-	-			-	87,2	-	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM3320	Lawn Mower	≤	2,5	1,5	-	EN IEC 62841-4-3	-		83	-	3		EN IEC 62841-4-3	
	Makita	ELM3320	Lawn Mower		-	-	-	-			-	91,9	0,7	Guaranteed:-96-dB	EN IEC 62841-4-3	
	Makita	ELM3320	Lawn Mower		-	-	-	-			-	91,9	0,7	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM3710	Lawn Mower	≤	2,5	1,5	-	60335-2-77			83	-	2,35		60335-2-77	
	Makita	ELM3710	Lawn Mower		-	-	-	-			-	88,7	-	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM3720	Lawn Mower	≤	2,5	1,5	-	EN IEC 62841-4-3	-		81	-	3		EN IEC 62841-4-3	
	Makita	ELM3720	Lawn Mower		-	-	-	-			-	92,8	1,3	Guaranteed:-96-dB	EN IEC 62841-4-3	
	Makita	ELM3720	Lawn Mower		-	-	-	-			-	92,8	1,3	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM4110	Lawn Mower	≤	2,5	1,5	-	60335-2-77			83	-	2,38		60335-2-77	
	Makita	ELM4110	Lawn Mower		-	-	-	-			-	91,4	-	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM4120	Lawn Mower	≤	2,5	1,5	-	EN IEC 62841-4-3	-		84	-	3		EN IEC 62841-4-3	
	Makita	ELM4120	Lawn Mower		-	-	-	-			-	94,2	1,4	Guaranteed:-96-dB	EN IEC 62841-4-3	
	Makita	ELM4120	Lawn Mower		-	-	-	-			-	94,2	0,7	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM4121	Lawn Mower	≤	2,5	1,5	-	EN IEC 62841-4-3	-		84	-	3		EN IEC 62841-4-3	
	Makita	ELM4121	Lawn Mower		-	-	-	-			-	94,2	1,4	Guaranteed:-96-dB	EN IEC 62841-4-3	
	Makita	ELM4121	Lawn Mower		-	-	-	-			-	94,2	0,7	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM4610	Lawn Mower	≤	2,5	1,5	-	60335-2-77			87	-	2,4		60335-2-77	
	Makita	ELM4610	Lawn Mower		-	-	-	-			-	93,3	-	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM4611	Lawn Mower	≤	2,5	1,5	-	60335-2-77			87	-	2,4		60335-2-77	

	Makita	ELM4611	Lawn Mower		-	-	-	-			-	93,3	-	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM4620	Lawn Mower	≤	2,5	1,5	-	EN IEC 62841-4-3		-	83	-	3		EN IEC 62841-4-3	
	Makita	ELM4620	Lawn Mower		-	-	-	-			-	92,7	0,8	Guaranteed:-96-dB	EN IEC 62841-4-3	
	Makita	ELM4620	Lawn Mower		-	-	-	-			-	92,7	0,8	Guaranteed:-96-dB	2000/14/EC	
	Makita	ELM4621	Lawn Mower	≤	2,5	1,5	-	EN IEC 62841-4-3		-	83	-	3		EN IEC 62841-4-3	
	Makita	ELM4621	Lawn Mower		-	-	-	-			-	92,7	0,8	Guaranteed:-96-dB	EN IEC 62841-4-3	
	Makita	ELM4621	Lawn Mower		-	-	-	-			-	92,7	0,8	Guaranteed:-96-dB	2000/14/EC	
	Makita	EM2100U	Petrol Brushcutter		3,4/4,2	1,7/1,6	-	ISO22867			90 9	103 6	2,7/2,2	Uncertainty: KPA/KWA	ISO22868	
	Makita	EM2100U	Petrol Brushcutter		-	-	-	-			-	103 6	-	Guaranteed:106dB	2000/14/EC	
	Makita	EM2100W	Petrol Brushcutter		4,4/4,2	1,0/1,5	-	ISO22867			92 6	103 6	0,8/2,0	Uncertainty: KPA/KWA	ISO22868	
	Makita	EM2100W	Petrol Brushcutter		-	-	-	-			-	103 6	-	Guaranteed:106dB	2000/14/EC	
	Makita	EM2101U	Petrol Brushcutter		4,6/5,1	1,9/1,6	-	ISO22867			91 0	103 1	0,9/0,3	Uncertainty: KPA/KWA	ISO22868	
	Makita	EM2101U	Petrol Brushcutter		-	-	-	-			-	103 1	-	Guaranteed:103dB	2000/14/EC	
	Makita	EM2102L	Petrol Brushcutter		5,3/4,5	1,6/1,0	-	ISO22867			90 0	104 3	0,8/1,9	Uncertainty: KPA/KWA	ISO22868	
	Makita	EM2102L	Petrol Brushcutter		-	-	-	-			-	104 3	-	Guaranteed:106dB	2000/14/EC	
	Makita	EM2102U	Petrol Brushcutter		4,8/5,6	1,6/1,0	-	ISO22867			90 7	103 8	1,5/0,8	Uncertainty: KPA/KWA	ISO22868	
	Makita	EM2102U	Petrol Brushcutter		-	-	-	-			-	103 8	-	Guaranteed:105dB	2000/14/EC	
	Makita	EM2510LH	Petrol Brushcutter		5,2/5,0	1,7/1,3	-	ISO22867			89 6	100 7	2,9/1,7	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2510LH	Petrol Brushcutter		-	-	-	-			-	100 7	-	Guaranteed:102-dB	2000/14/EC	
	Makita	EM2510LH	Petrol Brushcutter		5,0/6,0	1,7/1,5	-	ISO22867			93 2	110 3	1,9/1,1	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2510LH	Petrol Brushcutter		-	-	-	-			-	110 3	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EM2510LHC	Petrol Brushcutter		5,3/5,8	1,7/2,0	-	ISO22867			92 9	110 6	2,9/1,3	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2510LHC	Petrol Brushcutter		-	-	-	-			-	110 6	-	Guaranteed:112-dB	2000/14/EC	
	Makita	EM2511LH	Petrol Brushcutter		5,2/5,0	1,7/1,3	-	ISO22867			89 6	100 7	2,9/1,7	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2511LH	Petrol Brushcutter		-	-	-	-			-	100 7	-	Guaranteed:102-dB	2000/14/EC	
	Makita	EM2511LH	Petrol Brushcutter		5,0/6,0	1,7/1,5	-	ISO22867			93 2	110 3	1,9/1,1	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2511LH	Petrol Brushcutter		-	-	-	-			-	110 3	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EM2511LHC	Petrol Brushcutter		5,3/5,8	1,7/2,0	-	ISO22867			92 9	110 6	2,9/1,3	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2511LHC	Petrol Brushcutter		-	-	-	-			-	110 6	-	Guaranteed:112-dB	2000/14/EC	
	Makita	EM2650L attached	Pole Hedge Trimmer Attachment [A-89]		-	-	-	-			91,7	101,7	1,2/0,7	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2650L attached	Pole Hedge Trimmer Attachment [A-89]		-	-	-	-			-	101,7	-	Guaranteed:103-dB	2000/14/EC	
	Makita	EM2650L attached	Hedge Trimmer Attachment		9,7/9,7	2,01,4	-	EN ISO 10517/(ISO22867)			90,0	104,3	0,9/3,8	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EM2650L attached	Hedge Trimmer Attachment		-	-	-	-			-	103,7	0,3	Guaranteed:-104-dB	2000/14/EC	
	Makita	EM2650LH	Petrol Brushcutter		5,1/4,1	0,2/0,4	-	ISO22867			96 6	105 5	0,9/1,3	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2650LH	Petrol Brushcutter		-	-	-	-			-	108 5	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EM2650LHN	Petrol String Trimmer		5,0/5,3	0,8/0,4	-	ISO22867			91 6	101 6	3,1/2,0	Uncertainty: KPA/KWA	ISO22868	
	Makita	EM2650LHN	Petrol String Trimmer		-	-	-	-			-	101 6	-	Guaranteed:104dB	2000/14/EC	
	Makita	EM2650UH	Petrol Brushcutter		2,6/2,3	0,8/0,5	-	ISO22867			96 6	105 5	0,9/1,3	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2650UH	Petrol Brushcutter		-	-	-	-			-	108 5	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EM2651L attached	Hedge Trimmer Attachment		9,7/9,7	2,01,4	-	EN ISO 10517/(ISO22867)			90,0	104,3	0,9/3,8	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EM2651L attached	Hedge Trimmer Attachment		-	-	-	-			-	103,7	0,3	Guaranteed:-104-dB	2000/14/EC	
	Makita	EM2651LH	Petrol Brushcutter		5,5/4,4	1,0/0,4	-	ISO22867			96 6	105 5	0,9/1,3	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2651LH	Petrol Brushcutter		-	-	-	-			-	108 5	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EM2651UH	Petrol Brushcutter		2,5/2,4	0,5/0,2	-	ISO22867			96 6	105 5	0,9/1,3	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2651UH	Petrol Brushcutter		-	-	-	-			-	108 5	-	Guaranteed:111-dB	2000/14/EC	
	Makita	EM2652LHN	Petrol String Trimmer		4,9/4,2	1,8/1,6	-	ISO22867			90	99 4	1,7/3,1	Uncertainty: KPA/KWA	ISO22868	
	Makita	EM2652LHN	Petrol String Trimmer		-	-	-	-			-	99 4	-	Guaranteed:102dB	2000/14/EC	
	Makita	EM2653L attached	Hedge Trimmer Attachment		9,5/6,1	2,1/1,8	-	EN ISO 10517/(ISO22867)			89,8	104,3	1,1/3,8	Uncertainty: K _{PA} /K _{WA}	EN ISO 10517/(ISO22868)	
	Makita	EM2653L attached	Hedge Trimmer Attachment		-	-	-	-			-	102,9	0,8	Guaranteed:-104-dB	2000/14/EC	
	Makita	EM2653LH	Petrol Brushcutter		4,0/4,6	0,6/1,3	-	ISO22867			94 8	111 3	0,9/1,3	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2653LH	Petrol Brushcutter		-	-	-	-			-	111 3	-	Guaranteed:113dB	2000/14/EC	
	Makita	EM2653LH	Petrol Brushcutter		4,6/4,8	1,1/2,1	-	ISO22867			92 1	105	2,7/1,5	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2653LH	Petrol Brushcutter		-	-	-	-			-	105	-	Guaranteed:107dB	2000/14/EC	
	Makita	EM2653LHC	Petrol String Trimmer		4,1/3,9	1,0/2,0	-	ISO22867			95 6	110 4	2,2/0,8	Uncertainty: K _{PA} /K _{WA}	ISO22868	
	Makita	EM2653LHC	Petrol String Trimmer		-	-	-	-			-	110 4	-	Guaranteed:111dB	2000/14/EC	

	Makita	EM2653LHN	Petrol String Trimmer		4,5/3,3	1,4/1,1	-	ISO22867			95 9	111 1	2,2/1,3	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2653LHN	Petrol String Trimmer		-	-	-	-			-	111 1	-	Guaranteed:112dB	2000/14/EC	
	Makita	EM2654L attached	Hedge Trimmer Attachment		9,5/6,1	2,1/1,8	-	EN ISO 10517/(ISO22867)			89,8	104,3	1,1/3,8	Uncertainty: K_{PM}/K_{WA}	EN ISO 10517/(ISO22868)	
	Makita	EM2654L attached	Hedge Trimmer Attachment		-	-	-	-			-	102,9	0,8	Guaranteed:-104-dB	2000/14/EC	
	Makita	EM2654LH	Petrol Brushcutter		4,0/4,6	0,6/1,3	-	ISO22867			94 8	111 3	0,9/1,3	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2654LH	Petrol Brushcutter		-	-	-	-			-	111 3	-	Guaranteed:113dB	2000/14/EC	
	Makita	EM2654LH	Petrol Brushcutter		4,6/4,8	1,1/2,1	-	ISO22867			92 1	105	2,7/1,5	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2654LH	Petrol Brushcutter		-	-	-	-			-	105	-	Guaranteed:107dB	2000/14/EC	
	Makita	EM2654LHC	Petrol String Trimmer		4,1/3,9	1,0/2,0	-	ISO22867			95 6	110 4	2,2/0,8	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2654LHC	Petrol String Trimmer		-	-	-	-			-	110 4	-	Guaranteed:111dB	2000/14/EC	
	Makita	EM2654LHN	Petrol String Trimmer		4,5/3,3	1,4/1,1	-	ISO22867			95 9	111 1	2,2/1,3	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2654LHN	Petrol String Trimmer		-	-	-	-			-	111 1	-	Guaranteed:112dB	2000/14/EC	
	Makita	EM2901LH	Petrol Brushcutter		4,4/4,5	0,9/1,6	-	ISO22867			95,5	105,4	2,3/2,2	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2901LH	Petrol Brushcutter		-	-	-	-			-	105,4	-	Guaranteed:108dB	2000/14/EC	
	Makita	EM2901LH	Petrol Brushcutter		4,3/3,9	1,2/1,8	-	ISO22867			94,9	108,2	1,4/1,6	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2901LH	Petrol Brushcutter		-	-	-	-			-	108,2	-	Guaranteed:110dB	2000/14/EC	
	Makita	EM2901LHN	Petrol String Trimmer		4,6/3,8	1,1/1,9	-	ISO22867			91,9	106,3	1,0/0,6	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2901LHN	Petrol String Trimmer		-	-	-	-			-	106,3	-	Guaranteed:107dB	2000/14/EC	
	Makita	EM2901UH	Petrol Brushcutter		3,0/3,6	1,0/1,0	-	ISO22867			95,5	105,4	2,3/2,2	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2901UH	Petrol Brushcutter		-	-	-	-			-	105,4	-	Guaranteed:108dB	2000/14/EC	
	Makita	EM2901UH	Petrol Brushcutter		2,6/3,9	1,0/1,1	-	ISO22867			94,9	108,2	1,4/1,6	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2901UH	Petrol Brushcutter		-	-	-	-			-	108,2	-	Guaranteed:110dB	2000/14/EC	
	Makita	EM2902LHN	Petrol String Trimmer		5,5/4,6	1,1/1,4	-	ISO22867			97,0	104,5	0,3/0,3	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM2902LHN	Petrol String Trimmer		-	-	-	-			-	104,5	-	Guaranteed:105dB	2000/14/EC	
	Makita	EM3400L	Petrol Brushcutter		-	-	-	-			-	105 9	-	Guaranteed:107dB	2000/14/EC	
	Makita	EM3400L	Petrol Brushcutter		-	-	-	-			-	110 4	-	Guaranteed:112dB	2000/14/EC	
	Makita	EM3400U	Petrol Brushcutter		-	-	-	-			-	105 8	-	Guaranteed:106dB	2000/14/EC	
	Makita	EM3400U	Petrol Brushcutter		-	-	-	-			-	109 1	-	Guaranteed:110dB	2000/14/EC	
	Makita	EM4350L	Petrol Brushcutter		4,2/3,8	1,1/1,0	-	ISO22867			92,8	106,4	1,6/1,5	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4350L	Petrol Brushcutter		-	-	-	-			-	106,4	-	Guaranteed:108dB	2000/14/EC	
	Makita	EM4350L	Petrol Brushcutter		2,6/3,7	0,7/1,4	-	ISO22867			94,9	110,7	2,1/1,2	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4350L	Petrol Brushcutter		-	-	-	-			-	110,7	-	Guaranteed:112dB	2000/14/EC	
	Makita	EM4350RH	Petrol Brushcutter		3,4/2,4	1,0/0,7	-	ISO22867			92 5	110 6	1,7/0,7	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4350RH	Petrol Brushcutter		-	-	-	-			-	110 6	-	Guaranteed:111dB	2000/14/EC	
	Makita	EM4350RH	Petrol Brushcutter		3,2/2,7	1,7/0,8	-	ISO22867			83 5	104 1	1,1/1,1	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4350RH	Petrol Brushcutter		-	-	-	-			-	104 1	-	Guaranteed:105dB	2000/14/EC	
	Makita	EM4350U	Petrol Brushcutter		3,1/4,8	0,5/2,9	-	ISO22867			91,2	106,0	2,2/1,1	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4350U	Petrol Brushcutter		-	-	-	-			-	106,0	-	Guaranteed:107dB	2000/14/EC	
	Makita	EM4350U	Petrol Brushcutter		4,0/5,0	0,7/0,6	-	ISO22867			99,1	113,8	1,3/1,1	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4350U	Petrol Brushcutter		-	-	-	-			-	113,8	-	Guaranteed:115dB	2000/14/EC	
	Makita	EM4350U	Petrol Brushcutter		4,3/3,1	1,0/0,5	-	ISO22867								
	Makita	EM4350U	Petrol Brushcutter		-	-	-	-								
	Makita	EM4350U	Petrol Brushcutter		5,9/4,3	1,4/1,6	-	ISO22867								
	Makita	EM4350U	Petrol Brushcutter		-	-	-	-								
	Makita	EM4351U	Petrol Brushcutter		2,2/1,7	0,5/0,5	-	ISO22867			92,4	104,8	1,8/1,8	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4351U	Petrol Brushcutter		-	-	-	-			-	104,8	-	Guaranteed:107dB	2000/14/EC	
	Makita	EM4351U	Petrol Brushcutter		2,5/2,6	0,3/1,3	-	ISO22867			99,8	114,3	1,0/1,5	Uncertainty: K_{PM}/K_{WA}	ISO22868	
	Makita	EM4351U	Petrol Brushcutter		-	-	-	-			-	114,3	-	Guaranteed:116dB	2000/14/EC	
	Makita	EN4950H	Petrol Pole Hedge Trimmer		6,4/8,5	2,6/1,3	-	EN ISO 10517/(ISO22867)			90	103,0	1,8/1,0	Uncertainty: K_{PM}/K_{WA}	EN ISO 10517/(ISO22868)	
	Makita	EN4950H	Petrol Pole Hedge Trimmer		-	-	-	-			-	102 2	1,6	Guaranteed:104-dB	2000/14/EC	
	Makita	EN4951S	Petrol Pole Hedge Trimmer		5,1/7,0	1,5/3,1	-	EN ISO 10517/(ISO22867)			90,2	104,1	1,0/0,4	Uncertainty: K_{PM}/K_{WA}	EN ISO 10517/(ISO22868)	
	Makita	EN4951S	Petrol Pole Hedge Trimmer		-	-	-	-			-	102,2	0,6	Guaranteed:103dB	2000/14/EC	
	Makita	EN5950S	Petrol Pole Hedge Trimmer		6,6/9,8	0,3/2,1	-	EN ISO 10517/(ISO22867)			87,1	102,8	2,9/1,8	Uncertainty: K_{PM}/K_{WA}	EN ISO 10517/(ISO22868)	
	Makita	EN5950S	Petrol Pole Hedge Trimmer		-	-	-	-			-	99,6	1,9	Guaranteed:102-dB	2000/14/EC	

	Makita	EN7350S	Petrol Pole Hedge Trimmer		6,2/10,3	2,1/1,8	-	EN ISO 10517/(ISO22867)			88,0	103,4	1,7/3,6	Uncertainty: K_{pN}/K_{WA}	EN ISO 10517/(ISO22868)	
	Makita	EN7350S	Petrol Pole Hedge Trimmer		-	-	-	-			-	101,0	2,8	Guaranteed: 104-dB	2000/14/EC	
	Makita	ER2550LH	Petrol String Trimmer		5,3/5,4	0,9/1,0	-	ISO22867			93,3	102,5	2,8/1,7	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	ER2550LH	Petrol String Trimmer		-	-	-	-			-	105,5	-	Guaranteed: 107dB	2000/14/EC	
	Makita	ER2600L	Petrol String Trimmer		3,9/5,1	1,5/1,5	-	ISO22867			91 3	111 3	0,9/0,9	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	ER2600L	Petrol String Trimmer		-	-	-	-			-	111 3	-	Guaranteed: 112dB	2000/14/EC	
	Makita	ER2650LH	Petrol String Trimmer		5,0/8,2	1,7/0,9	-	ISO22867			97,5	107,3	1,8/2,5	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	ER2650LH	Petrol String Trimmer		-	-	-	-			-	107,3	-	Guaranteed: 110-dB	2000/14/EC	
	Makita	ETR2500	Edging Trimmer		12,4	0,9	-	ISO11789			95,6	105,6	2,4/2,5	Uncertainty: K_{pN}/K_{WA}	ISO11789	
	Makita	EX2650LH attached	Power Brush Attachment BR400MP		3,6/9,2	1,0/0,7	-	ISO22867			89,9	103,2	0,9/0,6	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Power Brush Attachment BR400MP		-	-	-	-			-	103,9	-	Guaranteed: 104-dB	2000/14/EC (ISO22868)	
	Makita	EX2650LH attached	Edger Attachment EE400MP		3,5/8,6	1,6/1,7	-	ISO22867			89,5	99,7	2/2,6	Uncertainty: K_{PA}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Edger Attachment EE400MP		-	-	-	-			-	99,7	-	Guaranteed: 103-dB	2000/14/EC	
	Makita	EX2650LH attached	Brushcutter Attachment EM400MP		5,9/6,5	1,8/1,2	-	ISO22867			95,0	105,5	4,4/3,3	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Brushcutter Attachment EM400MP		-	-	-	-			-	108,5	-	Guaranteed: 113-dB	2000/14/EC	
	Makita	EX2650LH attached	Brushcutter Attachment EM401MP		4,8/5,6	1,0/2,1	-	ISO22867			89,9	99,7	3,6/2,7	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Brushcutter Attachment EM401MP		-	-	-	-			-	102,7	-	Guaranteed: 105-dB	2000/14/EC	
	Makita	EX2650LH attached	Brushcutter Attachment EM404MP		5,5/6,4	1,4/0,7	-	ISO22867			90,5	104,8	0,3/1,0	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Brushcutter Attachment EM404MP		-	-	-	-			-	104,8	-	Guaranteed: 106-dB	2000/14/EC	
	Makita	EX2650LH attached	Brushcutter Attachment EM406MP		4,9/5,6	1,2/1,4	-	ISO22867			91,1	105,0	1,2/0,5	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Brushcutter Attachment EM406MP		-	-	-	-			-	105,0	-	Guaranteed: 106-dB	2000/14/EC	
	Makita	EX2650LH attached	Brushcutter Attachment EM407MP		5,0/5,2	1,2/0,9	-	ISO22867 (ISO11806-1)			89,5	104,7	1,4/2,7	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11806-1)	
	Makita	EX2650LH attached	Brushcutter Attachment EM407MP		-	-	-	-			-	104,7	2,7	Guaranteed: 107-dB	2000/14/EC	
	Makita	EX2650LH attached	Brushcutter Attachment EM408MP		5,2/5,9	1,4/1,5	Timmer head 96-M10L (127541*2)	ISO22867 (ISO11806-1)			89,2	103,6	3,7/1,0	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11806-1)	Timmer head 96-M10L (127541*2)
	Makita	EX2650LH attached	Brushcutter Attachment EM408MP		-	-	-	-			-	103,6	-	Guaranteed: 105-dB	2000/14/EC	
	Makita	EX2650LH attached	Brushcutter Attachment EM409MP		6,8/7,5	1,4/2,9	Timmer head 96-M10L (127541*2)	ISO22867 (ISO11806-1)			89,2	103,3	3,1/1,6	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11806-1)	Timmer head 96-M10L (127541*2)
	Makita	EX2650LH attached	Brushcutter Attachment EM409MP		-	-	-	-			-	103,3	-	Guaranteed: 105-dB	2000/14/EC	
	Makita	EX2650LH attached	String Trimmer Attachment ER400MP		5,5/7,1	2,7/2,8	-	ISO22867			97,9	106,2	4,2/4,0	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	String Trimmer Attachment ER400MP		-	-	-	-			-	109,2	-	Guaranteed: 116-dB	2000/14/EC	
	Makita	EX2650LH attached	Pole Saw Attachment EY400MP		4,2/9,4	2,0/2,0	-	ISO22867			93,0	104,5	2,5/2,5	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Pole Saw Attachment EY400MP + LE400MP		3,4/4,8	2,0/2,0	-	ISO22867			90,3	107,8	2,5/2,5	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Pole Saw Attachment EY401MP		3,8/6,5	2,0/2,0	-	ISO22867			92,6	104,7	2,5/2,5	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Pole Saw Attachment EY401MP + LE400MP		3,4/5,6	2,0/2,0	-	ISO22867			90,5	107,9	2,5/2,5	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Pole Saw Attachment EY402MP		4,0 6,4	1,5	guide bar : 250mm / chain: 90PX	ISO22867 (ISO11680-1)			91	106	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	
	Makita	EX2650LH attached	Pole Saw Attachment EY402MP		4,4 6,8	1,5	guide bar : 250mm / chain: 91PX	ISO22867 (ISO11680-1)			93	107	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	
	Makita	EX2650LH attached	Pole Saw Attachment EY403MP		3,8 7,1	1,5	guide bar : 300mm / chain: 90PX	ISO22867 (ISO11680-1)			93	107	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	
	Makita	EX2650LH attached	Pole Saw Attachment EY403MP		4,0 7,1	1,5	guide bar : 300mm / chain: 91PX	ISO22867 (ISO11680-1)			92	107	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	
	Makita	EX2650LH attached	Pole Saw Attachment EY402MP + LE400MP		5,2 9,6	1,5	guide bar : 250mm / chain: 90PX	ISO22867 (ISO11680-1)			91	106	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	without LE400MP
	Makita	EX2650LH attached	Pole Saw Attachment EY402MP + LE400MP		4,7 9,4	1,5	guide bar : 250mm / chain: 91PX	ISO22867 (ISO11680-1)			93	107	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	without LE400MP
	Makita	EX2650LH attached	Pole Saw Attachment EY403MP + LE400MP		4,5 9,5	1,5	guide bar : 300mm / chain: 90PX	ISO22867 (ISO11680-1)			93	107	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	without LE400MP
	Makita	EX2650LH attached	Pole Saw Attachment EY403MP + LE400MP		4,8 9,3	1,5	guide bar : 300mm / chain: 91PX	ISO22867 (ISO11680-1)			92	107	3	Uncertainty: K_{pN}/K_{WA}	ISO22868 (ISO11680-1)	without LE400MP
	Makita	EX2650LH attached	Hedge Trimmer Attachment EN400MP		5,0/8,4	0,7/1,8	-	ISO10517			93,1	102,9	4,4/4,8	Uncertainty: K_{pN}/K_{WA}	ISO10517	
	Makita	EX2650LH attached	Hedge Trimmer Attachment EN400MP		-	-	-	-			-	103,8	-	Guaranteed: 109-dB	2000/14/EC	
	Makita	EX2650LH attached	Hedge Trimmer Attachment EN400MP + LE400MP		4,3/8,0	0,7/1,7	-	ISO10517			87,8	103,0	1,9/2,0	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Hedge Trimmer Attachment EN400MP + LE400MP		-	-	-	-			-	104,0	-	Guaranteed: 106-dB	2000/14/EC	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP		5,9/7,7	2,5/0,8	-	EN ISO 10517 (ISO22867)			90,7	104,3	1,6/3,8	Uncertainty: K_{pN}/K_{WA}	EN ISO 10517 (ISO22868)	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP		-	-	-	-			-	102,1	1,7	Guaranteed: 104-dB	2000/14/EC	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP + LE400MP		7,6/9,6	2,7/2,2	Front-handle: pole handle grip	EN ISO 10517 (ISO22867)			89,2	103,7	2,9/2,2	Uncertainty: K_{pN}/K_{WA}	EN ISO 10517 (ISO22868)	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP + LE400MP		-	-	-	-			-	102,0	1,6	Guaranteed: 104-dB	2000/14/EC	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP + LE400MP		6,6/7,8	3,6/2,0	-	EN ISO 10517 (ISO22867)			87,8	102,9	0,8/1,6	Uncertainty: K_{pN}/K_{WA}	EN ISO 10517 (ISO22868)	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP + LE400MP		-	-	-	-			-	102 3	1,7	Guaranteed: 104-dB	2000/14/EC	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP + LE400MP		9,2/10,8	2,0/1,4	Front-handle: pole handle grip	EN ISO 10517 (ISO22867)			88,7	103,6	1,1/0,7	Uncertainty: K_{pN}/K_{WA}	EN ISO 10517 (ISO22868)	
	Makita	EX2650LH attached	Pole Hedge Trimmer Attachment EN401MP + LE400MP		-	-	-	-			-	102,9	0,9	Guaranteed: 104-dB	2000/14/EC	
	Makita	EX2650LH attached	Ground Trimmer Attachment EN401MP + LE400MP		6,3/9,1	4,0/1,7	-	EN ISO 10517 (ISO22867)			88,7	103,8	1,0/2,0	Uncertainty: K_{pN}/K_{WA}	EN ISO 10517 (ISO22868)	
	Makita	EX2650LH attached	Ground Trimmer Attachment EN401MP + LE400MP		-	-	-	-			-	101 3	0,7	Guaranteed: 102dB	2000/14/EC	
	Makita	EX2650LH attached	Cultivator Attachment EN401MP + LE400MP		4,4/5,0	2,3/1,1	-	ISO22867			93,7	99,7	2,6/1,2	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Cultivator Attachment EN401MP + LE400MP		5,3/4,2	0,9/0,3	-	ISO22867			87,9	102,5	0,2/0,3	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Coffee Harvester Attachment EN401MP + LE400MP		4,9/7,1	1,5/1,5	-	ISO22867			89,0	99,8	2,3/1,1	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Coffee Harvester Attachment EN401MP + LE400MP		4,0/6,4	0,7/0,6	-	ISO22867			88,1	100,8	2,2/2,3	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Power Sweep Attachment EN401MP + LE400MP		4,1/8,3	1,5/1,4	-	ISO22867			88,8	102,9	1,8/0,7	Uncertainty: K_{pN}/K_{WA}	ISO22868	
	Makita	EX2650LH attached	Power Sweep Attachment EN401MP + LE400MP		-	-	-	-			-	103,6	-	Guaranteed: 104-dB	2000/14/EC	

[illegible]

	Makita	IM8701(MT871)	Combination Hammer	Ⅲ	2.5	1.5	Drilling-into-metal	60745-2-1	-	-	-	-	-	-	60745-2-1	
	Makita	IM9502R	Angle Grinder	Ⅲ	6.5	1.5	Surface-grinding	62841-2-3	86	-	-	94	3	Lp.Result converted to 0.7m p	62841-2-3	
	Makita	IM9502R	Angle Grinder	Ⅲ	2.5	1.5	Disc-sanding	62841-2-3	-	-	-	-	3	-	62841-2-3	
	Makita	IM9503R	Angle Grinder	Ⅲ	6.5	1.5	Surface-grinding	62841-2-3	87	-	-	95	3	Lp.Result converted to 0.7m p	62841-2-3	
	Makita	IM9503R	Angle Grinder	Ⅲ	3.0	1.5	Disc-sanding	62841-2-3	-	-	-	-	3	-	62841-2-3	
	Makita	IM9506(MT964 M9506R)	Angle Grinder	Ⅲ	6.5	1.5	Surface-grinding	62841-2-3	89	-	-	97	3	Lp.Result converted to 0.7m p	62841-2-3	Normal side grip
	Makita	IM9507(MT965 M9507R)	Angle Grinder	Ⅲ	7.0	1.5	Surface-grinding	62841-2-3	91	-	-	99	3	Lp.Result converted to 0.7m p	62841-2-3	Normal side grip
	Makita	IM9508(MT966 M9508R)	Angle Grinder	Ⅲ	7.0	1.5	Surface-grinding	62841-2-3	91	-	-	99	3	Lp.Result converted to 0.7m p	62841-2-3	Normal side grip
	Makita	IM9509(MT967 M9509R)	Angle Grinder	Ⅲ	6.5	1.5	Surface-grinding	62841-2-3	90	-	-	98	3	Lp.Result converted to 0.7m p	62841-2-3	Normal side grip
	Makita	IM9510(MT968 M9510R)	Angle Grinder	Ⅲ	8.5	1.5	Surface-grinding	62841-2-3	91	-	-	99	3	Lp.Result converted to 0.7m p	62841-2-3	Normal side grip
	Makita	IM9511(MT969 M9511R)	Angle Grinder	Ⅲ	9.0	1.5	Surface-grinding	62841-2-3	92	-	-	100	3	Lp.Result converted to 0.7m p	62841-2-3	Normal side grip
	Makita	IM9800(MT980 MTM001)	Multi Tool	Ⅲ	2.5	1.5	Sanding	EN62841-2-4	81	-	-	89	3	no-load	EN62841-2-4	
	Makita	IM9800(MT980 MTM001)	Multi Tool	Ⅲ	8.0	1.5	Cutting-with-plunge-cut-saw-blade	EN62841-1	82	-	-	90	3	no-load	EN62841-1	
	Makita	IM9800(MT980 MTM001)	Multi Tool	Ⅲ	4.0	1.5	Cutting-with-segmental-saw-blade	EN62841-1	82	-	-	90	3	no-load	EN62841-1	
	Makita	IM9800(MT980 MTM001)	Multi Tool	Ⅲ	9.5	1.5	Scraping									

	Makita	SG1250	Wall Chaser		5,5	1,5	Concrete-cutting	60745-2-22			97	108	3	concrete-cutting (depth=30mm)	60745-2-22	
	Makita	SG1251	Wall Chaser		5,0	1,5	Concrete-cutting	60745-2-22			97	108	3	concrete-cutting (depth=30mm)	60745-2-22	
	Makita	SH01	Cordless Circular Saw	≡	2,5	1,5	Cutting-wood	62841-2-5			86	97	3	cutting-chipboard	62841-2-5	
	Makita	SMX500	Circular Saw	≡	2,5	1,5	Cutting-wood	EN62841-2-5	96		-	104	3	cutting-chipboard	EN62841-2-5	
	Makita	SP001G	Cordless Plunge Cut Saw	≡	2,5	1,5	Cutting-wood	EN62841-2-5	92		-	100	3	cutting-chipboard	EN62841-2-5	
	Makita	SP001G	Cordless Plunge Cut Saw		2,5	1,5	Cutting-metal	EN62841-2-5			-	-	-	-	EN62841-2-5	
	Makita	SP6000	Circular Saw	≡	2,5	1,5	Cutting-wood	EN62841-2-5	95		-	103	3	cutting-chipboard	EN62841-2-5	
	Makita	SP6000	Circular Saw	≡	2,5	1,5	Cutting-metal	EN62841-2-5			-	-	-	-	EN62841-2-5	
	Makita	ST001G	Cordless stapler	≡	1,8	1,5	-	60745-2-16			82	93	3	-	60745-2-16	
	Makita	ST002G	Cordless stapler		1,6	1,5	-	60745-2-16			83	94	3	-	60745-2-16	
	Makita	ST113D	Cordless stapler		1,6	1,5	-	60745-2-16			75	-	3	-	60745-2-16	
	Makita	ST313D	Cordless stapler	≤	2,5	1,5	-	60745-2-16			73	-	3	-	60745-2-16	
	Makita	T221D	Cordless stapler		4,5	1,5	-	60745-2-16			81	92	3	-	60745-2-16	
	Makita	TD001G	Cordless Impact Driver		10,0	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	99		-	107	3	loading-device	EN62841-2-2	
	Makita	TD002G	Cordless Impact Driver		12,9	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	97		-	105	3	loading-device	EN62841-2-2	
	Makita	TD003G	Cordless Impact Driver		11,9	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	98		-	106	3	loading-device	EN62841-2-2	
	Makita	TD004G	Cordless Impact Driver		23,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	100		-	108	3	loading-device	EN62841-2-2	
	Makita	TD0100	Impact Driver		11,0	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	94		-	102	3	loading-device	EN62841-2-2	
	Makita	TD0101(TD0101F)	Impact Driver		7,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	93		-	101	3	loading-device	EN62841-2-2	
	Makita	TD020D	Cordless Impact Driver		6,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	60745-2-2			82	93	3	loading-device	60745-2-2	
	Makita	TD021D	Cordless Impact Driver		6,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	60745-2-2			83	94	3	loading-device	60745-2-2	
	Makita	TD022D	Cordless Impact Driver		7,0	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	88		-	96	3	loading-device	EN62841-2-2	
	Makita	TD090D	Cordless Impact Driver		10,0	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	95		-	103	3	loading-device	EN62841-2-2	
	Makita	TD091D	Cordless Impact Driver		7,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	60745-2-2			91	102	3	loading-device	60745-2-2	
	Makita	TD110D	Cordless Impact Driver		8,0	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	97		-	105	3	loading-device	EN62841-2-2	
	Makita	TD111D	Cordless Impact Driver		12,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	97		-	105	3	loading-device	EN62841-2-2	
	Makita	TD112D	Cordless Impact Driver		10,9	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	96		-	104	3	loading-device	EN62841-2-2	
	Makita	TD126D	Cordless Impact Driver		9,5	2,0	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	95		-	103	3	loading-device	EN62841-2-2	
	Makita	TD127D	Cordless Impact Driver		8,5	2,0	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	96		-	104	3	loading-device	EN62841-2-2	
	Makita	TD138D	Cordless Impact Driver		11,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	62841-2-2			93	104	3	loading-device	62841-2-2	
	Makita	TD170D	Cordless Impact Driver		12,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	62841-2-2			98	109	3	loading-device	62841-2-2	
	Makita	TM001G	Cordless Multi Tool	≡	2,5	1,5	Sanding	EN62841-2-4	72		-	-	3	no-load	EN62841-2-4	Sanding
	Makita	TM001G	Cordless Multi Tool	≡	2,5	1,5	Cutting-with-plunge-cut-saw-blade	EN62841-1	75		-	-	3	no-load	EN62841-1	Cutting-with-plunge-cut-saw-blade
	Makita	TM001G	Cordless Multi Tool	≡	2,5	1,5	Cutting-with-segmental-saw-blade	EN62841-1	79		-	-	3	no-load	EN62841-1	Cutting-with-segmental-saw-blade
	Makita	TM001G	Cordless Multi Tool	≡	2,5	1,5	Scraping	EN62841-1	74		-	-	3	no-load	EN62841-1	Scraping
	Makita	TM3000C	Multi Tool	≤	2,5	1,5	Sanding	EN62841-2-4	77		-	-	3	no-load	EN62841-2-4	
	Makita	TM3000C	Multi Tool		6,5	1,5	Cutting-with-plunge-cut-saw-blade	EN62841-1	81		-	89	3	no-load	EN62841-1	
	Makita	TM3000C	Multi Tool		3,0	1,5	Cutting-with-segmental-saw-blade	EN62841-1	79		-	-	3	no-load	EN62841-1	
	Makita	TM3000C	Multi Tool		5,5	1,5	Scraping	EN62841-1	80		-	88	3	no-load	EN62841-1	
	Makita	TM3010C	Multi Tool	≤	2,5	1,5	Sanding	EN62841-2-4	83		-	91	3	no-load	EN62841-2-4	
	Makita	TM3010C	Multi Tool		6,5	1,5	Cutting-with-plunge-cut-saw-blade	EN62841-1	83		-	91	3	no-load	EN62841-1	
	Makita	TM3010C	Multi Tool		2,5	1,5	Cutting-with-segment-saw-blade	EN62841-1	82		-	90	3	no-load	EN62841-1	
	Makita	TM3010C	Multi Tool		5,0	1,5	Scraping	EN62841-1	85		-	93	3	no-load	EN62841-1	
	Makita	TM30D	Cordless Multi Tool	≡	2,5	1,5	Sanding	EN62841-2-4	78		-	-	3	no-load	EN62841-2-4	
	Makita	TM30D	Cordless Multi Tool		10,5	1,5	Cutting-with-plunge-cut-saw-blade	EN62841-1	85		-	93	3	no-load	EN62841-1	
	Makita	TM30D	Cordless Multi Tool		5,5	1,5	Cutting-with-segmental-saw-blade	EN62841-1	84		-	92	3	no-load	EN62841-1	
	Makita	TM30D	Cordless Multi Tool		9,0	1,5	Scraping	EN62841-1	84		-	92	3	no-load	EN62841-1	
	Makita	TM40D	Cordless Multi Tool	≤	2,5	1,5	Sanding	60745-2-4			78	-	3	no-load	60745-2-4	
	Makita	TM40D	Cordless Multi Tool		9,5	1,5	Cutting-with-plunge-cut-saw-blade	60745-1			82	93	3	no-load	60745-1	
	Makita	TM40D	Cordless Multi Tool		5,0	1,5	Cutting-with-segmental-saw-blade	60745-1			81	92	3	no-load	60745-1	
	Makita	TM40D	Cordless Multi Tool		7,5	1,5	Scraping	60745-1			81	92	3	no-load	60745-1	
	Makita	TS132D	Cordless Oil-Pulse Driver		19,0	2,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	62841-2-2			91	-	3	loading-device	62841-2-2	
	Makita	TW001G	Cordless Impact Wrench		18,5	2,0	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	103		-	111	3	loading-device	EN62841-2-2	
	Makita	TW002G	Cordless Impact Wrench		24,0	2,1	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	95		-	103	3	loading-device	EN62841-2-2	
	Makita	TW003G	Cordless Impact Wrench		20,5	2,7	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	96		-	104	3	loading-device	EN62841-2-2	
	Makita	TW004G(TW005G)	Cordless Impact Wrench		16,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	102		-	110	3	loading-device	EN62841-2-2	
	Makita	TW007G(TW008G)	Cordless Impact Wrench		19,7	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	100		-	108	3	loading-device	EN62841-2-2	
	Makita	TW009G	Cordless Impact Wrench		37,5	1,6	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	101		-	109	3	loading-device	EN62841-2-2	
	Makita	TW010G	Cordless Impact Wrench		33,4	1,6	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	103		-	111	3	loading-device	EN62841-2-2	
	Makita	TW011G	Cordless Impact Wrench		15,6	2,4	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	104		-	112	3	loading-device	EN62841-2-2	
	Makita	TW0200	Impact Wrench		8,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	96		-	104	3	loading-device	EN62841-2-2	
	Makita	TW0250	Impact Wrench		11,0	2,0	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	96		-	104	3	loading-device	EN62841-2-2	
	Makita	TW0350	Impact Wrench		11,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	96		-	104	3	loading-device	EN62841-2-2	
	Makita	TW060D	Impact Wrench		9,0	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	93		-	101	3	loading-device	EN62841-2-2	
	Makita	TW1000	Impact Wrench		17,5	1,5	Impact-tightening-of-fasteners-of-the maximum-capacity-of-the-tool	EN62841-2-2	106		-	114	3	loading-device	EN62841-2-2	

	Makita	TW100D	Cordless Impact Wrench		8,0	1,5	Impact-tightening-of-fasteners-of-the-maximum-capacity-of-the-tool	60745-2-2			88	99	3	loading-device	60745-2-2	
	Makita	TW140D	Cordless Impact Wrench		8,0	1,5	Impact-tightening-of-fasteners-of-the-maximum-capacity-of-the-tool	EN62841-2-2	91	-	-	99	3	loading-device	EN62841-2-2	
	Makita	TW141D	Cordless Impact Wrench		7,5	1,5	Impact-tightening-of-fasteners-of-the-maximum-capacity-of-the-tool	EN62841-2-2	96	-	-	104	3	loading-device	EN62841-2-2	
	Makita	TW160D	Cordless Impact Wrench		11,0	1,5	Impact-tightening-of-fasteners-of-the-maximum-capacity-of-the-tool	EN62841-2-2	93	-	-	101	3	loading-device	EN62841-2-2	
	Makita	TW161D	Cordless Impact Wrench		8,0	1,5	Impact-tightening-of-fasteners-of-the-maximum-capacity-of-the-tool	EN62841-2-2	96	-	-	104	3	loading-device	EN62841-2-2	
	Makita	TW202D(MTW001D)	Cordless Impact Wrench		6,8	1,5	Impact-tightening-of-fasteners-of-the-maximum-capacity-of-the-tool	EN62841-2-2	98	-	-	106	3	loading-device	EN62841-2-2	
	Makita	UA003G	Cordless Pole Saw	$2,7 / \leq 2,5$	1,5	-	no-load(Sub handle / Main handle)	ISO22867(ISO11680-1)		89	-	104	3	Guide bar:300mm / Chain:90P	ISO22868(ISO11680-1)	
	Makita	UA003G	Cordless Pole Saw	$3,1 / \leq 2,5$	1,5	-	no-load(Sub handle / Main handle)	ISO22867(ISO11680-1)		90	-	104	3	Guide bar:300mm / Chain:91P	ISO22868(ISO11680-1)	
	Makita	UA004G	Cordless Pole Saw	$\leq 2,5$	1,5	-	no-load(pipe longest)	ISO22867(ISO11680-1)		90	-	104	3	Guide bar:300mm / Chain:90P	ISO22868(ISO11680-1)	
	Makita	UA004G	Cordless Pole Saw	$2,5 / 3,1$	1,5	-	load(pipe longest)(Sub handle / Main handle)	ISO22867(ISO11680-1)		90	-	105	3	Guide bar:300mm / Chain:90P	ISO22868(ISO11680-1)	
	Makita	UB001C	Battery Powered Blower	$\leq 2,5$	-	-	Operation-without-load	EN50636-2-100		83,4	-	92,9	2,2/0,3	Uncertainty:K _{0A} /K _{WA}	EN50636-2-100	
	Makita	UB001C	Battery Powered Blower	-	-	-	-	-		-	-	91,4	2,5	Guaranteed:-94-dB	2000/14/EC	
	Makita	UB001G	Cordless Blower	$\leq 2,5$	1,5	-	Operation-without-load	EN50636-2-100		83,7	-	94,1	3,1/3,2	Uncertainty:K _{0A} /K _{WA}	EN50636-2-100	
	Makita	UB001G	Cordless Blower	-	-	-	-	-		-	-	94,1	3,2	Guaranteed:-97-dB	2000/14/EC	
	Makita	UB002C	Battery Powered Backpack Blower	$\leq 2,5$	1,5	-	Operation-without-load	EN50636-2-100		80,9	-	95,5	2,0/1,7	Uncertainty:K _{0A} /K _{WA}	EN50636-2-100	
	Makita	UB002C	Battery Powered Backpack Blower	-	-	-	-	-		-	-	101,3	2,0	Guaranteed:-103-dB	2000/14/EC	
	Makita	UB002G	Cordless Blower	1,1	1,5	-	Operation-without-load(blower)	EN62841-1	84	-	-	92	3	no-load(standard nozzle)	EN62841-1	
	Makita	UB002G	Cordless Blower	1,5	1,5	-	Operation-without-load(Vacuum)	EN62841-1	87	-	-	95	3	no-load(standard nozzle)	EN62841-1	
	Makita	UB002G	Cordless Blower	$\leq 2,5$	1,5	-	Operation-without-load(blower)	EN IEC 62841-4-6		81	-	-	3	no-load(garden nozzle)(127600*2)	EN IEC 62841-4-6	
	Makita	UB002G	Cordless Blower	-	-	-	-	-		-	-	91	2,0	Guaranteed:-93-dB	EN IEC 62841-4-6	no-load(garden nozzle)(127600*2)
	Makita	UB002G	Cordless Blower	-	-	-	-	-		-	-	90	2,0	Guaranteed:-92-dB	2000/14/EC+2024/1208/EU	no-load(garden nozzle)(127600*2)
	Makita	UB003C	Battery Powered Blower	$\leq 2,5$	1,5	-	Operation-without-load	EN50636-2-100	-	82,2	-	93,1	2,0/1,8	Uncertainty:K _{0A} /K _{WA}	EN50636-2-100	
	Makita	UB003C	Battery Powered Blower	-	-	-	-	-		-	-	92,4	2,2	Guaranteed:-95-dB	2000/14/EC	
	Makita	UB003G	Cordless Blower	2,0	1,5	-	Operation-without-load	ENIEC62841-4-6		86,8	-	97,3	1,7/1,8	Uncertainty:K _{0A} /K _{WA}	ENIEC62841-4-6	
	Makita	UB003G	Cordless Blower	-	-	-	-	-		-	-	96,9	1,7	Guaranteed:-99-dB	2000/14/EC+2024/1208/EU	
	Makita	UB004C	Battery Powered Backpack Blower	$\leq 2,5$	1,5	-	Operation-without-load	EN50636-2-100	-	82,3	-	96,1	3,1/2,1	Uncertainty:K _{0A} /K _{WA}	EN50636-2-100	
	Makita	UB004C	Battery Powered Backpack Blower	-	-	-	-	-		-	-	96,1	2,0	Guaranteed:-98-dB	2000/14/EC	
	Makita	UB100D	Cordless Blower	0,6	1,5	-	Operation-without-load	EN62841-1	77	-	-	85	3	no-load(standard nozzle)	EN62841-1	
	Makita	UB101D	Cordless Blower	$\leq 2,5$	1,5	-	Operation-without-load	EN50636-2-100		76,4	-	86,3	0,4/0,7	Uncertainty:K _{0A} /K _{WA}	EN50636-2-100	
	Makita	UB101D	Cordless Blower	-	-	-	-	-		-	-	86,3	0,7	Guaranteed:-87-dB	2000/14/EC	
	Makita	UB1100	Blower	3,0	1,5	-	Operation-without-load	60745-1		86	-	97	3	no-load	60745-1	
	Makita	UB1101	Blower	3,0	1,5	-	Operation-without-load	60745-1		86	-	97	3	no-load	60745-1	
	Makita	UB1102	Blower	2,7	1,5	-	Operation-without-load	EN62841-1	86	-	-	94	3	no-load	EN62841-1	
	Makita	UB1103	Blower	2,7	1,5	-	Operation-without-load	EN62841-1	86	-	-	94	3	no-load	EN62841-1	
	Makita	UB360D	Cordless Blower	$\leq 2,5$	1,5	-	Operation-without-load	EN15503		81,2	-	93,9	2,5	EN15503	EN15503	
	Makita	UB360D	Cordless Blower	-	-	-	-	-		-	-	92,4	-	Guaranteed:-96-dB	2000/14/EC	
	Makita	UC002G	Cordless Chain Saw	5,0	1,5	-	Cutting wood	EN62841-1and EN ISO 11681-2 as applicable	93	-	-	101	3	Chain:91PX Guide bar:Sprocket nose	EN62841-1and EN ISO 11681-2 as applicable	Chain:91PX Guide bar:Sprocket nose
	Makita	UC002G	Cordless Chain Saw	-	-	-	-	-		-	-	102,4	2,7	Guaranteed:-105-dB	2000/14/EC (ISO9207)	Chain:91PX Guide bar:Sprocket nose
	Makita	UC002G	Cordless Chain Saw	5,0	1,5	-	Cutting wood	EN62841-1and EN ISO 11681-2 as applicable	93	-	-	101	3	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value	EN62841-1and EN ISO 11681-2 as applicable	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value
	Makita	UC002G	Cordless Chain Saw	-	-	-	-	-		-	-	102,4	2,7	Guaranteed:-105-dB	2000/14/EC (ISO9207)	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value
	Makita	UC003G	Cordless Chain Saw	5,0	1,5	-	Cutting wood	EN62841-1and EN ISO 11681-2 as applicable	93	-	-	101	3	Chain:91PX Guide bar:Sprocket nose	EN62841-1and EN ISO 11681-2 as applicable	Chain:91PX Guide bar:Sprocket nose
	Makita	UC003G	Cordless Chain Saw	-	-	-	-	-		-	-	102,4	2,7	Guaranteed:-105-dB	2000/14/EC (ISO9207)	Chain:91PX Guide bar:Sprocket nose
	Makita	UC003G	Cordless Chain Saw	5,0	1,5	-	Cutting wood	EN62841-1and EN ISO 11681-2 as applicable	93	-	-	101	3	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value	EN62841-1and EN ISO 11681-2 as applicable	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value
	Makita	UC003G	Cordless Chain Saw	-	-	-	-	-		-	-	102,4	2,7	Guaranteed:-105-dB	2000/14/EC (ISO9207)	Chain:91PX Guide bar:Sprocket nose
	Makita	UC004G	Cordless Chain Saw	5,0	1,5	-	Cutting wood	EN62841-1and EN ISO 11681-2 as applicable	93	-	-	101	3	Chain:91PX Guide bar:Sprocket nose	EN62841-1and EN ISO 11681-2 as applicable	Chain:91PX Guide bar:Sprocket nose
	Makita	UC004G	Cordless Chain Saw	-	-	-	-	-		-	-	102,4	2,7	Guaranteed:-105-dB	2000/14/EC (ISO9207)	Chain:91PX Guide bar:Sprocket nose
	Makita	UC004G	Cordless Chain Saw	5,0	1,5	-	Cutting wood	EN62841-1and EN ISO 11681-2 as applicable	93	-	-	101	3	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value	EN62841-1and EN ISO 11681-2 as applicable	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value
	Makita	UC004G	Cordless Chain Saw	-	-	-	-	-		-	-	102,4	2,7	Guaranteed:-105-dB	2000/14/EC (ISO9207)	Chain:80TXL Guide bar:Sprocket nose Unified with 91PX value
	Makita	UC006G	Cordless Chain Saw	2,8	1,5	-	Cutting wood	EN62841-1and EN ISO 11681-2 as applicable	91	-	-	99	3	Chain:25AP Guide bar:Carving	EN62841-1and EN ISO 11681-2 as applicable	Chain:25AP Guide bar:Carving
	Makita	UC006G	Cordless Chain Saw	-	-	-	-	-		-	-	102,4	2,7	Guaranteed:-105-dB	2000/14/EC (ISO9207)	Chain:25AP Guide bar:Carving Unified with 91PX value
	Makita	UC013G(UC010G, UC011G)	Cordless Chain Saw	3,1	1,5	-	Cutting wood	EN62841-4-1	92	-	-	100	3	Chain:80TXL Guide bar:Sprocket nose	EN62841-4-1	Chain:80TXL Guide bar:Sprocket nose
	Makita	UC013G(UC010G, UC011G)	Cordless Chain Saw	-	-	-	-	-		-	-	101,1	1,7	Guaranteed:-103-dB	2000/14/EC (ISO9207)	Chain:80TXL Guide bar:Sprocket nose
	Makita	UC013G(UC010G, UC011G)	Cordless Chain Saw	4,4	1,5	-	Cutting wood	EN62841-4-1	94	-	-	102	3	Chain:91PX Guide bar:Sprocket nose	EN62841-4-1	

	Makita	UC013G(UC010G, UC015G)	Cordless Chain Saw		-	-	-	-			-	102,0	2,3	Guaranteed:-104-dB	2000/14/EC (ISO9207)	Chain:91PX Guide bar:Sprocket nose
	Makita	UC017G(UC014G, UC019G)	Cordless Chain Saw		3,0	1,5	Cutting wood	EN62841-4-1		92	-	100	3	Chain:80TXL Guide bar:Sprocket nose	EN62841-4-1	
	Makita	UC017G(UC014G, UC019G)	Cordless Chain Saw		-	-	-	-			-	101,1	1,7	Guaranteed:-103-dB	2000/14/EC (ISO9207)	Chain:80TXL Guide bar:Sprocket nose
	Makita	UC017G(UC014G, UC019G)	Cordless Chain Saw		5,0	1,5	Cutting wood	EN62841-4-1		94	-	102	3	Chain:91PX Guide bar:Sprocket nose	EN62841-4-1	
	Makita	UC017G(UC014G, UC019G)	Cordless Chain Saw		-	-	-	-			-	102,0	2,3	Guaranteed:-104-dB	2000/14/EC (ISO9207)	Chain:91PX Guide bar:Sprocket nose
	Makita	UC023G(UC022G UC021G)	Cordless Chain Saw		3,5	1,5	Cutting wood	EN62841-4-1		93	-	101	3	Chain:80TXL Guide bar:Sprocket nose	EN62841-4-1	
	Makita	UC023G(UC022G UC021G)	Cordless Chain Saw		-	-	-	-			-	100,3	1,8	Guaranteed:-102-dB	2000/14/EC (ISO9207)	Chain:80TXL Guide bar:Sprocket nose
	Makita	UC026G(UC025G UC024G)	Cordless Chain Saw		3,5	1,5	Cutting wood	EN62841-4-1		93	-	101	3	Chain:80TXL Guide bar:Sprocket nose	EN62841-4-1	
	Makita	UC026G(UC025G UC024G)	Cordless Chain Saw		-	-	-	-			-	100,3	1,8	Guaranteed:-102-dB	2000/14/EC (ISO9207)	Chain:80TXL Guide bar:Sprocket nose
	Makita	UC029G	Cordless Pruning Saw		4,6	1,5	Cutting wood	EN62841-4-1		81	-	89	3	Chain:80TXL Guide bar:150mm (no Sprocket)	EN62841-4-1	Chain:80TXL Guide bar:150mm (no Sprocket)
	Makita	UC029G	Cordless Pruning Saw		-	-	-	-			-	89	2,4	Guaranteed:-92-dB	2000/14/EC+2024/1208/EU	Chain:80TXL Guide bar:150mm (no Sprocket)
	Makita	UC030G	Cordless Chain Saw		4,1	1,5	Cutting wood	EN62841-4-1		96	-	104	3	Chain:228PX Guide bar:500mm Sprocket nose	EN62841-4-1	
	Makita	UC030G	Cordless Chain Saw		-	-	-	-			-	104	2,4	Guaranteed:-106-dB	2000/14/EC+2024/1208/EU (EN62841-4-1)	Chain:228PX Guide bar:500mm Sprocket nose
	Makita	UC030G	Cordless Chain Saw		5,3	1,5	Cutting wood	EN62841-4-1		99	-	107	3	Chain:Rescue Guide bar:500mm Sprocket nose	EN62841-4-1	
	Makita	UC030G	Cordless Chain Saw		-	-	-	-			-	107	2,4	Guaranteed:-109-dB	2000/14/EC+2024/1208/EU (EN62841-4-1)	Chain:Rescue Guide bar:500mm Sprocket nose
	Makita	UC031G	Cordless Chain Saw		3,1	1,5	Cutting wood	EN62841-4-1			97	105	3	Chain:90PX Guide bar:300mm Sprocket nose	EN62841-4-1	
	Makita	UC031G	Cordless Chain Saw		-	-	-	-			-	100	2,4	Guaranteed:-102-dB	2000/14/EC+2024/1208/EU (EN62841-4-1)	Chain:80TXL Guide bar:300mm Sprocket nose
	Makita	UC031G	Cordless Chain Saw		-	-	-	-			-	102	2,4	Guaranteed:-104-dB	2000/14/EC+2024/1208/EU (EN62841-4-1)	Chain:90PX Guide bar:300mm Sprocket nose
	Makita	UC100D	Cordless Pruning Saw		4,8	1,5	Cutting wood	EN62841-4-1		79	-	87	3	Chain:80TXL Guide bar:100mm (no Sprocket)	EN62841-4-1	
	Makita	UC100D	Cordless Pruning Saw		-	-	-	-			-	93,4	2,0	Guaranteed:-95-dB	2000/14/EC (ISO9207)	Chain:80TXL Guide bar:100mm (no Sprocket)
	Makita	UC120D	Cordless Chain Saw		8,9	2,6	Cutting-wood	60745-2-13			80	-	3,38		60745-2-13	
	Makita	UC120D	Cordless Chain Saw		-	-	-	-			-	90	-	Guaranteed:-94-dB	2000/14/EC	
	Makita	UC3020A	Chain Saw		2,8(F) 4,6(R)	1,5	Cutting-wood	60745-2-13			89	100	1		60745-2-13	
	Makita	UC3020A	Chain Saw		-	-	-	-			-	100	-	Guaranteed:-101-dB	2000/14/EC	
	Makita	UC3030A	Chain Saw		4,7(F) 5,6(R)	1,5	Cutting-wood	60745-2-13			90,8	101,8	0,73		60745-2-13	
	Makita	UC3030A	Chain Saw		-	-	-	-			-	101,8	-	Guaranteed:-103-dB	2000/14/EC	
	Makita	UC3041A	Chain Saw		5,3	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:90PX Guide bar:400mm Sprocket nose	EN62841-4-1	
	Makita	UC3041A	Chain Saw		-	-	-	-			-	102,2	-	Guaranteed:-104-dB	2000/14/EC	
	Makita	UC3050A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC3050A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed:-103-dB	2000/14/EC	
	Makita	UC3051A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC3051A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed:-103-dB	2000/14/EC	
	Makita	UC3520A	Chain Saw		2,8(F) 4,6(R)	1,5	Cutting-wood	60745-2-13			89	100	1		60745-2-13	
	Makita	UC3520A	Chain Saw		-	-	-	-			-	100	-	Guaranteed:-101-dB	2000/14/EC	
	Makita	UC3530A	Chain Saw		4,7(F) 5,6(R)	1,5	Cutting-wood	60745-2-13			90,8	101,8	0,73		60745-2-13	
	Makita	UC3530A	Chain Saw		-	-	-	-			-	101,8	-	Guaranteed:-103-dB	2000/14/EC	
	Makita	UC3541A	Chain Saw		5,3	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:90PX Guide bar:400mm Sprocket nose	EN62841-4-1	
	Makita	UC3541A	Chain Saw		-	-	-	-			-	102,2	-	Guaranteed:-104-dB	2000/14/EC	
	Makita	UC3550A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC3550A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed:-103-dB	2000/14/EC	
	Makita	UC3550AP	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC3550AP	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed:-103-dB	2000/14/EC	

	Makita	UC3551A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC3551A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UC4020A	Chain Saw		2,8(F) 4,6(R)	1,5	Cutting-wood	60745-2-13			89	100	1	-	60745-2-13	
	Makita	UC4020A	Chain Saw		-	-	-	-			-	100	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UC4030A	Chain Saw		4,7(F) 5,8(R)	1,5	Cutting-wood	60745-2-13			90,8	101,8	0,73	-	60745-2-13	
	Makita	UC4030A	Chain Saw		-	-	-	-			-	101,8	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UC4041A	Chain Saw		5,3	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:90PX Guide bar:400mm Sprocket nose	EN62841-4-1	
	Makita	UC4041A	Chain Saw		-	-	-	-			-	102,2	-	Guaranteed -104-dB	2000/14/EC	
	Makita	UC4050A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC4050A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UC4051A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC4051A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UC4530A	Chain Saw		4,7(F) 5,6(R)	1,5	Cutting-wood	60745-2-13			90,8	101,8	0,73	-	60745-2-13	
	Makita	UC4530A	Chain Saw		-	-	-	-			-	101,8	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UC4550A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC4550A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UC4551A	Chain Saw		6,7	1,5	Cutting-wood	EN62841-4-1		92	-	100	3	Chain:91PX Guide bar:450mm Sprocket nose	EN62841-4-1	
	Makita	UC4551A	Chain Saw		-	-	-	-			-	101,9	-	Guaranteed -103-dB	2000/14/EC	
	Makita	UE001G	Cordless Edger		2,4	1,5	-	ISO11789		-	75,5	89,4	2,4/2,6	Uncertainty: K _{PA} /K _{WA}	ISO11789 / 2000/14/EC	
	Makita	UE001G	Cordless Edger		-	-	-	-			-	89,4	2,6	Guaranteed -92-dB	2000/14/EC	
	Makita	UH004G	Cordless Hedge Trimmer		2,0	1,5	Rear Handle(main)	EN62841-4-2		88	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	with ultra chip receiver
	Makita	UH004G	Cordless Hedge Trimmer		2,9	1,5	Front Handle (Sub)	EN62841-4-2			-	96	2,2	Guaranteed -98-dB	EN62841-4-2	
	Makita	UH004G	Cordless Hedge Trimmer		-	-	-	-			-	96	2,2	Guaranteed -98-dB	2000/14/EC+2024/1208/EU	
	Makita	UH005G	Cordless Hedge Trimmer		2,7	1,5	Rear Handle(main)	EN62841-4-2		89	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	with ultra chip receiver
	Makita	UH005G	Cordless Hedge Trimmer		3,1	1,5	Front Handle (Sub)	EN62841-4-2			-	97	1,8	Guaranteed -99-dB	EN62841-4-2	
	Makita	UH005G	Cordless Hedge Trimmer		-	-	-	-			-	97	1,8	Guaranteed -99-dB	2000/14/EC+2024/1208/EU	
	Makita	UH006G	Cordless Hedge Trimmer		2,4	1,5	Rear Handle(main)	EN62841-4-2		84	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	with ultra chip receiver
	Makita	UH008G	Cordless Hedge Trimmer		3,0	1,5	Front Handle (Sub)	EN62841-4-2			-	92	2,2	Guaranteed -94-dB	EN62841-4-2	
	Makita	UH008G	Cordless Hedge Trimmer		-	-	-	-			-	92	2,2	Guaranteed -94-dB	2000/14/EC+2024/1208/EU	
	Makita	UH007G	Cordless Hedge Trimmer		3,1	1,5	Rear Handle(main)	EN62841-4-2		84	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	with ultra chip receiver
	Makita	UH007G	Cordless Hedge Trimmer		3,4	1,5	Front Handle (Sub)	EN62841-4-2			-	92	1,7	Guaranteed -94-dB	EN62841-4-2	
	Makita	UH007G	Cordless Hedge Trimmer		-	-	-	-			-	92	1,7	Guaranteed -94-dB	2000/14/EC+2024/1208/EU	
	Makita	UH008G	Cordless Hedge Trimmer		2,5	1,5	Rear Handle(main)	EN62841-4-2		85	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	with ultra chip receiver
	Makita	UH008G	Cordless Hedge Trimmer		3,1	1,5	Front Handle (Sub)	EN62841-4-2			-	93	2,1	Guaranteed -95-dB	EN62841-4-2	
	Makita	UH008G	Cordless Hedge Trimmer		-	-	-	-			-	93	2,1	Guaranteed -95-dB	2000/14/EC+2024/1208/EU	
	Makita	UH009G	Cordless Hedge Trimmer		2,5	1,5	Rear Handle(main)	EN62841-4-2		86	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	with ultra chip receiver
	Makita	UH009G	Cordless Hedge Trimmer		3,2	1,5	Front Handle (Sub)	EN62841-4-2			-	94	1,6	Guaranteed -96-dB	EN62841-4-2	
	Makita	UH009G	Cordless Hedge Trimmer		-	-	-	-			-	94	1,6	Guaranteed -96-dB	2000/14/EC+2024/1208/EU	
	Makita	UH013G	Cordless Hedge Trimmer		1,1	1,5	Rear Handle(main)	EN62841-4-2		83	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH013G	Cordless Hedge Trimmer		2,5	1,5	Front Handle (Sub)	EN62841-4-2			-	91	2,4	Guaranteed -93-dB	EN62841-4-2	
	Makita	UH013G	Cordless Hedge Trimmer		-	-	-	-			-	91	2,4	Guaranteed -93-dB	2000/14/EC+2024/1208/EU	
	Makita	UH014G	Cordless Hedge Trimmer		1,1	1,5	Rear Handle(main)	EN62841-4-2		84	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH014G	Cordless Hedge Trimmer		3,2	1,5	Front Handle (Sub)	EN62841-4-2			-	92	2,2	Guaranteed -95-dB	EN62841-4-2	
	Makita	UH014G	Cordless Hedge Trimmer		-	-	-	-			-	92	2,2	Guaranteed -95-dB	2000/14/EC+2024/1208/EU	
	Makita	UH020G	Cordless Hedge Trimmer		1,5	1,5	Front Handle (Sub) / Rear Handle(main)	EN62841-4-2		83	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH020G	Cordless Hedge Trimmer		-	-	-	-			-	91,0	1,7	Guaranteed -93-dB	EN62841-4-2	
	Makita	UH020G	Cordless Hedge Trimmer		-	-	-	-			-	91,0	1,7	Guaranteed -93-dB	2000/14/EC+2024/1208/EU	
	Makita	UH021G	Cordless Hedge Trimmer		1,9	1,5	Front Handle (Sub) / Rear Handle(main)	EN62841-4-2		83	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH021G	Cordless Hedge Trimmer		-	-	-	-			-	91,0	1,7	Guaranteed -93-dB	EN62841-4-2	
	Makita	UH021G	Cordless Hedge Trimmer		-	-	-	-			-	91,0	1,7	Guaranteed -93-dB	2000/14/EC+2024/1208/EU	
Added	Makita	UH023G	Cordless Hedge Trimmer		1,3	1,5	Rear Handle(main)	EN62841-4-2		74	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	with ultra chip receiver
Added	Makita	UH023G	Cordless Hedge Trimmer		-	-	-	-			-	82,1	1,7	Guaranteed -84-dB	EN62841-4-2	with ultra chip receiver
Added	Makita	UH023G	Cordless Hedge Trimmer		-	-	-	-			-	82,1	1,7	Guaranteed -84-dB	2000/14/EC+2024/1208/EU	
	Makita	UH200D	Cordless Hedge Trimmer	≤	2,5	1,5	-	EN60745-2-15			73,7	-	2,5	no-load	EN60745-2-15	
	Makita	UH200D	Cordless Hedge Trimmer		-	-	-	-			-	81,8	-	Guaranteed -84-dB	2000/14/EC	
	Makita	UH201D	Cordless Hedge Trimmer		1,0	1,5	-	EN62841-4-2		74	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH201D	Cordless Hedge Trimmer		-	-	-	-			-	82	0,6	Guaranteed -82dB	EN62841-4-2	
	Makita	UH201D	Cordless Hedge Trimmer		-	-	-	-			-	82	0,6	Guaranteed -82dB	2000/14/EC+2024/1208/EU	
	Makita	UH202D	Cordless Hedge Trimmer		0,9	1,5	-	EN62841-4-2	≤	70	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH202D	Cordless Hedge Trimmer		-	-	-	-			-	77	2,1	Guaranteed -82-dB	EN62841-4-2	
	Makita	UH202D	Cordless Hedge Trimmer		-	-	-	-			-	77,0	1,9	Guaranteed -83-dB	2000/14/EC	
	Makita	UH261D	Cordless Hedge Trimmer	≤	2,5	1,5	-	60745-2-15			74	-	2,5	no-load	60745-2-15	
	Makita	UH261D	Cordless Hedge Trimmer		-	-	-	60745-2-15			-	82	-	Guaranteed-84-dB	2000/14/EC	
	Makita	UH420D	Cordless Hedge Trimmer	≤	2,5	1,5	-	60745-2-15			74	-	2,5	no-load	60745-2-15	
	Makita	UH420D	Cordless Hedge Trimmer		-	-	-	60745-2-15			-	82,5	-	Guaranteed -84-dB	2000/14/EC	
	Makita	UH422D	Cordless Hedge Trimmer	≤	2,5	1,5	-	60745-2-15			74	-	2,5	no-load	60745-2-15	
	Makita	UH422D	Cordless Hedge Trimmer		-	-	-	60745-2-15			-	82,1	-	Guaranteed-84-dB	2000/14/EC	
	Makita	UH4261	Hedge Trimmer		2,9	1,5	-	EN62841-4-2		85	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH4261	Hedge Trimmer		-	-	-	-			-	93	2,1	Guaranteed -96-dB	EN62841-4-2	
	Makita	UH4261	Hedge Trimmer		-	-	-	-			-	93	2,1	Guaranteed -96-dB	2000/14/EC+2024/1208/EU	
	Makita	UH4570	Hedge Trimmer		6,7	1,5	-	EN62841-4-2		90	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH4570	Hedge Trimmer		-	-	-	-			-	98	1,5	Guaranteed -100-dB	EN62841-4-2	
	Makita	UH4570	Hedge Trimmer		-	-	-	-			-	98	1,5	Guaranteed -100-dB	2000/14/EC+2024/1208/EU	
	Makita	UH480D	Cordless Hedge Trimmer	≤	2,5	1,5	-	60745-2-15			75	-	2,5	no-load	60745-2-15	
	Makita	UH480D	Cordless Hedge Trimmer		-	-	-	60745-2-15			-	83,2	-	Guaranteed-86-dB	2000/14/EC	
	Makita	UH482D	Cordless Hedge Trimmer	≤	2,5	1,5	-	60745-2-15			75	-	2,5	no-load	60745-2-15	
	Makita	UH482D	Cordless Hedge Trimmer		-	-	-	60745-2-15			-	82,8	-	Guaranteed -84-dB	2000/14/EC	
	Makita	UH4861	Hedge Trimmer		3,2	1,5	-	EN62841-4-2		85	-	-	3	Uncertainty: K _{PA}	EN62841-4-2	
	Makita	UH4861	Hedge Trimmer		-	-	-	-			-	93	2,1	Guaranteed -96-dB	EN62841-4-2	

	Makita	UR013G	Cordless Grass Trimmer		-	-	-	-	-	-	93,5	0,9	Guaranteed -95-dB	2000/14/EC	
	Makita	UR014G	Cordless Grass Trimmer	≤	2,5	1,5	head assembly 121-SPp2.7(Tecomec)(1	ISO22867(ISO11806-1)		77,9	91,3	2,9/1,9	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Lp:right rotation, Lw:left rotation
	Makita	UR014G	Cordless Grass Trimmer		-	-	-	-	-	-	92,3	2,4	Guaranteed -95-dB	2000/14/EC	right rotation
	Makita	UR016G	Cordless Grass Trimmer	≤	2,5	1,5	230mm Metal-2-blade(729086*2)	ISO22867(ISO11806-1)		81,3	94,1	2,7/2,1	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)	
	Makita	UR016G	Cordless Grass Trimmer	≤	2,5	1,5	Cutter Assembly 95-M10Lp2.0(126674*0	ISO22867(ISO11806-1)		82,2	92,3	2,6/3,0	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	
	Makita	UR016G	Cordless Grass Trimmer		-	-	-	-	-	-	91,6	1,6	Guaranteed -94-dB	2000/14/EC	
	Makita	UR016G	Cordless Grass Trimmer	≤	2,5	1,5	head assembly 96-M10Lp2.0(Tecomec)(	ISO22867(ISO11806-1)		81,8	92,2	2,5/1,8	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	
	Makita	UR016G	Cordless Grass Trimmer		-	-	-	-	-	-	91,0	1,4	Guaranteed -93-dB	2000/14/EC	
	Makita	UR016G	Cordless Grass Trimmer	≤	2,5	1,5	Plastic blade assy(255mm)(126642*3)	ISO22867(ISO11806-1)		81,8	90,5	2,3/1,5	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	
	Makita	UR016G	Cordless Grass Trimmer		-	-	-	-	-	-	90,9	1,0	Guaranteed -92-dB	2000/14/EC	
	Makita	UR017G	Cordless Grass Trimmer	≤	2,5	1,5	230mm Metal-2-blade(729086*2)	ISO22867(ISO11806-1)		81,3	94,1	2,7/2,1	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)	
	Makita	UR017G	Cordless Grass Trimmer	≤	2,5	1,5	Cutter Assembly 95-M10Lp2.0(126674*0	ISO22867(ISO11806-1)		82,2	92,3	2,6/3,0	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	
	Makita	UR017G	Cordless Grass Trimmer		-	-	-	-	-	-	91,6	1,6	Guaranteed -94-dB	2000/14/EC	
	Makita	UR017G	Cordless Grass Trimmer	≤	2,5	1,5	head assembly 96-M10Lp2.0(Tecomec)(	ISO22867(ISO11806-1)		81,8	92,2	2,5/1,8	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	
	Makita	UR017G	Cordless Grass Trimmer		-	-	-	-	-	-	91,0	1,4	Guaranteed -93-dB	2000/14/EC	
	Makita	UR017G	Cordless Grass Trimmer	≤	2,5	1,5	Plastic blade assy(255mm)(126642*3)	ISO22867(ISO11806-1)		81,8	90,5	2,3/1,5	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)/EN50636-2-91	
	Makita	UR017G	Cordless Grass Trimmer		-	-	-	-	-	-	90,9	1,0	Guaranteed -92-dB	2000/14/EC	
	Makita	UR100D	Cordless Grass Trimmer	≤	2,5	0,5	Nyroncord(126759*2)	EN50636-2-91		74	-	0,74	no-load	EN50636-2-91	Operators ear
	Makita														

	Makita	UX01G	String Trimmer Attachment EM404MP		-	-	-	-			-	92,0	1,0	Guaranteed -93-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM404MP	Ⅲ	2,5	1,5	Cutter Assembly 95-M10L(126674*0)	ISO22867(ISO11806-1)			80,7	91,9	1,3/1,4	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Cutter Assembly 95- M10L(126674*0)
	Makita	UX01G	String Trimmer Attachment EM404MP		-	-	-	-			-	91,9	1,5	Guaranteed -94-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM404MP	Ⅲ	2,5	1,5	Plastic blade assembly(126642*3)	ISO22867(ISO11806-1)			78,6	87,8	0,70/4	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Plastic blade assembly(12664 2*3)
	Makita	UX01G	String Trimmer Attachment EM404MP		-	-	-	-			-	88,8	2,2	Guaranteed -91-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM405MP	Ⅲ	2,5	1,5	Cutter Assembly 95-M10L(126674*0)	ISO22867(ISO11806-1)			84,6	97,2	1,6/1,1	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Cutter Assembly 95- M10L(126674*0)
	Makita	UX01G	String Trimmer Attachment EM405MP		-	-	-	-			-	97,2	1,1	Guaranteed -98-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM405MP	Ⅲ	2,5	1,5	Plastic blade assembly(126642*3)	ISO22867(ISO11806-1)			80,9	90,4	0,7/1,2	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Nylon head UN- 74LH(196324*1)
	Makita	UX01G	String Trimmer Attachment EM405MP		-	-	-	-			-	90,4	1,2	Guaranteed -92-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM406MP	Ⅲ	2,5	1,5	Cutter Assembly 95-M10L(126674*0)	ISO22867(ISO11806-1)			81,3	93,4	0,6/2,1	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Cutter Assembly 95- M10L(126674*0)
	Makita	UX01G	String Trimmer Attachment EM406MP		-	-	-	-			-	90,2	1,9	Guaranteed -93-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM406MP	Ⅲ	2,5	1,5	Plastic blade assembly(126642*3)	ISO22867(ISO11806-1)			78,8	87,9	0,40/6	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Plastic blade assembly(12664 2*3)
	Makita	UX01G	String Trimmer Attachment EM406MP		-	-	-	-			-	87,8	1,0	Guaranteed -89-dB	2000/14/EC	
	Makita	UX01G	Brushcutter Attachment EM407MP	Ⅲ	2,5	1,5	-	ISO22867(ISO11806-1)			84,7	99,0	1,7/1,3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)	
	Makita	UX01G	Brushcutter Attachment EM407MP		-	-	-	-			-	99,0	1,3	Guaranteed -100-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM408MP	Ⅲ	2,5	1,5	230mm Blade 4	ISO22867(ISO11806-1)			80,7	94,7	1,7/3,0	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)	230mm Blade 4
	Makita	UX01G	String Trimmer Attachment EM408MP		-	-	-	-			-	94,7	3,0	Guaranteed -98-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM408MP	Ⅲ	2,5	1,5	Trimmer head 96-M10L(127541*2)	ISO22867(ISO11806-1)			79,5	92,8	1,3/2,7	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Trimmer head 96 M10L(127541*2)
	Makita	UX01G	String Trimmer Attachment EM408MP		-	-	-	-			-	90,3	2,5	Guaranteed -93-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM408MP	Ⅲ	2,5	1,5	Plastic blade assembly(126642*3)	ISO22867(ISO11806-1)			80,5	92,2	1,1/2,8	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Plastic blade assembly(12664 2*3)
	Makita	UX01G	String Trimmer Attachment EM408MP		-	-	-	-			-	90,9	1,9	Guaranteed -93-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM409MP	Ⅲ	2,5	1,5	Trimmer head 96-M10L(127541*2)	ISO22867(ISO11806-1)			80,6	93,4	1,2/2,3	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Trimmer head 96 M10L(127541*2)
	Makita	UX01G	String Trimmer Attachment EM409MP		-	-	-	-			-	89,4	2,4	Guaranteed -92-dB	2000/14/EC	
	Makita	UX01G	String Trimmer Attachment EM409MP	Ⅲ	2,5	1,5	Plastic blade assembly(126642*3)	ISO22867(ISO11806-1)			81,0	91,9	1,4/2,4	Uncertainty: K_{PA}/K_{WA}	ISO22868(ISO11806-1)/EN50636-2-91	Plastic blade assembly(12664 2*3)
	Makita	UX01G	String Trimmer Attachment EM409MP		-	-	-	-			-	91,1	2,1	Guaranteed -94-dB	2000/14/EC	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN401MP	Ⅲ	3,4 2,5	1,5	-	EN62841-4-2	-	-	85	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN401MP		-	-	-	-			-	95	1,1	Guaranteed -96-dB	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN401MP		-	-	-	-			-	94,9	1,1	Guaranteed -96-dB	2000/14/EC	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN401MP		5,4 2,7	1,5	-	EN62841-4-2	-	-	82	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN401MP + LE400MP		-	-	-	-			-	96	1,4	Guaranteed -98-dB	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN401MP + LE400MP		-	-	-	-			-	96,2	1,4	Guaranteed -98-dB	2000/14/EC	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN401MP + LE400MP	Ⅲ	2,5 2,5	1,5	no load	EN62841-4-2	-	-	83	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN402MP		-	-	-	-			-	92	2,3	Guaranteed -95-dB	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN402MP		-	-	-	-			-	92,7	2,0	Guaranteed -95-dB	2000/14/EC	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN402MP+LE400MP		5,0 3,4	1,5	no load	EN62841-4-2	-	-	79	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN402MP+LE400MP		-	-	-	-			-	94	1,8	Guaranteed -96-dB	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN402MP+LE400MP		-	-	-	-			-	93,4	1,7	Guaranteed -95-dB	2000/14/EC	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN410MP		6,7 3,1	1,5	-	EN62841-4-2	-	-	81	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN410MP		-	-	-	-			-	91	2,0	Guaranteed -93-dB	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN410MP		-	-	-	-			-	90,6	2,0	Guaranteed -93-dB	2000/14/EC	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN410MP + LE400MP	Ⅲ	4,4 2,5	1,5	-	EN62841-4-2	-	-	80	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN410MP + LE400MP		-	-	-	-			-	91	1,7	Guaranteed -93-dB	EN62841-4-2	
	Makita	UX01G	Pole Hedge Trimmer Attachment EN410MP + LE400MP		-	-	-	-			-	91,1	1,7	Guaranteed -93-dB	2000/14/EC	
	Makita	UX01G	Ground Trimmer Attachment EN420MP	Ⅲ	2,9 2,5	1,5	-	EN62841-4-2	-	-	84	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Ground Trimmer Attachment EN420MP		-	-	-	-			-	94	0,4	Guaranteed -94-dB	EN62841-4-2	
	Makita	UX01G	Ground Trimmer Attachment EN420MP		-	-	-	-			-	93,5	0,4	Guaranteed -94-dB	2000/14/EC	
	Makita	UX01G	Ground Trimmer Attachment EN421MP	Ⅲ	3,1 2,5	1,5	-	EN62841-4-2			81	92	3	Uncertainty: K_{PA}/K_{WA}	EN62841-4-2	
	Makita	UX01G	Ground Trimmer Attachment EN421MP		-	-	-	-			-	92,2	0,7	Guaranteed -93-dB	2000/14/EC	
	Makita	UX01G	Ground Trimmer Attachment EN422MP	Ⅲ	2,5 2,5	1,5	no load	EN62841-4-2	-	-	81	-	3	Uncertainty: K_{PA}	EN62841-4-2	
	Makita	UX01G	Ground Trimmer Attachment EN422MP		-	-	-	-			-	92	1,9	Guaranteed -94-dB	EN62841-4-2	
	Makita	UX01G	Ground Trimmer Attachment EN422MP		-	-	-	-			-	91,6	2,0	Guaranteed -94-dB	2000/14/EC	

	Makita	UX01G	Ground Trimmer Attachment EN422MP+LE400MP		-	-	-	-			-	92,9	1,8	Guaranteed:-95-dB	2000/14/EC	
	Makita	UX01G	Ground Trimmer Attachment EN424MP	≤	2,5	1,5	no load	EN62841-1			80	88	3	Uncertainty: K _{PN} /K _{WA}	EN62841-1	
	Makita	UX01G	Ground Trimmer Attachment (lawnmower) EN424MP		-	-	-	-			-	88,1	0,9	Guaranteed:-90-dB	2000/14/EC	
	Makita	UX01G	Ground Trimmer Attachment EN425MP	≤	2,5	1,5	no load	EN62841-1			78	88	3	Uncertainty: K _{PN} /K _{WA}	EN62841-1	
	Makita	UX01G	Pole Saw Attachment EY401MP	≤	2,5	1,5	guide bar : 255mm / chain : 91VXL	ISO22867(ISO11680-1)			94	103	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	guide bar : 255mm / chain : 91VXL
	Makita	UX01G	Pole Saw Attachment EY401MP + LE400MP	≤	2,5	1,5	guide bar : 255mm / chain : 91VXL	ISO22867(ISO11680-1)			85	103	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	guide bar : 255mm / chain : 91VXL
	Makita	UX01G	Pole Saw Attachment EY402MP	≤	4,2 2,5	1,5	guide bar : 250mm / chain:90PX	ISO22867(ISO11680-1)			94	104	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	UX01G	Pole Saw Attachment EY402MP	≤	2,5	1,5	guide bar : 250mm / chain:91PX	ISO22867(ISO11680-1)			97	103	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	UX01G	Pole Saw Attachment EY403MP	≤	4,0 2,5	1,5	guide bar : 300mm / chain:90PX	ISO22867(ISO11680-1)			95	102	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	UX01G	Pole Saw Attachment EY403MP	≤	4,7 2,5	1,5	guide bar : 300mm / chain:91PX	ISO22867(ISO11680-1)			95	103	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	
	Makita	UX01G	Pole Saw Attachment EY402MP + LE400MP	≤	2,5	1,5	guide bar : 250mm / chain:90PX	ISO22867(ISO11680-1)			94	104	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	UX01G	Pole Saw Attachment EY402MP + LE400MP	≤	2,5	1,5	guide bar : 250mm / chain:91PX	ISO22867(ISO11680-1)			97	103	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	UX01G	Pole Saw Attachment EY403MP + LE400MP	≤	3,2 2,5	1,5	guide bar : 300mm / chain:90PX	ISO22867(ISO11680-1)			95	102	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	UX01G	Pole Saw Attachment EY403MP + LE400MP	≤	3,5 2,5	1,5	guide bar : 300mm / chain:91PX	ISO22867(ISO11680-1)			95	103	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11680-1)	without LE400MP
	Makita	UX01G	Cultivator Attachment KR400MP	≤	2,5	1,5	-	EN709			77,8	86,6	0,7/1,2	Uncertainty: K _{PN} /K _{WA}	EN709	
	Makita	UX01G	Cultivator Attachment KR401MP	≤	2,5	1,5	-	EN709			77,7	86,7	0,3/2,0	Uncertainty: K _{PN} /K _{WA}	EN709	
	Makita	UX01G	Power Brush Attachment BR400MP	≤	2,5	1,5	-	EN60335-2-72			80,2	88,9	1,0/0,8	Uncertainty: K _{PN} /K _{WA}	EN60335-2-72	Lp at Operators ear
	Makita	UX01G	Power Sweep Attachment SW400MP	≤	2,5 2,5	1,5	-	EN60335-2-72			80,3	88,3	0,2/0,6	Uncertainty: K _{PN} /K _{WA}	EN60335-2-72	Lp at Operators ear
	Makita	UX01G	Pump Attachment PF400MP	≤	2,5	1,5	Load (Suck up water)	ISO22867			75	90	2,5	Uncertainty: K _{PN} /K _{WA}	ISO20361	
	Makita	UX01G	Pump Attachment PF400MP		-	-	-	-			-	90,7	2,5	Guaranteed:-93-dB	2000/14/EC	
	Makita	UX01G	Snow Blower Attachment SN400MP	≤	2,5	1,5	no load(on the ground)	ISO8437-4	-		81	-	3		ISO11201(ISO8437-4)	
	Makita	UX01G	Snow Blower Attachment SN400MP		-	-	-	-			-	91	1,9	Guaranteed:-93-dB	ISO3744(ISO8437-4) 2000/14/EC	
	Makita	UX01G	Blower Attachment UB400MP	≤	4,6 2,5	1,5 2,5	-	EN50636-2-100			92,1	104,1	1,6/1,3	Uncertainty: K _{PN} /K _{WA}	EN50636-2-100	
	Makita	UX01G	Blower Attachment UB400MP		-	-	-	-			-	104,1	1,3	Guaranteed:-105-dB	2000/14/EC	
	Makita	UX01G	Blower Attachment UB401MP	≤	2,5 2,5	1,7 1,5	-	EN50636-2-100			85,6	97,1	2,1/1,0	Uncertainty: K _{PN} /K _{WA}	EN50636-2-100	
	Makita	UX01G	Blower Attachment UB401MP		-	-	-	-			-	97,1	1,0	Guaranteed:-98-dB	2000/14/EC	
	Makita	UX01G	Blower Attachment UB402MP	≤	2,5	1,5	-	EN50636-2-100			81,7	90,8	1,9/1,7	Uncertainty: K _{PN} /K _{WA}	EN50636-2-100	
	Makita	UX01G	Blower Attachment UB402MP		-	-	-	-			-	91,2	1,8	Guaranteed:-93-dB	2000/14/EC	
	Makita	UX01G	Blower Attachment UB403MP	≤	2,5	1,5	flat nozzle(412723*2) short	EN IEC 62841-4-6	-		91	-	3	Uncertainty: K _{PA}	EN IEC 62841-4-6	
	Makita	UX01G	Blower Attachment UB403MP		-	-	-	-			-	100	2,1	Guaranteed:-102-dB	EN IEC 62841-4-6	
	Makita	UX01G	Blower Attachment UB403MP		-	-	-	-			-	98,4	2,1	Guaranteed:-100-dB	2000/14/EC+2024/1208/EU	
	Makita	UX01G	Blower Attachment UB403MP	≤	2,5	1,5	utter nozzle+extend pipe 1pc (191B02*0	EN IEC 62841-4-6	-		100	-	3	Uncertainty: K _{PA}	EN IEC 62841-4-6	
	Makita	UX01G	Blower Attachment UB403MP		-	-	-	-			-	101	2,2	Guaranteed:-103-dB	EN IEC 62841-4-6	
	Makita	UX01G	Weeding Attachment WA400MP	≤	2,8 2,5	1,5	cultivator blade 170(725325*8)	ISO22867(ISO11806-1)	-		77	89	3	Uncertainty: K _{PN} /K _{WA}	ISO22868(ISO11806-1)	weeding blade 220(725323*2) weeding blade 220(725323*2)
	Makita	UX01G	Weeding Attachment WA400MP		-	-	-	-	-		-	89,4	1,9	Guaranteed:-91-dB	2000/14/EC	
	Makita	VC001G(VC002G)	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VC003G(VC004G)	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VC005G	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VC006G(VC007G)	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VC008G(VC009G)	Cordless Backpack Vacuum Clea	≤	2,5	1,5	-	60335-2-69		≤	72	-	2,5	Vaccum-test-carpet	60335-2-69	Lp at Operators ear
	Makita	VC010G	Cordless Upright Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VC011G(VC012G)	Cordless Backpack Vacuum Clea	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	Lp at Operators ear
	Makita	VC014G(VC013G)	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69			75	-	2,5	Vaccum-test-carpet	60335-2-69	Vaccum mode
	Makita	VC014G(VC013G)	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69			75	-	2,5	-	60335-2-69	Blower mode
	Makita	VC1310L	Vacuum Cleaner		-	-	-	60335-2-69			72	-	2,5	-	60704-2-1	
	Makita	VC2201M	Vacuum Cleaner		-	-	-	60704-2-1			72,5	-	2,5	Vaccum-test-carpet	60704-2-1	
	Makita	VC2211M	Vacuum Cleaner		-	-	-	60704-2-1			72,5	-	2,5	Vaccum-test-carpet	60704-2-1	
	Makita	VC2510L	Vacuum Cleaner		-	-	-	60335-2-69			73	-	2,5	-	60704-2-1	
	Makita	VC3210L	Vacuum Cleaner		-	-	-	60335-2-69			73	-	2,5	-	60704-2-1	
	Makita	VC3211H	Vacuum Cleaner		-	-	-	60704-2-1			72,5	-	2,5	Vaccum-test-carpet	60704-2-1	
	Makita	VC3211M	Vacuum Cleaner		-	-	-	60704-2-1			72,5	-	2,5	Vaccum-test-carpet	60704-2-1	
	Makita	VC860D VC861D	Corded and Cordless Vacuum Cle	≤	2,5	1,5	-	60335-2-69		≤	75	-	2,5	Vaccum-test-carpet	60704-2-1	
	Makita	VC862D	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VC863D	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VC864D	Cordless Vacuum Cleaner	≤	2,5	1,5	-	60335-2-69		≤	70	-	2,5	Vaccum-test-carpet	60335-2-69	
	Makita	VR001G VR003G VR004G	Cordless Concrete Vibrator		6,2	1,5	load with flexible hose	ENIEC62841-2-12	≤	70	-	-	3	load without flexible hose	ENIEC62841-2-12	
	Makita	VR250D	Cordless Concrete Vibrator	≤	2,5	1,5	Operation-without-load	60745-1			73	-	3	no-load	60745-1	
	Makita	VR251D	Cordless Concrete Vibrator	≤	2,5	1,5	Operation-without-load	60745-1			74	-	3	no-load	60745-1	
	Makita	VS001G	Cordless Vacuum Sweeper	≤	2,5	1,5	-	EN60335-2-72	-	≤	70	-	3	no-load	EN60335-2-72	Lp at Operators ear
	Makita	VS001G	Cordless Vacuum Sweeper	-	-	-	-	-	-	-	-	76	4	0.94	Guaranteed:77dB	2000/14/EC+2024/1208/EU
	Makita	WR100D	Cordless Ratchet Wrench		2,1	1,5	without-impact	EN62841-2-2		77	-	-	3	no-load	EN62841-2-2	
	Makita	WT001G	Shear Wrench		0,4	1,5	Screwdriving-without-impact	EN62841-2-2		82	-	90	3	no-load	EN62841-2-2	