

Combo Kit CXT® CLX205AJ

12Vmax

CXT® Battery powered Combo Kit

This Combo Kit includes : HP332D Combi Drill and TD111D Impact Driver. With this kit you can do various drilling and fixing tasks easily. Delivered also in a Makpac case.



Models in kit



**Combi Drill CXT®
HP332D**



**Impact Driver CXT®
TD111D**

Combi Drill CXT®

HP332D

12Vmax • 35 Nm • 0 – 1 500 min⁻¹

A compact, brushless drill for professional screwdriving and drilling

A lightweight, brushless drill for screwdriving and drilling with or without hammer action, two power settings. Maximum torque of 35 / 21 Nm. A versatile tool for fitters, builders and maintenance staff. Integrated LED light.



Technical specifications

CXT Battery	✓
Brushless Motor	✓
No load speed	0 - 450 / 1500 min ⁻¹
Impacts per Minute (IPM)	0 - 6750 / 22500 min ⁻¹
Max. fastening torque Hard/Soft	35 / 21 Nm
Torque setting	20
Max. Drilling Diameter in Wood	28 mm
Max. Drilling Diameter in Masonry	8 mm
Max. Drilling Diameter in Steel	10 mm
Drill Chuck Capacity	0,8 - 10 mm
Sound Power Level (L _{WA})	93 dB(A)
Sound Pressure Level (L _{pA})	82 dB(A)
Noise Uncertainty (K Factor)	3 dB(A)
Tool weight with battery	1,1 - 1,3 kg
Product Dimensions (L x W x H):	168 x 66 x 217 mm

User benefits

- Extremely compact thanks to a brushless motor
- Low power consumption thanks to brushless motor
- LED light illuminates the work site
- Ideal for working in tight spaces and overhead applications
- The rubber coating on the handle ensures a firm working grip
- Battery protection system automatically shuts off power when the battery level is low
- Brushless motor eliminates carbon brushes, enabling the Brushless motor to run cooler and more efficiently for longer life

Link to product - www.makita.com



Impact Driver CXT®

TD111D

12Vmax • 1/4" • 135 Nm • 0 – 3 000 min⁻¹

Compact brushless impact driver with assist mode and two power settings

A compact and light impact wrench with a hex. 1/4" drive shank. A compact tool with a max. torque of 135 Nm. Two power settings and assist mode for driving at ultra low speed until commencing tightening. Handy LED light.



Technical specifications

CXT Battery	✓
Brushless Motor	✓
No load speed	0 - 3000 / 1300 min ⁻¹
Max Fastening Torque Impact Drill	135 Nm
Tightening Capacity Standard Bolt	M5 - M14
Impacts per Minute (IPM)	0 - 1600 / 3900 min ⁻¹
Sound Power Level (L _{WA})	105 dB(A)
Sound Pressure Level (L _{pA})	94 dB(A)
Noise Uncertainty (K Factor)	3 dB(A)
Tool weight with battery	0,97 - 1,1 kg
Product Dimensions (L x W x H):	135 x 66 x 210 mm
Nominal Battery Voltage	12 V
Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)	Li-ion
Driving Shank	1/4 "

User benefits

- Ideal for working in tight spaces and overhead applications
- Brushless maintenance-free and long-life motor
- The rubber coating on the handle ensures a firm working grip
- LED light illuminates the work site
- Variable speed
- Quick mount for 1/4 "screwdriver
- Battery protection system automatically shuts off power when the battery level is low

Link to product - www.makita.com



Related products kit

Standard AC

251314-2

Truss Head Screw M4*12, Td140D



266622-8

Truss Head Screw M4 X 12



346909-5 (2x)

Belt Hook



687329-7

Band

784244-7 (2x)

Screw Bit, Ph2 – Ph2, 50 Mm, Double



821549-5

Makpac case (1)



Standard MA

BL1021B (2x)

Battery CXT® 2,0 Ah



DC10WD

Battery Charger CXT®



Other - HP332D

User manual

Parts drawing

Other - TD111D

User manual

Parts drawing