

# Router Trimmer LXT®

## DRT50ZJX3

18V • 6/8 mm

**Light brushless manual trimmer with a wide range of accessories for carpentry**

Handy trimmer for carpentry or hobbies. With the router trimmer, you can cut grooves or decorative trimmings in wood. Compatible with 6 and 8 mm collets, guide rule, dust extraction adapter and edge milling and router modules. Wide range of blades.



### Technical specifications

|                                            |                                 |
|--------------------------------------------|---------------------------------|
| Voltage LXT                                | ✓                               |
| Nominal Battery Voltage                    | 18 V                            |
| Battery Chemistry (Ni-Cd / Ni-MH / Li-ion) | Li-ion                          |
| No load speed                              | 10000 - 30000 min <sup>-1</sup> |
| Max. Collet Capacity                       | 0 - 1-3/8 "                     |
| Plunge capacity                            | 0 - 40 mm                       |
| Plunge capacity with trimmer base          | 0 - 40 mm                       |
| Plunge capacity with plunge base           | 0 - 35 mm                       |
| Collet Capacity                            | 6 / 8 mm                        |
| Sound Power Level (L <sub>WA</sub> )       | 89 dB(A)                        |
| Sound Pressure Level (L <sub>pA</sub> )    | 81 dB(A)                        |
| Noise Uncertainty (K Factor)               | 3 dB(A)                         |
| Tool weight with battery                   | 1,8 - 2,1 kg                    |
| Product Dimensions (L x W x H):            | 134 x 89 x 226 mm               |
| Vibration Level, Cutting Grooves in        | 4,5 m/s <sup>2</sup>            |

### User benefits

- Brushless maintenance-free and long-life motor
- Soft start for smooth start-ups
- Variable speed control dial enables user to match the speed to the application for greater versatility
- LED light illuminates the work site
- Different base assemblies for added versatility
- Battery protection system automatically shuts off power when the battery level is low

**EAN 0088381846134**

Link to product - [www.makita.uk.com](http://www.makita.uk.com)



# Related products

## Standard AC

**153489-2**  
Grip complete 125 mm

**122965-7**  
Straight guide assembly

**195563-0**  
Plunge base set

**194733-8**  
Dust nozzle set Ø 32 / 37 mm

**821552-6**  
Makpac case (4)

 **122703-7**  
Trimmer Guide Assembly

 **195562-2**  
Offset base set

 **195564-8**  
Guide Holder Set

 **195559-1**  
Dust Nozzle

 **126786-9**  
Tilt Base Assembly



## Optional AC

**122391-0**  
Straight Guide

**122965-7**  
Straight guide assembly

**162258-0**  
Side Handle

**193312-9**  
Micro Adjustable Straight Guide

**194385-5**  
Clamp set

**194733-8**  
Dust nozzle set Ø 32 / 37 mm

**195562-2**  
Offset base set

**195564-8**  
Guide Holder Set

**198987-9**  
Router Tilt Base

**199826-6**  
Quick-Release Ratcheting Guide Rail

**344364-5**  
Template Guide 14.5 x 16 x 13 mm

 **122703-7**  
Trimmer Guide Assembly

 **153489-2**  
Grip complete 125 mm

 **164834-6**  
Straight Guide

 **194367-7**  
Guide rail, 3 000 mm

 **194579-2**  
Guide rail adapter

 **195559-1**  
Dust Nozzle

 **195563-0**  
Plunge base set

 **198885-7**  
Guide rail joint connector set, 2 pcs

 **199140-0**  
Guide rail, 1 000 mm

 **343577-5**  
Template Guide 8 x 10 x 9.5 mm

 **763618-5**  
Collet cone 8 mm



 **Optional AC**

**763636-3**  
Collet cone 6 mm



**781011-1**  
Wrench 22 mm



**781039-9**  
Wrench 13



**821552-6**  
Makpac case (4)



**837247-1**  
MakPac (4) Inlay



**B-57613**  
Guide rail bag



**P-20177**  
Guide Rail Connector Set



---

 **Other**

**User manual**

**Parts drawing**