

# Brush Cutter LXT®

## DUR368AZ

18V X2 • 3 500 / 5 300 / 6 500 min<sup>-1</sup>  
• 350 mm

**Highly efficient brushless 3-speed brush cutter with side handles for refinishing green areas**

Powerful brush cutter with side handles and a brushless motor is high in efficiency but low in noise and vibration. 36V is achieved by two 18V batteries connected in series. The cutter features 3-step speed control and a reverse function. Body only version, battery and charger not included.



18V 18V → 36V LXT BL MOTOR ADT AFT

### Technical specifications

|                                            |                                      |
|--------------------------------------------|--------------------------------------|
| Voltage LXT                                | ✓                                    |
| Nominal Battery Voltage                    | 2 x 18 V                             |
| Battery Chemistry (Ni-Cd / Ni-MH / Li-ion) | Li-ion                               |
| No load speed                              | 3500 / 5300 / 6500 min <sup>-1</sup> |
| Cutting width                              | 230 / 255 / 350 mm                   |
| Spindle Thread                             | M10 x 1,25 LH                        |
| Bore Size (Arbor Diameter)                 | 25,4 mm                              |
| Handle Type                                | U                                    |
| Sound Power Level (L <sub>WA</sub> )       | 89 dB(A)                             |
| Sound Pressure Level (L <sub>pA</sub> )    | 77 dB(A)                             |
| Product net weight                         | 3,4 kg                               |
| Noise Uncertainty (K Factor)               | 1,6 dB(A)                            |
| Tool weight with battery                   | 4,1 - 4,7 kg                         |
| Product Dimensions (L x W x H):            | 1758 x 615 x 442 mm                  |

### User benefits

- 36V performance from two 18V batteries connected in series. The batteries are placed in parallel in separate battery docking stations.
- Brushless maintenance-free and long-life motor
- ADT (Automatic torque Drive Technology) adjusts speed and torque during operation for optimum performance
- Active Feedback sensing Technology (AFT) stops the engine if the rotation suddenly stops
- eXtreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions
- Electric brake for maximum productivity and increased operator safety
- Battery protection circuit protects against overloading, over-discharging and over-heating
- 3-speed options (Low / Medium / High) allows the operator to match speed to application

**EAN 0088381884228**

Link to product - [www.makitauk.com](http://www.makitauk.com)



# Related products

## Standard AC

**195246-2**  
Safety Goggles

**783013-3**  
Box Driver 16 - 17 Mm

**783217-7**  
Hex Wrench 5Mm



**198893-8**  
Trimmer Head 2,0 mm, M10 x 1.25



**783202-0**  
Hex Wrench 4Mm



**831304-7**  
Accessory Bag



## Optional AC

**125516-5**  
Band assembly

**191D89-4**  
Trimmer head Tap & Go 2,0 mm, M10

**197294-7**  
Blade Guard Kit Complete

**198383-1**  
Plastic Blade set, 255 mm

**198893-8**  
Trimmer Head 2,0 mm, M10 x 1.25

**369224072**  
Silent Nylon Line, 2,4 mm x 120 m

**783202-0**  
Hex Wrench 4Mm

**831304-7**  
Accessory Bag

**D-66014**  
4-Tooth Brushcutter Blade

**D-66036**  
Brush Cutter Blade, 255 mm

**D-66064**  
2-Tooth Brush cutter Blade

**E-01775**  
Four-Leaf Nylon Cord 2.0mm x 30m

**E-02711**  
Round trim nylon cord, 2,0 mm x 126



**126642-3**  
Plastic blade, 255 mm

**195246-2**  
Safety Goggles

**197296-3**  
Trimmer head 2,0 mm x 3 m, M10 x

**198426-9**  
Plastic Blade Set, 255 mm

**369224070**  
Silent Nylon Line, 2,4 mm x 15 m, 12

**783013-3**  
Box Driver 16 - 17 Mm

**783203-8**  
Hex Wrench 5 Mm

**D-66008**  
4-Tooth Blade, 230 x 25,4 mm

**D-66020**  
Brush Cutter Blade, 230 mm

**D-66058**  
2-Tooth Brushcutter Blade

**E-01769**  
Four-Leaf Nylon Cord 2.0mm x 15m

**E-01797**  
Four-Leaf Nylon Cord 2.4mm x 15m

**E-02783**  
Round trim plus nylon cord, 2,4 mm x



 **Other**

User manual

Parts drawing