

Brush Cutter LXT®

DUR369AZ

18V X2 • 0 – 4 000 / 5 500 / 7 000 min⁻¹

Highly efficient brushless brush cutter with side handles for clearing green areas

For demanding use with side handles and highly efficient brushless motor. Cutting width with line 430 mm. Three blade attachments: line head, grass blade and composite blade. Automatic speed control saves battery life. Body version, battery and charger not included.



18V 18V → 36V LXT BL MOTOR ADT AFT

Technical specifications

Voltage LXT	✓
Nominal Battery Voltage	2 x 18 V
Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)	Li-ion
No load speed	0 - 4600 / 5500 / 7000 min ⁻¹
Cutting width	255 / 305 / 430 mm
Spindle Thread	M10 x 1,25 LH
Bore Size (Arbor Diameter)	25,4 mm
Handle Type	U
Sound Power Level (L _{WA})	90 dB(A)
Vibration Level, Metal 2-Blade	≤ 2,5 m/s ²
Vibration Uncertainty (K Factor), Metal 2-Blade	1,5 m/s ²
Vibration Level, Nyloncord	≤ 2,5 m/s ²
Vibration Uncertainty (K Factor), Nyloncord	1,5 m/s ²
Vibration Level, Plastic 3-Blade	≤ 2,5 m/s ²

User benefits

- 36V performance from two 18V batteries connected in series. The batteries are placed in parallel in separate battery docking stations.
- Sturdy, adjustable handle
- Brushless maintenance-free and long-life motor
- ADT (Automatic torque Drive Technology) adjusts speed and torque during operation for optimum performance
- Active Feedback sensing Technology (AFT) stops the engine if the rotation suddenly stops
- eXtreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions
- Electric brake for maximum productivity and increased operator safety
- Battery protection circuit protects against overloading, over-discharging and over-heating
- 3-speed options (Low / Medium / High) allows the operator to match speed to application
- Rear end mounted motor makes the tool balance similar to engine grass trimmers

EAN 0088381889896

Link to product - www.makita.uk.com



Related products

Standard AC

197993-1
Trimmer head, 95-M10L, 2,4 mm

122906-3
Band assembly

144392-8
Trimmer Head Cover

782238-6
Socket Wrench 17 Mm



831304-7
Accessory Bag



126642-3
Plastic blade, 255 mm



729089-6
Cutter Blade 255 Mm



783202-0
Hex Wrench 4Mm



Optional AC

191D89-4
Trimmer head Tap & Go 2,0 mm, M10



191D90-9
Trimmer Head 2,4 mm, M10 x 1,25



197993-1
Trimmer head, 95-M10L, 2,4 mm



198383-1
Plastic Blade set, 255 mm



198426-9
Plastic Blade Set, 255 mm



199868-0
Plastic blade set, 305 mm



831304-7
Accessory Bag



D-66008
4-Tooth Blade, 230 x 25,4 mm



D-66014
4-Tooth Brushcutter Blade



D-66020
Brush Cutter Blade, 230 mm



D-66036
Brush Cutter Blade, 255 mm



D-66042
Brush Cutter Blade, 305 mm



D-66058
2-Tooth Brushcutter Blade



D-66064
2-Tooth Brush cutter Blade



E-01769
Four-Leaf Nylon Cord 2.0mm x 15m



E-01775
Four-Leaf Nylon Cord 2.0mm x 30m



E-01797
Four-Leaf Nylon Cord 2.4mm x 15m



E-01828
Four-Leaf Nylon Cord 2.7mm x 15m



E-02711
Round trim nylon cord, 2,0 mm x 126



E-02783
Round trim plus nylon cord, 2,4 mm x



 Other

User manual

Parts drawing